

September 20, 2022

Bureau of Case Assignment & Initial Notice
Site Remediation Program
New Jersey Department of Environmental Protection
401-05H
PO Box 420
Trenton, NJ 08625-0420

RE: **REMEDIAL INVESTIGATION REPORT**
Buena Vista Township Public Works Yard
430 Union Road
Buena Vista Township, Atlantic County, New Jersey 08360
Block 7101, Lot 25
NJDEP Incident #: 15-09-24-0947-44
NJDEP SRP PI#: 032698

To Whom It May Concern:

On behalf of Buena Vista Township, CALMAR Associates, LLC. is submitting the attached Remedial Investigation Report for the above referenced Site. We trust that this report satisfies your requirements. Should you have any questions, please do not hesitate to contact the undersigned at 609.476.4500.

Very truly yours,



Ryan K. Seibert, LSRP
Project Manager

c: Zachary Kaplan – NJDEP-BEMSA IEC Unit (*electronically*)
Lisa A. Tilton, CPM/RMC/CMR/TA – Buena Vista Twp. (*electronically*)
CMA File # 18-1823

REMEDIAL INVESTIGATION REPORT

**BUENA VISTA TOWNSHIP PUBLIC WORKS YARD
430 UNION ROAD
BUENA VISTA TWP., ATLANTIC COUNTY, NJ
Block 7101, Lot 25**

NJDEP SRP PI # 032698

**VOLUME 1 OF 1
TEXT, TABLES, FIGURES AND APPENDICES A-D**

PREPARED FOR:

*Buena Vista Township
890 Harding Highway
PO Box 605
Buena, NJ 08310*

PREPARED BY:

*CALMAR Associates, LLC.
1415 13th Avenue
Dorothy, NJ 08317*

SEPTEMBER 2022

TABLE OF CONTENTS

1.0 INTRODUCTION.....	1
2.0 PHYSICAL SETTING	2
2.1 Site Description	2
2.2 Land Use	2
2.3 Topography	3
2.4 Soils.....	3
2.5 Regional Geology.....	3
2.6 Regional Hydrogeology	3
2.7 Surface Water Bodies.....	3
2.8 Wetlands.....	4
2.9 Water Purveyor	4
3.0 TECHNICAL OVERVIEW.....	5
3.1 Reliability of Laboratory Analytical Data.....	5
3.2 Quality Assurance / Quality Control Review.....	6
3.3 Summary of the Nature of Contamination	7
3.4 Variances From Technical Requirements	7
3.5 Significant Events or Seasonal Variation.....	8
3.6 Applicable Regulatory Timeframe.....	8
4.0 REMEDIAL ACTIVITIES	9
4.1 Public Notification and Outreach.....	9
4.2 Geophysical Survey.....	9
4.3 Soil Investigation.....	9
4.3.1 Soil Boring Installation.....	10
4.3.2 Soil Evaluation	10
4.3.3 Soil Sample Collection	10
4.4 Groundwater Investigation.....	11
4.4.1 Monitoring Well Repair and Survey	11
4.4.2 Synoptic Groundwater Elevations	11
4.4.3 Monitoring Well Sampling.....	12
4.4.4 Groundwater Delineation	12

4.4.5	Groundwater Sample Collection	12
4.4.6	Monitoring Well Installation	13
4.5	Sample Identification and Handling.....	13
4.6	Receptor Evaluation	13
4.6.1	Land Use Evaluation	13
4.6.2	Groundwater Evaluation.....	14
4.6.3	Vapor Intrusion Evaluation	17
4.6.4	Ecological Evaluation.....	18
5.0	SUMMARY OF FINDINGS	19
5.1	Soil Quality	19
5.2	Groundwater Quality.....	20
5.3	Interim Remedial Measures	21
5.4	Immediate Environmental Concern Conditions.....	21
5.5	Groundwater Classification Exception Area.....	21
6.0	REMEDIAL COSTS	23
7.0	CONCLUSIONS	24

LIST OF TABLES

TABLE 1	Monitoring Well Construction Details
TABLE 2	Summary of Groundwater Elevation Data
TABLE 3	Summary of Soil Sampling Analytical Results
TABLE 4	Summary of Monitoring Well Sampling Analytical Results
TABLE 5	Summary of Groundwater Sampling Analytical Results

LIST OF FIGURES

FIGURE 1	Site Location Map
FIGURE 2	Area of Concern Map

FIGURE 3	Soil Sampling Analytical Results Map
FIGURE 4	Groundwater Sampling Analytical Results Map
FIGURE 5	Groundwater Elevation Contour Map – May 3, 2018
FIGURE 6	Groundwater Elevation Contour Map – March 19, 2019
FIGURE 7	Groundwater Elevation Contour Map – July 22, 2022
FIGURE 8	Currently Known Extent Map – Potable Well Contamination

LIST OF APPENDICES

APPENDIX A	NJDEP Site Investigation Report (SIR) – 2015
APPENDIX B	Public Notification and Outreach Documentation
APPENDIX C	Geophysical Investigation Report
APPENDIX D	Soil Boring Logs
APPENDIX E	Monitoring Well Records and Form Bs
APPENDIX F	NJDEP Vapor Intrusion Investigation Documentation
APPENDIX G	Laboratory QA/QC Reports - Soil
APPENDIX H	Laboratory QA/QC Reports - Monitoring Wells
APPENDIX I	Laboratory QA/QC Reports – Groundwater Delineation
APPENDIX J	CEA/Well Restriction Area (WRA) Fact Sheet Form

1.0 INTRODUCTION

CALMAR Associates LLC (CMA), on behalf of Buena Vista Township (BVT) is pleased to present the findings of Remedial Investigation (RI) activities conducted at the Buena Vista Township Public Works Yard located at 430 Union Road, Buena Vista Township, Atlantic County, New Jersey (herein known as the Site).

In 2014, Volatile Organic Compounds (VOCs) were detected in private potable wells in the vicinity of the Site. As a result, the Atlantic County Health Department (ACHD) and New Jersey Department of Environmental Protection (NJDEP) sampled potentially impacted potable wells in the area to evaluate the extent of contamination. In addition, the NJDEP conducted an investigation to determine if the Site was a possible source of VOCs, mercury and/or perchlorate contamination identified in potable wells along Post Road. The NJDEP summarized their investigation in a Site Investigation Report (SIR) – 2015 (Appendix A) which reported that neither mercury nor perchlorate was discovered in groundwater on-site at levels that would indicate an on-site source was impacting off-site wells. However, the NJDEP reported that VOCs including tetrachloroethene (PCE) and daughter compounds trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), 1,1-dichloroethene (1,1-DCE) and vinyl chloride (VC), were present in on-site groundwater. Furthermore, the NJDEP concluded VOC contamination identified on-site had migrated off-site and is a source of VOC contamination in potable wells along Post Road.

The NJDEP assigned Site Remediation Program (SRP) Program Interest (PI) # 632263 to the investigation of contaminated groundwater identified along Post Road and SRP PI# 660004 to the investigation of the Site. Based upon the findings of their investigation, the NJDEP directed BVT to investigate the extent of the VOC contamination and implement remedial measures. Subsequently, SRP PI # 660004 was merged with the Site's SRP PI # 032698 and investigative activities were conducted under Activity #'s LSR150001 and OSA150001.

Remedial activities were performed in accordance with NJDEP Administrative Requirements for the Remediation of Contaminated Sites (ARRCS) - New Jersey Administrative Code (N.J.A.C.) 7:26C, Technical Requirements for Site Remediation (TRSR) - N.J.A.C. 7:26E, NJDEP Field Sampling Procedure Manual (FSPM), and applicable NJDEP Technical Guidance documents.

2.0 PHYSICAL SETTING

The following section details the physical setting of the Site and region.

2.1 SITE DESCRIPTION

The 9.62-acre Site is identified by the Atlantic County Tax Assessor as Block 7101, Lot 25. See Figure 1 – Site Location Map. The Site is reported to have been utilized as a gravel pit as early as the 1930's. Subsequently, the Site was utilized as a municipal sanitary landfill. The landfill was reported to have encompassed the entire property with the exception of the northeast corner of the Site which houses BVT Department of Public Works (DPW) buildings. See Figure 2 – Area of Concern (AOC) Map. The specific closure date of the landfill is unknown, however, NJDEP documentation suggests cessation between 1977 and 1982.

In 1998, a former BVT DPW fueling station comprised of two (2) 550-gallon gasoline Underground Storage Tanks (USTs), one (1) 1,000-gallon diesel UST and associated appurtenance were removed from the Site. Following removal, gasoline contamination was identified in subsurface soils. Impacted soils were removed and subsequent groundwater investigations were conducted to address the discharge. In 2014, an Unrestricted-Use Response Action Outcome (RAO) was issued for the AOC.

NJDEP Well Records indicate four (4) monitoring wells, identified as MW-1, MW-2 MW-3 and MW-4, currently exist on-site. Wells were installed in April 1988 following the closure of the former landfill. A fifth monitoring well, installed in November 2000 and later decommissioned, was installed to evaluate groundwater quality following the excavation of gasoline impacted soils in the vicinity of the former fueling station.

Currently, the Site is utilized by the BVT DPW for daily operations and as a recycling center for Township residents.

2.2 LAND USE

The Site is bounded by agricultural lands to the north and west, by residential properties to the south, and Union Road to the east, beyond which lies agricultural lands and residential properties.

2.3 TOPOGRAPHY

Per the United States Geological Survey (USGS) 7.5-minute topographic map (Five Points Quadrangle, dated 1977), the Site is approximately 100 feet (ft.) above the National Geodetic Vertical Datum (NGVD). Surface topography indicates that surface drainage is predominately to the southwest.

2.4 SOILS

Per the United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) Web Soil Survey, the majority of the Site is mapped as Udorthents, refuse substratum (UdrB) with zero (0) to eight (8) percent slopes. The UdrB unit is described as loamy human-transported material over refuse. The perimeter of the Site is mapped as Aura sandy loam (AugdB) which occurs at two (2) to five (5) percent slopes. The AugdB unit is described as well drained soils comprised of coarse-loamy eolian deposits over loamy gravelly fluviomarine deposits.

2.5 REGIONAL GEOLOGY

The Site is situated atop the Bridgeton Formation (Tb). Soils within the Tb Formation are comprised of sand, clayey sand, pebble gravel, minor silt and cobble gravel varying in color from reddish-yellow, red, yellow white, or very pale brown. The formation varies in thickness and the depth to bedrock is well in exceedance of 100-ft.

2.6 REGIONAL HYDROGEOLOGY

The Site is situated atop the Coastal Plain Aquifer. The Coastal Plain Aquifer system is the source of significant quantities of potable water throughout much of southern New Jersey. The Site lies within the Menantico Creek Watershed which drains to the Maurice River. The aquifer beneath the Site is classified by the NJDEP as Class II-A.

2.7 SURFACE WATER BODIES

No surface water bodies exist on-site. The nearest surface water body is a perennial stream known as Panther Branch located approximately 2,100-ft. west of the Site.

2.8 WETLANDS

Per the NJ-GeoWeb (2012 Land Use), no wetlands exist on or adjacent to the Site.

2.9 WATER PURVEYOR

According to the NJ-GeoWeb, the Site and surrounding area is not serviced by a Water Purveyor.

3.0 TECHNICAL OVERVIEW

The following section presents a summary of laboratory analysis, Quality Assurance (QA)/Quality Control (QC) procedures and activities performed to evaluate any field or laboratory errors or events that may have compromised analytical data.

3.1 RELIABILITY OF LABORATORY ANALYTICAL DATA

Soil and groundwater samples collect by CMA were analyzed by TestAmerica / Eurofins Environmental Testing America (ETA) Laboratories (NJ Lab Cert. #: 12028). Potable well samples, analyzed between January 2019 and September 2020, were collected by Vineland Environmental Laboratories, LLC and submitted to Pace Analytical Services, LLC (Pace) of Melville, NY (NJ Lab Cert. #: NY158) for analysis. Post-September 2020, potable well samples were collected by CMA and analyzed by ETA. Analysis was conducted utilized the following methodologies:

- “*Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*” (SW-846, 3rd Edition, November 1986 and its updates)
- United States Environmental Protection Agency’s (USEPA) “*Methods for Chemical Analysis of Water and Waste*” (MCAWW)
- “*Analysis of Extractable Petroleum Hydrocarbon Compounds (EPH) in Aqueous and Soil/Sediment/Sludge Matrices*” (NJDEP EPH Method Revision 3)

The analytical methods for sample analysis were:

Soil

- Target Compound List (TCL) VOC plus (+) 15 Tentatively Identified Compounds (TICs) in accordance with United States Environmental Protection Agency (EPA) SW-846 Method 8260C Data of Known Quality Protocol (DKQP)
- TCL Base Neutral Compounds (BN) + 15 TICs in accordance with EPA SW-846 Method 8270D DKQP
- Organochloride Pesticides in accordance with EPA SW-846 8081B DKQP
- Polychlorinated Biphenyls (PCBs) in accordance with EPA SW-846 8082A DKQP
- Extractable Petroleum Hydrocarbon (EPH) in accordance with NJDEP EPH – Rev. 3
- Metals DKQP in accordance with EPA SW-846 6010D DKQP

- Total Mercury DKQP in accordance with EPA SW-846 Method 7471B DKQP
- Cyanide in accordance with EPA SW-846 Method 9012B DKQP

Groundwater

- TCL VO + 15 TICs in accordance with EPA SW-846 Method 8260C DKQP or 8260D DKQP
- VO Select Ion Monitoring (SIM) in accordance with EPA SW-846 Method 8260C SIM DKQP or 8260D SIM DKQP
- TCL BN plus fifteen (15) TICs in accordance with EPA SW-846 Method 8270D DKQP or 8270E DKQP
- BN SIM in accordance with EPA SW-846 Method 8270D SIM DKQP or 8270E SIM DKQP
- Organochloride Pesticides in accordance with EPA SW-846 8081B DKQP
- PCBs in accordance with EPA SW-846 8082A DKQP
- Metals DKQP in accordance with EPA SW-846 6020A DKQP or 6020B DKQP
- Mercury DKQP in accordance with EPA SW-846 Method 7470A DKQP
- Cyanide in accordance with EPA SW-846 Method 9012B DKQP
- Ammonia as N in accordance with Method 350.1 or SM Method 4500 NH₃
- Total Dissolved Solids (TDS) in accordance with Method SM 2540C
- Nitrate as N in accordance with EPA Method 300_ORGFMS
- Per- and polyfluoroalkyl substances (PFAS) in accordance with EPA Method 537 (Modified), PFC, or TWI21398

Potable Wells

- VOC in accordance with EPA Methods 524.2
- VOC SIM in accordance with EPA Method 524.3; and
- PFAS by EPA Method 537

3.2 QUALITY ASSURANCE / QUALITY CONTROL REVIEW

Laboratory Case Narratives were reviewed to ensure the reliability of laboratory analytical data. All samples were reported to have been received in good condition, properly preserved on ice, and analyzed within holding times.

The Laboratory Case Narrative is in the form of an exception report, where only anomalies related to the report, method specific performance and/or QA/QC issues are discussed.

Laboratory anomalies were noted to exist within each Laboratory Case Narrative. Anomalies related to method specific performance including Matrix Spike Duplicates (MSD) outside of control limits; failed recovery criteria low for MSD; reported values estimated due to compounds detected in method blanks; Laboratory Control Samples (LCS) outside of control limits; and Matrix Spike / Matrix Spike Duplicate (MS/MSD) recoveries outside of control limits were reported for organic non-contaminants of concerns. These anomalies were discussed and an explanation for each was presented.

Based upon CMA's review of the laboratory narratives, it was concluded that all analytical results obtained were found to be acceptable based on standard practices and procedures utilized by a laboratory certified by the NJDEP under the state Environmental Laboratory Certification Program (ELCP). The NJDEP regulates laboratories participating in the ELCP such that data obtained from these facilities meets or exceeds the standards set forth by the NJDEP Office of Quality Assurance (OQA). ETA is also certified under the National Environmental Laboratory Accreditation Program (NELAP).

3.3 SUMMARY OF THE NATURE OF CONTAMINATION

In 2014, the NJDEP initiated an investigation to identify the source contamination detected in potable wells along Post Road. The NJDEP determined that VOCs including PCE, TCE, cis-1,2-DCE, 1,1-DCE, and VC were present on-site and were acting as a source of off-site VOC contamination.

Since the full extent of contamination was unknown and the contents of the former landfill were undocumented, initial RI activities conducted by BVT focused on characterizing site-related contaminants of concern. Soil and/or groundwater samples were analyzed for a suite of potential contaminants including, but not limited to, TCL+TICs/TAL, PFAS, and EPH. In addition to chlorinated solvents, concentrations of benzene, 1,4-dioxane, and PFAS were detected in exceedance of applicable remediation standards in on-site monitoring wells. Although contaminants of concern were detected in on-site soil samples, no exceedance of applicable standards were reported.

3.4 VARIANCES FROM TECHNICAL REQUIREMENTS

A site-specific Quality Assurance Project Plan (QAPP) was not prepared in accordance with *TRSR* - N.J.A.C. 7:26E-2.2. Sample and data collection was performed in accordance with the NJDEP *FSPM*, applicable NJDEP Guidance Documents and professional judgment. All samples were analyzed by a New Jersey certified laboratory, following laboratory QA/QC procedures.

Due to COVID-19 restrictions, an updated file search of county and local records was not conducted to identify all wells located within one-half (0.5) mile of each point of groundwater contamination, and all irrigation, industrial wells, and wells with water allocation permits located within one (1) mile of each point of groundwater contamination in accordance with N.J.A.C. 7:26E-1.13. A file search of NJDEP online records was conducted.

No additional variances from the *TRSR* - N.J.A.C. 7:26E or deviations from any technical guidance pursuant to the *ARRCS* - N.J.A.C. 7:26C were intentionally implemented during remedial activities.

3.5 SIGNIFICANT EVENTS OR SEASONAL VARIATION

No significant events or seasonal variations were observed during the course of remedial activities that would be expected to influence sampling procedures or analytical results. Weather conditions did not affect the condition of the samples collected.

3.6 APPLICABLE REGULATORY TIMEFRAME

On June 17, 2019, BVT entered into an Administrative Consent Order (ACO) with the NJDEP. The ACO directed BVT to submit a RIR by September 23, 2020 (five (5) years after the earliest applicable requirement to remediate pursuant to N.J.A.C. 7:26C-2.2). On April 23, 2020, BVT requested a timeframe extension to allow BVT to obtain access to off-site properties not owned by the Township. The applicable Regulatory Timeframe for the RIR submission was extended two (2) years to September 23, 2022.

4.0 REMEDIAL ACTIVITIES

The following section presents an overview of remedial activities implemented to characterize the former landfill and define the extent of contamination.

4.1 PUBLIC NOTIFICATION AND OUTREACH

In October 2014 and February 2016, the NJDEP distributed Fact Sheets notifying community members of their investigation of contamination identified along Post Road.

In June 2018, BVT developed a Public Participation Plan (PPP) in accordance with N.J.A.C. 7:26C-14.2, seeking public comment from the members of the surrounding community concerning the remediation of the Site. BVT has conducted supplementary public notification by posting reports filed with the NJDEP on the Township's website.

See Appendix B for Public Notification and Outreach documentation.

4.2 GEOPHYSICAL SURVEY

In June 2018, Enviroprobe Service, Inc. (ESI) of Mt. Laurel, NJ conducted a geophysical survey of the Site. The goal of the survey was to delineate the extent of the former landfill and identify subsurface anomalies and/or metallic objects (e.g., buried drums). ESI utilized a Geonics EM31-MK2 system with Differential Global Positioning System (DGPS) and Geometrics 858 Cesium magnetometer with a DGPS to identify subsurface anomalies.

ESI identified metallic anomalies throughout the survey area. In addition, the estimated edge of the former landfill was identified on-site. See Appendix C for ESI's Geophysical Investigation Report.

4.3 SOIL INVESTIGATION

In September 2018, utilizing information obtained from ESI's geophysical survey, CMA implemented an on-site soil investigation. In March 2019, following receipt of access, CMA conducted an off-site investigation to confirm the extent of the former landfill and obtain soil samples for laboratory analysis. See Figure 3 for location of borings utilized for soil investigation.

4.3.1 Soil Boring Installation

Soil investigation borings were advanced utilizing Direct Push Technology (DPT) methodologies. Continuous soil cores were obtained from DPT soil boring locations using five (5)-ft. macro-core samplers and/or dual-tube samplers. Non-disturbed core samples were collected in acetate sleeves within the samplers and removed for examination. Borings were advanced to define the vertical extent of the former landfill and facilitate the collection of soil samples for laboratory analysis. Borings were terminated at depths ranging from 20 to 25-ft. below ground surface (bgs.).

4.3.2 Soil Evaluation

Upon opening the acetate sleeve, each soil core was screened with a calibrated Photo-Ionization Detector (PID). Soils were inspected for visual and/or olfactory evidence of contamination. Soils obtained from each soil sampling location were classified according to a Modified Burmister Soil Classification System. Soil color was indexed to a Munsell Soil Color Chart and given appropriate coding. Soil composition, density, moisture content, sorting and cohesiveness were given subjective ratings.

A description of subsurface conditions encountered at individual boring locations is presented in Appendix D – Soil Boring Logs.

4.3.3 Soil Sample Collection

High biased soil samples were collected at the six (6)-inch (in.) interval exhibiting the highest field screening results. If no evidence of contamination was identified in the vertical soil profile, soil samples were collected from undisturbed, native soils beneath the landfill refuse.

Pursuant to N.J.A.C. 7:26E-2.1(c), soil samples were collected and analyzed for Non-Fractionated EPH and TCL+TICs/TAL. Soil samples collected for VOC's were containerized directly into laboratory supplied Encore samplers from undisturbed soil cores. Soil samples collected for additional parameters were homogenized prior to being placed inside laboratory provided collection jars, utilizing a stainless-steel mixing bowl and stainless-steel trowel.

4.4 GROUNDWATER INVESTIGATION

In May 2018, CMA initiated a groundwater investigation to define the extent of groundwater contamination previously investigated by the NJDEP. Groundwater investigation activities included the collection and analysis of groundwater samples from on-site and off-site sampling points, collection of hydrogeologic data, and monitoring well installation. See Figure 4 for groundwater sampling locations.

4.4.1 *Monitoring Well Repair and Survey*

In April 1998, four (4) monitoring wells, identified as MW-1, MW-2 MW-3 and MW-4 were installed along the perimeter of the Site. On April 23, 2018, CMA representatives inspected these on-site monitoring wells for damage and repaired them as needed. Following the repair of damaged well casings and stick-up well protectors at monitoring wells MW-1 and MW-2, all four (4) on-site monitoring wells were re-surveyed by Schaeffer Nassar Scheidegg Consulting Engineers, LLC. (SNS) of Mays Landing, NJ to confirm well coordinates and elevations. The horizontal locations were surveyed to the nearest foot relative to the New Jersey State Plane Coordinate (NAD 1983) Datum. Vertical elevations of inner casings (i.e., risers) were determined relative to the NGVD (1929) to the nearest 0.01-foot relative to Mean Sea Level (MSL). See Table 1 for a summary of monitoring well construction details. Monitoring Well Records and Form B's are presented in Appendix E.

4.4.2 *Synoptic Groundwater Elevations*

On May 3, 2018, March 19, 2019, and July 22, 2022, CMA collected synoptic groundwater elevation measurements from the monitoring well network to verify the direction of groundwater flow across the Site. Depth to product (if present) and depth to static water elevations were recorded. Measurements were taken to the nearest 0.01-ft. from the surveyed and marked location on top of the inner casing. The interface probe was field decontaminated prior to collecting measurements from the first monitoring well and between each subsequent monitoring well. See Table 2 for a summary of groundwater elevation measurements. Groundwater flow direction for the above referenced sampling events are depicted on Figures 5, 6, and 7, respectively.

Based upon calculated groundwater elevations, groundwater flow across the Site is to the southwest.

4.4.3 Monitoring Well Sampling

Prior to CMA's retention, multiple entities collected and analyzed groundwater samples from the on-site monitoring well network. Reported sampling of the monitoring well network was limited to VOCs only. In May 2018, CMA collected samples for TCL+TICs/TAL, ammonia-N, nitrate-N, and TDS to ensure future delineation activities addressed all contaminants of concern. Following the establishment of interim specific groundwater quality standards by the NJDEP in May 2019, monitoring wells were additionally analyzed for select PFAS.

4.4.4 Groundwater Delineation

In September 2018, CMA initiated a groundwater investigation to define the extent of potential contaminants of concern. Groundwater delineation activities were largely conducted utilizing DPT methodologies. In addition, two (2) borings (GWS-27 and GWS-28) were installed utilizing sonic drilling methodologies. Aquifer quality was evaluated, on and off-site, from the water table interface to terminal depths up to 150-ft. bgs.

Following sample collection, borings and/or temporary wells were sealed in accordance to N.J.A.C 7:9D – Well Construction and Maintenance; Sealing of Abandoned Wells.

4.4.5 Groundwater Sample Collection

Water table samples were collected from temporary wells constructed of 1-in. diameter schedule 40 Poly-Vinyl Chloride (PVC) screen (0.01-in.) and installed across the water table interface. Vertical groundwater samples were collected using a GeoProbe SP-16 or Sonic temporary well sampler to facilitate the collection of discrete samples throughout the aquifer.

Prior to sample collection, well screens were developed until the purge water was relatively free of sediment using a peristaltic pump and/or check valve. Water table samples were collected via disposable bottom-filled bailers. Vertical groundwater samples were collected using a check valve and dedicated tubing. Samples were containerized directly into laboratory supplied glassware.

On-site water table screens identified as, GWS-2, GWS-3, GWS-6, GWS-9 and GWS-10 were analyzed for TCL+TICs/TAL, ammonia-N, nitrate-N, and TDS to identify potential contaminants of concern.

Based upon the findings of on-site groundwater testing, off-site groundwater analysis was limited to TCL VOC+15 with select samples additionally analyzed for ammonia-N, nitrate-N, TDS, and PFAS.

4.4.6 Monitoring Well Installation

On July 13, 2022, permanent monitoring well CMA-1 (Permit # E202206242) was installed to monitor groundwater along the downgradient edge of the plume. CMA-1 was constructed of two (2)-in. inner diameter (ID) Sch. 40-PVC casing and 5-ft. - 0.01-inch slot screen. The well was screened at approximately 45 to 50-ft. bgs. Following installation, CMA-1 was developed using a decontaminated submersible pump and dedicated tubing until the water was clear and relatively free of sediment. The monitoring well was secured with watertight locking well cap and completed with flush-mounted locking road box.

Monitoring Well Records and Form B's are presented in Appendix E.

4.5 SAMPLE IDENTIFICATION AND HANDLING

Following collection, samples were assigned project specific identification labels. Soil samples were identified by boring location (ex. SB-#) and depth of sample collection. Groundwater samples were identified by boring location (ex. GWS-#) and depth of well screen. Once labeled, samples were placed in a properly sealed, iced-cooler and transported to a NJDEP certified laboratory via courier under proper chain-of-custody procedures.

4.6 RECEPTOR EVALUATION

CMA conducted a Receptor Evaluation (RE) to document the existence of, and the actions taken to protect potential receptors. Potential receptors evaluated included on-site and surrounding property usage, groundwater usage, vapor intrusion and ecological receptors.

4.6.1 Land Use Evaluation

Per N.J.A.C. 7:26E-1.13, the person responsible for conducting the remediation shall conduct a receptor evaluation of land use that includes the identification of sensitive

populations including, but not limited to, residential properties, public or private schools grades K-12, child care centers, parks, playgrounds, or other recreational areas.

No sensitive populations are located on-site. Tax records indicate that three (3) residential properties are located within 200-ft. of the Site boundary. Residential properties within 200-ft. of the Site include:

BLOCK	LOT	PROPERTY USE
7101	26	RESIDENTIAL – CLASS 2
7101	28	RESIDENTIAL FARM – CLASS 3A
5801	1	RESIDENTIAL FARM – CLASS 3A

4.6.2 Groundwater Evaluation

Per N.J.A.C. 7:26E-1.14, The person responsible for conducting the remediation shall conduct a receptor evaluation of groundwater when any contaminant is detected in groundwater in excess of any Class II Groundwater Quality Standard (GWQS).

Volatile Organic Compounds

In 2014, VOCs were detected in private potable wells in the vicinity of the Site. Between April 2014 and October 2015, the NJDEP collected water samples from 105-private potable wells in Buena Vista Township and the City of Vineland to investigate the extent of groundwater contamination.

In May 2017 and January 2019, the NJDEP re-sampled select private potable wells down-gradient of the Site to confirm previous sampling results. Based upon the NJDEP’s investigation, 13-private potable wells, located downgradient of the Site, were reported to be impacted with site-related VOCs. Granular Activated Carbon (GAC) Point-of-Entry Treatment Systems (POETs) were installed at the following residence and financed through the New Jersey Spill Fund:

- 4321 Post Road – Doe Residence
- 4245 Post Road – Kull Residence (former Leopold)
- 4249 Post Road – Regalbuto Residence
- 4254 Post Road – Bylone Residence

- 4268 Post Road – Petrongolo Residence (former Lentz / Tamburro / Druziako)
- 4273 Post Road – Gallino Residence
- 4301 Post Road – Nicolo Residence
- 4305 Post Road – Jost Residence
- 4310 Post Road – Vacant (former Fury)
- 4313 Post Road – Gilbert Residence
- 4316 Post Road – Matos Residence (former Speziali, B.)
- 4320 Post Road – Speziali, P. Residence
- 4324 Post Road – Turchi Residence

Subsequent investigation conducted by CMA in 2019 and 2020 confirmed two (2) additional private potable wells reported to be impacted with site-related VOCs.

- 4266 Post Road – CAPRI Construction Co.
- 4328 Post Road – PAFACOM, Inc.

Between 2021 and 2022, raw water samples were collected and analyzed for site-related VOCs from three (3) additional potable wells located at 4239 Post Road, 4678 Landis Avenue, and 4698 Landis Avenue. No exceedances of the NJDEP Class II-A Groundwater Quality Criteria (GWQC) were reported in raw water samples at either location.

Per- and Polyfluoroalkyl substances

On March 13, 2019, the NJDEP established new interim specific GWQC for PFAS. CMA subsequently implemented a groundwater investigation to determine if PFAS were present in on-site groundwater. Reported analytical results indicated that PFAS were present in on-site monitoring wells and in temporary wells installed downgradient of the Site.

Based upon the identification of PFAS substances in on-site groundwater, CMA initiated a receptor delineation to determine if select PFAS were present in potable wells in the vicinity of the Site. In 2019 through 2020, 27-potable wells were sampled for Perfluorononanoic (PFNA), Perfluorooctanesulfonic acid (PFOS), and Perfluorooctanoic acid (PFOA). Laboratory analysis indicated that PFAS were identified in exceedance of the NJDEP Class II-A GWQC in seven (7) of the wells sampled. PFAS contamination was reported in raw potable water samples at:

- 4268 Post Road – Lentz Residence
- 4273 Post Road – Gallino Residence
- 4254 Post Road – Bylone Residence

- 4310 Post Road – Vacant (former Fury)
- 4305 Post Road – Jost Residence
- 4266 Post Road – Capri Construction Company
- 4317 Post Road – Bertonazzi Residence

All locations, apart from 4317 Post Road (Bertonazzi Residence), also contain VOC impacts and were previously being treated by POET systems monitored by BVT. Upon confirmation of PFAS contamination at 4317 Post Road, a POET system was installed, and treated water tested to confirm compliance.

Between 2021 and 2022, raw water samples were collected and analyzed for select PFAS from two (2) additional potable wells located at 4239 Post Road and 4698 Landis Avenue. No exceedances of the NJDEP Class II-A GWQC were reported in raw water samples at either location.

MONITORING AND MAINTENANCE

BVT currently monitors and maintains 16 GAC POET systems installed to remove VOC and/or PFAS contamination from private potable wells located downgradient of the Site. POET systems consist of pretreatment filters followed by dual treatment tanks piped in a series. Tanks contain 1.5 cubic ft. of virgin grade GAC. Boiler drain valves, located prior to treatment (RAW) and between the treatment tanks (TREATED), allow for the collection of monitoring samples.

Monitoring is accomplished via bi-annual (treated) sample collection to ensure the POET systems are operating as designed. Raw water samples are collected and analyzed annually.

If contamination in exceedance of one-half (1/2) of the NJDEP Class II-A GWQC (i.e., breakthrough) is identified in the treated sample, maintenance of the POET system is performed by a homeowner selected maintenance contractor. POET system maintenance is accomplished by re-bedding the first tank and putting it in the second tank position; the second tank is then placed in the first tank location. Following maintenance, treated samples are collected to confirm system integrity.

A summary of sampling events and associated analytical results for the 16 private wells monitored by BVT are presented on Figure 8 - Currently Known Extent (CKE) Map: Potable Well Contamination. POETs are located at the following properties:

POET ADDRESS	PROPERTY OWNER	BLOCK	LOT
4268 POST ROAD	JESSE PETRONGOLO (former LENTZ / TAMBURRO / DRUZIAKO)	7101	37
4320 POST ROAD	SPEZIALI, PAUL AND LOLA	7101	33
4273 POST ROAD	GALLINO, JOHN AND NANCY	7601	13
4254 POST ROAD	BYLONE, GLORIA	7101	39
4310 POST ROAD	VACANT (former FURY)	7101	34.01
4324 POST ROAD	TURCHI, RONALD	7101	32
4245 POST ROAD	RICHARD & REBECCA KULL (former LEOPOLD)	7601	39
4321 POST ROAD	DOE, PAULA ANNE	7001	4
4313 POST ROAD	GILBERT, LARRY & LYNDA	7001	2
4301 POST ROAD	NICOLO, VINCENT & ANITA	7001	1.01
4249 POST ROAD	REGALBUTO, JOSEPH & RACHEL	7601	10
4305 POST ROAD	JOST, JAMES & KRISTIN OHNEMULLER	7001	1.02
4316 POST ROAD	SHAWN & VICTORIA MATOS (former SPEZIALI, BRIAN)	7101	34
4328 POST ROAD	PAFACOM INC	7101	31
4266 POST ROAD	CAPRI CONSTRUCTION COMPANY	7101	38
4317 POST ROAD	BERTONAZZI, PAUL & VAL	7001	3

4.6.3 Vapor Intrusion Evaluation

Per N.J.A.C. 7:26E-1.15, the person responsible for conducting the remediation shall conduct a receptor evaluation of the vapor intrusion pathway if groundwater contaminant is identified at a concentration greater than the NJDEP Vapor Intrusion (VI) Groundwater Screening Level (GWSL) within 30-feet of a building when petroleum-based or within 100-ft. of a building when non-petroleum based.

The NJDEP conducted a VI investigation of five (5) residences on Post Road. Indoor air samples were collected from the basement of each home using a 6-liter summa canister over a sampling period of 24-hours. In addition, sub-slab soil gas samples were collected from beneath the concrete floor of each basement. Samples were analyzed for VOCs using Method TO-15.

In December 2015, four (4) homes were sampled: 4321 Post Road, 4324 Post Road, 4325 Post Road, and 4328 Post Road. Reported laboratory results showed no exceedances of the NJDEP Indoor Air or Sub-Slab Soil Gas Screening Levels (IASL or SGSL) with the exception of samples collected at 4325 Post Road. Benzene and ethylbenzene concentrations in indoor air exceeded the IASL and benzene concentrations in the soil gas sample exceeded the SGSL.

In March 2016, a second round of indoor air and sub-slab soil gas sampling was completed at two (2) homes: 4320 Post Road and 4325 Post Road (resampled). The sampling results from 4320 Post Road showed no exceedances of the IASL or the SGSL. At 4325 Post Road, soil gas results were reported below the SGSL; however, indoor air results showed benzene, ethylbenzene, and PCE in exceedance of the IASL. The NJDEP determined exceedances to indoor air identified at 4325 Post Road were the result of background contamination. See Appendix F for NJDEP VI Investigation documentation.

Based upon the known extent of groundwater contamination, no additional VI Investigation has been conducted to date.

4.6.4 Ecological Evaluation

Per N.J.A.C. 7:26E-1.16, the person responsible for conducting the remediation shall conduct an ecological receptor evaluation to determine if any Environmentally Sensitive Natural Resources (ESNR) other than groundwater:

- Are present on, or adjacent to, the site or AOC.
- May be, have been, or are impacted by contamination from the Site or AOC.

No ESNR other than groundwater are present on or adjacent to the Site or AOC. Based upon the findings of RI activities, no ESNR may be, have been or are impacted by contamination from the Site or AOC.

5.0 SUMMARY OF FINDINGS

The following section summarizes the findings of remedial activities conducted to date.

5.1 SOIL QUALITY

In September 2018, CMA initiated an on-site soil investigation. Soil borings, identified as SB-1 through SB-14, were advanced to define the vertical extent of the former landfill and facilitate the collection of soil samples for laboratory analysis. Following receipt of access, CMA conducted an off-site investigation to confirm the horizontal extent of the former landfill and obtain soil samples for laboratory analysis. Soil borings, identified as SB-14 through SB-17, were installed along the southern and western perimeter of the former landfill, respectively. See Figure 3 for location of borings utilized for soil investigation.

High bias and/or delineation soil samples were collected and analyzed for Non-Fractionated EPH and TCL+TICs/TAL. Analytical results for soil samples collected during the RI were compared to NJDEP Soil Remediation Standards (SRS) outlined in N.J.A.C. 7:26D (amended May 17, 2021):

- SRS for the Ingestion-Dermal Exposure Pathway – Residential
- SRS for the Ingestion-Dermal Exposure Pathway – Nonresidential
- SRS for the Inhalation Exposure Pathway – Residential
- SRS for the Inhalation Exposure Pathway – Nonresidential; and
- SRS for the Migration to Groundwater (MGW) Exposure Pathway

No compounds were reported in exceedance of either the NJDEP Residential or Non-Residential SRS in soil samples submitted for laboratory analysis. Concentrations of TCE and Lead were reported in exceedance of applicable MGW SRS in saturated zone soil samples SB-10,19.5-20.0 and SB-16/11.5-12.0, respectively. The MGW SRS apply only to unsaturated zone soils; therefore, they are not applicable to samples collected within the saturated zone.

See Tables 3 for a summary of soil sampling analytical results. Laboratory QA/QC Analytical Data for soil samples are attached as Appendix G.

5.2 GROUNDWATER QUALITY

In May 2018, CMA collected groundwater samples from four (4) on-site monitoring wells to corroborate previously reported analytical results. Initially, on-site groundwater samples were collected and analyzed for TCL+TICs/TAL, ammonia-N, nitrate-N, and TDS. Analytical results for groundwater samples were compared to the NJDEP Class II-A GWQC as outlined in N.J.A.C 7:9C. The GWQC is the higher of the groundwater quality criteria (including interim specific and interim generic criteria) and Practical Quantitation Levels (PQLs).

No VOC contamination was detected in water table monitoring wells MW-1 or MW-4 located in the east and north-west portions of the Site, respectively. Impacts were reported in water table monitoring wells MW-3 and MW-2 located in the west and south-west portions of the Site, respectively.

Following confirmation of groundwater contamination along southwest property boundary of the Site, an on-site groundwater investigation was initiated. VOC contamination was not detected in the central-southwest portion of the Site at the water table interface (i.e., GWS-3/14-24, GW-9/15-25, and GWS-10/15-25) nor vertically (i.e., GWS-3/46-50 and GWS-5/47-50). VOC contamination was identified on-site from the water table interface and extended to a depth of approximately 50-ft. bgs. (i.e., GWS-13/47-50) in the southwest corner of the Site.

CMA conducted an off-site investigation to define the horizontal and vertical extent of groundwater contamination. Following the establishment of interim specific groundwater quality standards by the NJDEP in May 2019, groundwater sample were additionally analyzed for select PFAS. Immediately downgradient of the Site, groundwater contamination was generally encountered at a depth of approximately 40 to 100-ft. bgs. (i.e., GWS-24, GWS-25 and GWS-31). Further downgradient, site-related contaminants of concern were detected along Post Road in potable wells screened from approximately 60 to 130 ft. bgs.,

The downgradient vertical extent of contamination has been defined in temporary groundwater screen GWS-28 at a depth of approximately 125 to 150 ft. bgs. and in the potable well located 4302 Post Road screened at depth of approximately 180 to 190 ft. bgs. Horizontally, the southernly extent of groundwater contamination was extrapolated based upon low-level impacts reported in GWS-22, GWS-29 and GWS-30. The westerly extent of groundwater contamination was defined in temporary groundwater screens installed at boring location GWS-32 and GWS-34; and extrapolated based upon low-level contamination reported in GWS-34 / CMA-1. Due to issues obtaining access to private

properties located north of Post Road, the northerly extent of groundwater contamination was extrapolated based upon groundwater flow direction and analytical results reported for MW-4 and GWS-32.

Based upon reported laboratory analysis, site-related contaminants of concern currently in exceedance of applicable groundwater remediation standards included:

- 1,2-Dichloropropane
- Benzene
- TCE and daughter compounds cis-1,2-DCE and VC
- 1,4-Dioxane
- Ethylene Dibromide (1,2-Dibromoethane)
- PFOS
- PFOA

See Table 4 for a summary of monitoring well sampling analytical results. See Table 5 for a summary of groundwater delineation sampling analytical results. Laboratory QA/QC Analytical Data for monitoring well and groundwater delineation samples are attached as Appendix H and I, respectively.

5.3 INTERIM REMEDIAL MEASURES

No interim remedial measures were necessary to remove, contain, or stabilize a source of contamination to prevent contaminant migration, protect the public health and safety or the environment per N.J.A.C. 7:26E-1.10.

5.4 IMMEDIATE ENVIRONMENTAL CONCERN CONDITIONS

Apart from site-related contaminants identified in downgradient potable wells, no Immediate Environmental Concern (IEC) conditions, as defined in the NJDEP *TRSR* - N.J.A.C. 7:26E, were found to exist.

5.5 GROUNDWATER CLASSIFICATION EXCEPTION AREA

CMA proposed that a Classification Exception Area (CEA) be established to provide notice that the constituent standards for a given aquifer classification are not met in a localized area due to anthropogenic influences, and that designated aquifer uses are suspended in the affected area for the term of the CEA. CEA boundaries are defined by

the fate and transport of contaminants within the effected aquifer as well as the duration of time that contaminate concentrations will take to reach applicable GWQC. The proposed CEA was established based upon the following assumptions:

- The date of the release is known (1982 or earlier).
- The horizontal and vertical extent of groundwater contamination has been defined.
- Apart from potable wells, site-related groundwater contamination has not impacted receptors (i.e., Land-Use, Vapor Intrusion, or Ecological); and
- No change in property use is proposed which would affect the proposed CEA.

Based upon the above assumptions, the contaminated groundwater plume is presumed to be at steady and/or decreasing state. Therefore, the areal extent (199 acres²) and vertical extent (180-ft. bgs.) of the groundwater CEA has been established based upon delineation samples collected during RI activities. The duration of the CEA is indeterminate due to insufficient data sets for predicting a duration. See Appendix J for CEA/Well Restriction Area (WRA) Fact Sheet Form and supporting documentation.

6.0 REMEDIAL COSTS

The table below summarizes remediation cost spent to date.

Remedial Investigation / IEC Maintenance & Monitoring	\$ 875,000.00
--	---------------

7.0 CONCLUSIONS

CMA conducted an exhaustive investigation to identify the source of site-related contamination identified in potable wells downgradient of the Site. Initially, a geophysical survey was conducted to identify the horizontal limits of the former landfill and locate subsurface anomalies and/or metallic objects. Based upon the findings of the survey, soil borings were installed within the area of concern to define the extent of the former landfill and investigate potential sources of contamination.

Since the dissolved phase plume of site-related contamination has migrated off-site, it can be presumed that contamination has migrated vertically beyond the confines of the refuse into saturated soils beneath the former landfill. However, no physical or analytical evidence of VOC contamination was identified in soils within or beneath the confines of the former landfill.

The nature and extent, both horizontal and vertical, of site-related contamination in groundwater has been defined. Based upon delineation activities, potential impacted receptors (i.e., potable wells) have been identified and engineered responses implemented to ensure public health and safety.

CMA recommends that a remedial alternative analysis be performed to develop a remedial strategy to address site-related contamination. In the interim, potentially impacted receptors should be continually monitored until remedial standards for all environmental media are met.

TABLES

TABLE 1
Monitoring Well Construction Details
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

LOCAL WELL ID.	WELL PERMIT NUMBER	NORTH (Y) (NAD 83)	EAST (X) (NAD 83)	TIC Elevation (MSL)	TIC above grade (ft.)	DTB / TIC (ft.)	SCREEN LENGTH (ft.)	MATERIAL / DIAMETER (in.)
MW-1	35-06406	240499.196	373622.835	109.57	2.8	41.9	20	PVC - 4
MW-2	35-06405	240228.298	373004.185	103.85	2.6	41.4	20	PVC - 4
MW-3	35-06404	240540.377	373025.414	111.74	2.1	42.2	20	PVC - 4
MW-4	35-06403	240862.751	373046.147	113.02	1.2	40.7	20	PVC - 4
CMA-1	E202206242	237761.691	368096.354	88.51	Flushmount	50.4	5	PVC - 2

NOTES:

1. New Jersey State Plan Coordinates NAD 83 to nearest foot.
2. Elevation of Top of Inner Casing (TIC) from reference mark (nearest 0.01') / Mean Sea Level (MSL)
3. DTB/TIC = Depth to well bottom measured from TIC.
4. DTP/TIC = Depth to product (DTP) measured from TIC.

TABLE 2
Summary of Groundwater Elevation Data
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

3-May-18					
LOCAL WELL ID.	WELL PERMIT NUMBER	TIC / MSL (ft.)	DTP/TIC (ft.)	DTW/TIC (ft.)	CALC. ELEVATION (MSL) (ft.)
MW-1	35-06406	109.57	--	21.07	88.50
MW-2	35-06405	103.85	--	16.04	87.81
MW-3	35-06404	111.74	--	23.77	87.97
MW-4	35-06403	113.02	--	24.93	88.09
CMA-1	E202206242	88.51	NA	NA	NA

19-Mar-19					
LOCAL WELL ID.	WELL PERMIT NUMBER	TIC / MSL (ft.)	DTP/TIC (ft.)	DTW/TIC (ft.)	CALC. ELEVATION (MSL) (ft.)
MW-1	35-06406	109.57	--	18.78	90.79
MW-2	35-06405	103.85	--	14.06	89.79
MW-3	35-06404	111.74	--	21.79	89.95
MW-4	35-06403	113.02	--	22.99	90.03
CMA-1	E202206242	88.51	NA	NA	NA

27-Jul-22					
LOCAL WELL ID.	WELL PERMIT NUMBER	TIC / MSL (ft.)	DTP/TIC (ft.)	DTW/TIC (ft.)	CALC. ELEVATION (MSL) (ft.)
MW-1	35-06406	109.57	--	24.68	84.89
MW-2	35-06405	103.85	--	19.43	84.42
MW-3	35-06404	111.74	--	27.14	84.60
MW-4	35-06403	113.02	--	28.25	84.77
CMA-1	E202206242	88.51	--	12.65	75.86

NOTES:

1. New Jersey State Plan Coordinates NAD 83 to nearest 10 feet.
2. Elevation of Top of Inner Casing (TIC) from reference mark (nearest 0.01') / Mean Sea Level (MSL)
3. DTP/TIC = Depth to product (DTP) measured from TIC.
4. DTW/TIC = Depth to water (DTW) measured from TIC.

TABLE 3
 Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-3/16.0-16.5	SB-4/19.5-20.0	SB-5/24.5-25.0	SB-6/26.5-27.0	SB-8/23.0-23.5	SB-10/19.5-20.0						
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	16.0 - 16.5' 460-165465-1	19.5 - 20.0' 460-165465-2	24.5 - 25.0' 460-165465-3	26.5 - 27.0' 460-165465-4	23.0 - 23.5' 460-165588-1	19.5 - 20.0' 460-165588-2						
Sampling Date																	
Unit	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	9/25/2018	9/25/2018	9/25/2018	9/25/2018	9/26/2018	9/26/2018						
VO¹⁵ BY 8260C (mg/kg)																	
1,1,1-Trichloroethane	160000	NA	NA	NA	0.2	0.00022	U	0.00021	U	0.00023	U	0.00024	U	0.00028	U	0.00023	U
1,1,2,2-Tetrachloroethane	3.5	18	NA	NA	0.0069	0.00020	U	0.00019	U	0.00021	U	0.00022	U	0.00026	U	0.00022	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	NA	NA	NA	NA	NA	NR		NR		NR		NR		NR		NR	
1,1,2-Trichloroethane	12	64	NA	NA	0.017	0.00016	U	0.00016	U	0.00017	U	0.00018	U	0.00021	U	0.00018	U
1,1-Dichloroethane	120	640	NA	NA	0.24	0.00019	U	0.00019	U	0.00020	U	0.00021	U	0.00025	U	0.00021	U
1,1-Dichloroethene	11	180	52	240	0.0069	0.00021	U	0.00020	U	0.00022	U	0.00023	U	0.00027	U	0.00023	U
1,2,3-Trichlorobenzene	NA	NA	NA	NA	NA	0.00024	U	0.00023	U	0.00025	U	0.00026	U	0.00031	U	0.00026	U
1,2,4-Trichlorobenzene	780	13000	94	NA	0.52	0.00087	U	0.00085	U	0.00091	U	0.00095	U	0.00111	U	0.00095	U
1,2-Dibromo-3-Chloropropane	0.87	4.5	0.026	0.12	0.005	NR		NR		NR		NR		NR		NR	
1,2-Dichlorobenzene	6700	110000	NA	NA	11	NR		NR		NR		NR		NR		NR	
1,2-Dibromoethane (EDB)	0.35	1.8	0.085	0.41	0.0050	0.00017	U	0.00016	U	0.00017	U	0.00018	U	0.00022	U	0.00018	U
1,2-Dichloroethane	5.8	30	71	320	0.0095	0.00027	U	0.00027	U	0.00029	U	0.00030	U	0.00036	U	0.00030	U
1,2-Dichloropropane	19	98	5.7	27	0.0058	0.00039	U	0.00038	U	0.00041	U	0.00043	U	0.00051	U	0.00043	U
1,3-Dichlorobenzene	6700	110000	NA	NA	11	NR		NR		NR		NR		NR		NR	
1,4-Dichlorobenzene	780	13000	NA	NA	1.4	NR		NR		NR		NR		NR		NR	
1,4-Dioxane	7	36	45	210	0.067	NR		NR		NR		NR		NR		NR	
2-Butanone (MEK)	47000	780000	NA	NA	0.98	0.0032	J	0.0010	U	0.0011	U	0.0011	U	0.0022	J	0.0061	
2-Hexanone	390	6500	1000	NA	0.15	0.00072	U	0.00070	U	0.00076	U	0.00079	U	0.00094	U	0.00079	U
4-Methyl-2-pentanone (MIBK)	NA	NA	NA	NA	NA	0.00062	U	0.00060	U	0.00064	U	0.00067	U	0.00080	U	0.00067	U
Acetone	70000	NA	NA	NA	19	0.024		0.0046		0.022		0.025		0.022		0.031	
Benzene	3	16	2.2	11	0.0094	0.00024	U	0.00023	U	0.00025	U	0.00026	U	0.00031	U	0.00031	J
Bromodichloromethane	11	59	NA	NA	0.0050	0.00024	U	0.00023	U	0.00025	U	0.00026	U	0.00031	U	0.00026	U
Bromoform	88	460	NA	NA	0.018	0.00039	U	0.00038	U	0.00041	U	0.00043	U	0.00051	U	0.00043	U
Bromomethane	110	1800	18	82	0.043	0.00044	U	0.00043	U	0.00046	U	0.00048	U	0.00057	U	0.00048	U
Carbon disulfide	NA	NA	NA	NA	3.7	0.00041	J	0.00024	U	0.0013		0.00098	J	0.00032	U	0.00027	U
Carbon tetrachloride	7.6	40	1.4	6.9	0.0075	0.00017	U	0.00016	U	0.00018	U	0.00018	U	0.00022	U	0.00018	U
Chlorobenzene	510	8400	NA	NA	0.64	0.00016	U	0.00016	U	0.00017	U	0.00018	U	0.00021	U	0.00061	J
Chlorobromomethane	NA	NA	NA	NA	NA	NR		NR		NR		NR		NR		NR	
Chlorodibromomethane (Dibromochloromethane)	8.3	43	NA	NA	0.005	0.00018	U	0.00018	U	0.00019	U	0.00020	U	0.00023	U	0.00020	U
Chloroethane	NA	NA	NA	NA	NA	0.00048	U	0.00047	U	0.00051	U	0.00053	U	0.00063	U	0.00053	U
Chloroform	780	13000	590	NA	0.33	0.00030	U	0.00029	U	0.00031	U	0.00032	U	0.00039	U	0.00032	U
Chloromethane	NA	NA	270	1200	NA	0.00040	U	0.00039	U	0.00042	U	0.00044	U	0.00053	U	0.00044	U
cis-1,2-Dichloroethene	780	13000	NA	NA	0.35	0.00014	U	0.00014	U	0.00015	U	0.00015	U	0.00018	U	0.00015	U
cis-1,3-Dichloropropene	NA	NA	NA	NA	NA	0.00025	U	0.00025	U	0.00026	U	0.00028	U	0.00033	U	0.00027	U
Cyclohexane	NA	NA	NA	NA	NA	NR		NR		NR		NR		NR		NR	
Dichlorobromomethane	11	59	NA	NA	0.005	NR		NR		NR		NR		NR		NR	
Dichlorodifluoromethane	16000	260000	NA	NA	38	NR		NR		NR		NR		NR		NR	
Ethylbenzene	7800	130000	10	48	15	0.00018	U	0.00018	U	0.00019	U	0.00020	U	0.00024	U	0.00020	U
Isopropylbenzene	7800	130000	NA	NA	22	NR		NR		NR		NR		NR		NR	
Methyl acetate	78000	NA	NA	NA	22	NR		NR		NR		NR		NR		NR	
Methyl tert-butyl ether	780	13000	140	650	0.25	NR		NR		NR		NR		NR		NR	
Methylcyclohexane	NA	NA	NA	NA	NA	NR		NR		NR		NR		NR		NR	
Methylene Chloride	50	260	1400	NA	0.013	0.00037	J	0.00025	J	0.00031	J	0.00030	J	0.00034	J	0.00028	J
m-Xylene & p-Xylene	NA	NA	NA	NA	NA	NR		NR		NR		NR		NR		NR	
o-Xylene	NA	NA	NA	NA	NA	NR		NR		NR		NR		NR		NR	
Styrene	16000	260000	NA	NA	2.1	0.00011	U	0.00011	U	0.00012	U	0.00012	U	0.00015	U	0.00012	U
TBA	1400	23000	NA	NA	0.32	0.00031	U	0.00030	U	0.00032	U	0.00033	U	0.00040	U	0.00033	U
Tetrachloroethene	330	1700	47	NA	0.0086	0.00013	U	0.00013	U	0.00014	U	0.00014	U	0.00017	U	0.00014	U
Toluene	6300	100000	NA	NA	7.8	0.00058	U	0.00056	U	0.00061	U	0.00063	U	0.00075	U	0.00063	U
trans-1,2-Dichloroethene	1300	22000	NA	NA	0.56	0.00023	U	0.00022	U	0.00024	U	0.00025	U	0.00030	U	0.00025	U
trans-1,3-Dichloropropene	NA	NA	NA	NA	NA	0.00025	U	0.00024	U	0.00026	U	0.00027	U	0.00032	U	0.00027	U
Trichloroethene	15	79	3	14	0.0065	0.00095	B	0.00023	J	0.00049	J	0.00047	J	0.00050	J	0.00015	J
Trichlorofluoromethane (Freon 11)	23000	390000	NA	NA	29	NR		NR		NR		NR		NR		NR	
Vinyl chloride	0.97	5	1.4	6.4	0.0067	0.00051	U	0.00049	U	0.00053	U	0.00055	U	0.00066	U	0.00055	U
Xylenes, Total	1200	190000	NA	NA	19	0.00023	U	0.00023	U	0.00024	U	0.00026	U	0.00031	U	0.00025	U
Total Conc	NA	NA	NA	NA	NA	0.02893		0.00508		0.0241		0.02675		0.02504		0.03845	
Total Estimated Conc. (TICs)	NA	NA	NA	NA	NA	0.017		0.0		0.0		0.0		0.0		0.0	

TABLE 3
Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-3/16.0-16.5	SB-4/19.5-20.0	SB-5/24.5-25.0	SB-6/26.5-27.0	SB-8/23.0-23.5	SB-10/19.5-20.0						
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	16.0 - 16.5' 460-165465-1	19.5 - 20.0' 460-165465-2	24.5 - 25.0' 460-165465-3	26.5 - 27.0' 460-165465-4	23.0 - 23.5' 460-165588-1	19.5 - 20.0' 460-165588-2						
Sampling Date																	
Unit	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	9/25/2018	9/25/2018	9/25/2018	9/25/2018	9/26/2018	9/26/2018						
BN+15 BY 8270D (mg/kg)																	
1,1'-Biphenyl (Diphenyl)	87	450	NA	NA	NA	0.0052	U	0.0049	U	0.0048	U	0.0051	U	0.0048	U	0.0049	U
1,2,4,5-Tetrachlorobenzene	23	390	NA	NA	NA	0.0051	U	0.0048	U	0.0048	U	0.0050	U	0.0048	U	0.0048	U
2,2'-oxybis[1-chloropropane]	3100	52000	NA	NA	1.9	0.0070	U	0.0067	U	0.0066	U	0.0070	U	0.0066	U	0.0067	U
2,3,4,6-Tetrachlorophenol	1900	27000	NA	NA	26	0.026	U	0.025	U	0.025	U	0.026	U	0.025	U	0.025	U
2,4,5-Trichlorophenol	6300	91000	NA	NA	68	0.013	U	0.012	U	0.012	U	0.013	U	0.012	U	0.012	U
2,4,6-Trichlorophenol	49	230	NA	NA	0.86	0.020	U	0.019	U	0.018	U	0.019	U	0.018	U	0.019	U
2,4-Dichlorophenol	190	2700	NA	NA	0.19	0.0082	U	0.0078	U	0.0077	U	0.0081	U	0.0077	U	0.0078	U
2,4-Dimethylphenol	1300	18000	NA	NA	2.3	0.017	U	0.016	U	0.016	U	0.017	U	0.016	U	0.016	U
2,4-Dinitrophenol	130	1800	NA	NA	0.33	0.19	U	0.18	U	0.18	U	0.19	U	0.18	U	0.18	U
2,4-Dinitrotoluene	NA	NA	NA	NA	NA	0.020	U	0.019	U	0.018	U	0.020	U	0.018	U	0.019	U
2,6-Dinitrotoluene	NA	NA	NA	NA	NA	0.013	U	0.012	U	0.012	U	0.012	U	0.012	U	0.012	U
2-Chloronaphthalene	4800	67000	NA	NA	NA	0.018	U	0.017	U	0.017	U	0.018	U	0.017	U	0.017	U
2-Chlorophenol	390	6500	NA	NA	0.76	0.0054	U	0.0052	U	0.0051	U	0.0054	U	0.0051	U	0.0052	U
2-Methylnaphthalene	240	3300	NA	NA	3.1	0.0049	U	0.0046	U	0.0046	U	0.0048	U	0.0046	U	0.0046	U
2-Methylphenol	320	4600	NA	NA	0.77	0.0063	U	0.0060	U	0.0059	U	0.0062	U	0.0059	U	0.0060	U
2-Nitroaniline	NA	NA	NA	NA	NA	0.015	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U
2-Nitrophenol	NA	NA	NA	NA	NA	0.012	U	0.012	U	0.012	U	0.012	U	0.012	U	0.012	U
3,3'-Dichlorobenzidine	1.2	5.7	NA	NA	3.9	0.059	U*	0.056	U*	0.055	U*	0.058	U*	0.055	U*	0.056	U*
3-Nitroaniline	NA	NA	NA	NA	NA	0.021	U	0.020	U	0.020	U	0.021	U	0.020	U	0.020	U
4,6-Dinitro-2-methylphenol	NA	NA	NA	NA	NA	0.063	U	0.060	U	0.059	U	0.063	U	0.059	U	0.060	U
4-Bromophenyl phenyl ether	NA	NA	NA	NA	NA	0.0050	U	0.0048	U	0.0047	U	0.0050	U	0.0047	U	0.0048	U
4-Chloro-3-methylphenol	NA	NA	NA	NA	NA	0.0065	U	0.0061	U	0.0061	U	0.0064	U	0.0061	U	0.0061	U
4-Chloroaniline	2.7	13	NA	NA	0.23	0.027	U	0.026	U	0.026	U	0.027	U	0.026	U	0.026	U
4-Chlorophenyl phenyl ether	NA	NA	NA	NA	NA	0.0061	U	0.0058	U	0.0058	U	0.0061	U	0.0058	U	0.0058	U
4-Methylphenol	630	9100	NA	NA	0.75	0.0066	U	0.0063	U	0.0062	U	0.0066	U	0.0062	U	0.0063	U
4-Nitroaniline	27	130	NA	NA	NA	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U
4-Nitrophenol	NA	NA	NA	NA	NA	0.063	U	0.060	U	0.060	U	0.063	U	0.059	U	0.060	U
Acenaphthene	3600	50000	NA	NA	NA	0.028	U	0.027	U	0.027	U	0.028	U	0.027	U	0.027	U
Acenaphthylene	NA	NA	NA	NA	NA	0.0040	U	0.0038	U	0.0038	U	0.0040	U	0.0038	U	0.0038	U
Acetophenone	7800	130000	NA	NA	3.6	0.0063	U	0.0060	U	0.0059	U	0.0062	U	0.0059	U	0.0060	U
Anthracene	18000	250000	NA	NA	NA	0.0043	U	0.0041	U	0.0041	U	0.0043	U	0.0041	U	0.0041	U
Atrazine	220	3200	NA	NA	0.33	0.0098	U	0.0093	U	0.0092	U	0.0097	U	0.0092	U	0.0093	U
Benzaldehyde	170	910	NA	NA	NA	0.017	U	0.016	U	0.016	U	0.017	U	0.016	U	0.016	U
Benzo[a]anthracene	5.1	23	78000	370000	0.71	0.014	U	0.013	U	0.013	U	0.013	U	0.013	U	0.013	U
Benzo[a]pyrene	0.51	2.3	3500	16000	NA	0.010	U	0.0099	U	0.0097	U	0.010	U	0.0097	U	0.0099	U
Benzo[b]fluoranthene	5.1	23	78000	370000	NA	0.010	U	0.0096	U	0.0094	U	0.010	U	0.0094	U	0.0096	U
Benzo[g,h,i]perylene	NA	NA	NA	NA	NA	0.011	U	0.011	U	0.011	U	0.011	U	0.011	U	0.011	U
Benzo[k]fluoranthene	51	230	780000	NA	NA	0.0076	U	0.0073	U	0.0072	U	0.0076	U	0.0072	U	0.0073	U
Bis(2-chloroethoxy)methane	190	2700	NA	NA	NA	0.013	U	0.013	U	0.013	U	0.013	U	0.013	U	0.013	U
Bis(2-chloroethyl)ether	0.63	3.3	NA	NA	0.33	0.0047	U	0.0045	U	0.0044	U	0.0047	U	0.0044	U	0.0045	U
Bis(2-ethylhexyl) phthalate	39	180	NA	NA	14	0.021	U	0.020	U	0.019	U	0.020	U	0.019	U	0.020	U
Butyl benzyl phthalate	290	1300	NA	NA	29	0.018	U	0.017	U	0.017	U	0.018	U	0.017	U	0.017	U
Caprolactam	32000	460000	290	1300	16	0.023	U	0.022	U	0.022	U	0.023	U	0.022	U	0.022	U
Carbazole	NA	NA	NA	NA	NA	0.0045	U	0.0043	U	0.0043	U	0.0045	U	0.0043	U	0.0043	U
Chrysene	510	2300	NA	NA	NA	0.0066	U	0.0063	U	0.0062	U	0.0065	U	0.0062	U	0.0063	U
Dibenz(a,h)anthracene	0.51	2.3	7800	37000	NA	0.017	U	0.016	U	0.016	U	0.017	U	0.016	U	0.016	U
Dibenzofuran	NA	NA	NA	NA	NA	0.0055	U	0.0052	U	0.0051	U	0.0054	U	0.0051	U	0.0052	U
Diethyl phthalate	51000	730000	NA	NA	44	0.0056	U	0.0054	U	0.0053	U	0.0056	U	0.0053	U	0.0054	U
Dimethyl phthalate	NA	NA	NA	NA	NA	0.0047	U	0.0045	U	0.0044	U	0.0047	U	0.0044	U	0.0045	U
Di-n-butyl phthalate	6300	91000	NA	NA	NA	0.069	U	0.065	U	0.064	U	0.068	U	0.064	U	0.065	U
Di-n-octyl phthalate	630	9100	NA	NA	NA	0.021	U	0.020	U	0.019	U	0.020	U	0.019	U	0.020	U
Fluoranthene	2400	33000	NA	NA	NA	0.0050	U	0.0048	U	0.0047	U	0.0050	U	0.0047	U	0.0048	U
Fluorene	2400	33000	NA	NA	NA	0.0053	U	0.0050	U	0.0050	U	0.0052	U	0.0049	U	0.0050	U
Hexachlorobenzene	0.43	2.3	NA	NA	0.17	0.0057	U	0.0054	U	0.0054	U	0.0057	U	0.0053	U	0.0054	U
Hexachlorobutadiene	8.9	47	NA	NA	0.17	0.0083	U	0.0079	U	0.0078	U	0.0082	U	0.0078	U	0.0079	U
Hexachlorocyclopentadiene	470	7800	2.7	NA	2.5	0.034	U	0.032	U	0.032	U	0.034	U	0.032	U	0.032	U
Hexachloroethane	17	91	NA	NA	0.17	0.0060	U	0.0057	U	0.0056	U	0.0059	U	0.0056	U	0.0057	U
Indeno[1,2,3-cd]pyrene	5.1	23	78000	370000	NA	0.015	U	0.014	U	0.014	U	0.015	U	0.014	U	0.014	U

TABLE 3
Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-3/16.0-16.5	SB-4/19.5-20.0	SB-5/24.5-25.0	SB-6/26.5-27.0	SB-8/23.0-23.5	SB-10/19.5-20.0						
Lab Sample ID	Tbl1 Ingestion-Dermal	Tbl2 Ingestion-Dermal	Tbl3 Inhalation	Tbl4 Inhalation	Tbl5 Migration to GW	16.0 - 16.5'	19.5 - 20.0'	24.5 - 25.0'	26.5 - 27.0'	23.0 - 23.5'	19.5 - 20.0'						
Sampling Date	Residential	Nonresidential	Residential	Nonresidential	Exposure Pathway	460-165465-1	460-165465-2	460-165465-3	460-165465-4	460-165588-1	460-165588-2						
Unit	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	9/25/2018	9/25/2018	9/25/2018	9/25/2018	9/26/2018	9/26/2018						
Isophorone	570	2700	NA	NA	0.23	0.010	U	0.0097	U	0.0096	U	0.010	U	0.0096	U	0.0097	U
Naphthalene	2500	34000	5.7	27	19	0.0067	U	0.0064	U	0.0063	U	0.0067	U	0.010	J	0.031	J
Nitrobenzene	160	2600	7.5	36	0.17	0.0093	U	0.0089	U	0.0088	U	0.0093	U	0.0088	U	0.0089	U
N-Nitrosodi-n-propylamine	0.17	0.36	NA	NA	0.17	0.0062	U	0.0059	U	0.0058	U	0.0061	U	0.0058	U	0.0059	U
N-Nitrosodiphenylamine	110	520	NA	NA	1.1	0.0074	U	0.0071	U	0.0070	U	0.0074	U	0.0070	U	0.0071	U
Pentachlorophenol	1	4.4	NA	NA	0.33	0.080	U	0.076	U	0.075	U	0.079	U	0.075	U	0.076	U
Phenanthrene	NA	NA	NA	NA	NA	0.0068	U	0.0065	U	0.0064	U	0.0068	U	0.0064	U	0.0065	U
Phenol	19000	270000	39000	NA	21	0.0058	U	0.0055	U	0.0054	U	0.0057	U	0.0054	U	0.0055	U
Pyrene	1800	25000	NA	NA	NA	0.0097	U	0.0092	U	0.0091	U	0.0096	U	0.0091	U	0.0092	U
Total Conc	NA	NA	NA	NA	NA	0.0		0.0		0.0		0.0		0.01		0.031	
Total Estimated Conc. (TICs)	NA	NA	NA	NA	NA	0.0		0.0		0.0		0.0		0.0		0.0	
PESTICIDES BY 8081B (mg/kg)																	
4,4'-DDD	2.3	11	NA	NA	0.47	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U	0.0013	U
4,4'-DDE	2	11	NA	NA	0.47	0.00093	U	0.00088	U	0.00087	U	0.00092	U	0.00087	U	0.0024	J
4,4'-DDT	1.9	9.5	NA	NA	0.67	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U	0.0014	U
Aldrin	0.041	0.21	NA	NA	0.13	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U
alpha-BHC	0.086	0.41	NA	NA	0.0023	0.00080	U	0.00076	U	0.00075	U	0.00079	U	0.00075	U	0.00076	U
beta-BHC	0.3	1.4	NA	NA	0.0046	0.00088	U	0.00084	U	0.00083	U	0.00087	U	0.00083	U	0.00084	U
Chlordane	NA	NA	NA	NA	NA	0.019	U	0.018	U	0.018	U	0.019	U	0.018	U	0.018	U
delta-BHC	NA	NA	NA	NA	NA	0.00048	U	0.00046	U	0.00045	U	0.00048	U	0.00045	U	0.00046	U
Dieldrin	0.034	0.16	NA	NA	0.024	0.0010	U	0.00097	U	0.00096	U	0.0010	U	0.00096	U	0.00097	U
Endosulfan I	NA	NA	NA	NA	NA	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U
Endosulfan II	NA	NA	NA	NA	NA	0.0020	U	0.0019	U	0.0019	U	0.0020	U	0.0019	U	0.0019	U
Endosulfan sulfate	NA	NA	NA	NA	NA	0.00099	U	0.00094	U	0.00093	U	0.00098	U	0.00093	U	0.00094	U
Endrin	19	270	NA	NA	1.6	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U	0.0011	U
Endrin aldehyde	NA	NA	NA	NA	NA	0.0019	U	0.0018	U	0.0017	U	0.0018	U	0.0017	U	0.0018	U
Endrin ketone	NA	NA	NA	NA	NA	0.0015	U	0.0015	U	0.0014	U	0.0015	U	0.0014	U	0.0015	U
gamma-BHC (Lindane)	0.57	2.8	NA	NA	0.0035	0.00073	U	0.00069	U	0.00068	U	0.00072	U	0.00068	U	0.00069	U
Heptachlor	0.15	0.81	NA	NA	0.083	0.00093	U	0.00088	U	0.00087	U	0.00092	U	0.00087	U	0.00088	U
Heptachlor epoxide	0.076	0.4	NA	NA	0.081	0.0012	U	0.0011	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U
Methoxychlor	320	4600	NA	NA	NA	0.0018	U	0.0017	U	0.0017	U	0.0018	U	0.0017	U	0.0017	U
trans-Chlordane	NA	NA	NA	NA	NA	0.028	U	0.027	U	0.027	U	0.028	U	0.027	U	0.027	U
PCBs BY 8082A (mg/kg)																	
PCB-1016	NA	NA	NA	NA	NA	0.010	U	0.0099	U	0.0098	U	0.010	U	0.0098	U	0.0099	U
PCB-1221	NA	NA	NA	NA	NA	0.010	U	0.0099	U	0.0098	U	0.010	U	0.0098	U	0.0099	U
PCB-1232	NA	NA	NA	NA	NA	0.010	U	0.0099	U	0.0098	U	0.010	U	0.0098	U	0.0099	U
PCB-1242	NA	NA	NA	NA	NA	0.010	U	0.0099	U	0.0098	U	0.010	U	0.0098	U	0.0099	U
PCB-1248	NA	NA	NA	NA	NA	0.010	U	0.0099	U	0.0098	U	0.010	U	0.0098	U	0.0099	U
PCB-1254	NA	NA	NA	NA	NA	0.011	U	0.010	U	0.010	U	0.011	U	0.010	U	0.010	U
PCB-1260	NA	NA	NA	NA	NA	0.011	U	0.010	U	0.010	U	0.011	U	0.010	U	0.010	U
Total PCBs	0.25	1.1	NA	NA	1.6	0.0		0.0		0.0		0.0		0.0		0.0	
NJDEP EPH (mg/kg)																	
Total EPH (C9-C40)	5300	75000	NA	NA	NA	2.3	U	2.2	U	2.2	U	2.3	U	2.2	U	44	
METALS BY 6010D (mg/kg)																	
Aluminum	78000	NA	NA	NA	NA	6730		3300		4620		3670		2910		5400	
Antimony	31	520	NA	NA	5.4	1.0	U	0.97	U	0.87	U	0.89	U	0.91	U	0.97	U
Arsenic	19	19	1100	5200	19	1.6	J	0.98	U	0.88	U	0.90	U	0.92	U	3.5	
Barium	16000	260000	870000	NA	2100	13.5	J	5.5	J	7.6	J	4.0	J	5.0	J	52.4	
Beryllium	160	2600	2000	9300	0.7	0.10	U	0.097	U	0.086	U	0.089	U	0.090	U	0.097	U
Cadmium	71	1100	2600	12000	1.9	0.15	U	0.15	U	0.13	U	0.14	U	0.14	U	0.51	J
Calcium	NA	NA	NA	NA	NA	145	J	107	J	57.1	U	58.7	U	144	J	2060	
Chromium	NA	NA	NA	NA	NA	8.3		5.0		6.9		4.6		4.0		12.1	
Cobalt	23	390	520	2500	90	1.4	U	1.3	U	1.2	U	1.2	U	1.2	U	1.5	J
Copper	3100	52000	NA	NA	910	3.7	J	2.9	U	2.6	U	2.7	U	2.7	U	28.0	
Iron	NA	NA	NA	NA	NA	2960		1420		991		844		636		16900	
Lead	400	800	NA	NA	90	3.7		2.1	J	2.6		2.0		1.9	J	172	
Magnesium	NA	NA	NA	NA	NA	66.0	U	63.3	U	56.5	U	58.1	U	59.0	U	171	J
Manganese	1900	31000	87000	400000	NA	3.1	J	7.1		1.9	J	1.7	J	3.3		61.4	
Nickel	1600	26000	20000	93000	48	4.3	J	2.5	J	3.1	J	2.3	J	2.4	J	8.6	J

TABLE 3
Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-3/16.0-16.5	SB-4/19.5-20.0	SB-5/24.5-25.0	SB-6/26.5-27.0	SB-8/23.0-23.5	SB-10/19.5-20.0						
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	16.0 - 16.5'	19.5 - 20.0'	24.5 - 25.0'	26.5 - 27.0'	23.0 - 23.5'	19.5 - 20.0'						
Sampling Date						460-165465-1	460-165465-2	460-165465-3	460-165465-4	460-165588-1	460-165588-2						
Unit	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	9/25/2018	9/25/2018	9/25/2018	9/25/2018	9/26/2018	9/26/2018						
Potassium	NA	NA	NA	NA	NA	125	J	67.6	U	75.7	J	80.5	J	63.0	U	169	J
Selenium	390	6500	NA	NA	11	2.7	U	2.6	U	2.3	U	2.4	U	2.4	U	2.6	U
Silver	390	6500	NA	NA	0.5	0.21	U	0.21	U	0.18	U	0.19	U	0.19	U	0.21	U
Sodium	NA	NA	NA	NA	NA	91.0	U	87.3	U	78.0	U	80.2	U	81.4	U	87.4	U
Thallium	NA	NA	NA	NA	NA	0.72	U	0.69	U	0.62	U	0.64	U	0.65	U	0.69	U
Vanadium	390	6500	170000	800000	NA	10.0	J	5.9	J	5.4	J	5.0	J	5.2	J	11.3	
Zinc	23000	390000	NA	NA	930	24.0		5.1	U	4.5	U	4.6	U	4.7	U	169	
MERCURY BY 7471B (mg/kg)																	
Mercury	23	390	520000	NA	0.1	0.025		0.011	U	0.010	U	0.011	U	0.010	U	0.050	
CYANIDE BY 9012B (mg/kg)																	
Cyanide, Total	47	780	NA	NA	20	0.062	U	0.065	U	0.070	U	0.074	U	0.060	U	0.086	J

Highlighted Concentrations shown in bold type face exceed limits

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U - Indicates the analyte was analyzed for but not detected.

B - Compound was found in the blank and sample.

* - LCS or LCSD is outside acceptance limits.

F1 - MS and/or MSD Recovery is outside acceptance limits.

Soil Remediation Standards (SRS)

NA - No Standard

NR - Not Reported / Analyzed

mg/kg - Milligrams per kilogram

TABLE 3
 Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-11/24.5-25.0	SB-13/10.5-11.0	SB-14/15.0-15.5	SB-15/15.0-15.5	SB-16/11.5-12.0	SB-17/19.5-20.0		
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	24.5 - 25.0' 460-165588-3	10.5 - 11.0' 460-165693-1	15.0 - 15.5' 460-177480-1	15.0 - 15.5' 460-177480-2	11.5 - 12.0' 460-177480-3	19.5 - 20.0' 460-177480-4		
Sampling Date													
Unit	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	9/26/2018	9/27/2018	3/18/2019	3/18/2019	3/18/2019	3/18/2019		
VO+15 BY 8260C (mg/kg)													
1,1,1-Trichloroethane	160000	NA	NA	NA	0.2	0.00023	U	0.00028	U	0.00023	U	0.00023	U
1,1,2,2-Tetrachloroethane	3.5	18	NA	NA	0.0069	0.00021	U	0.00026	U	0.00021	U	0.00021	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon TF)	NA	NA	NA	NA	NA	NR		NR		NR		NR	
1,1,2-Trichloroethane	12	64	NA	NA	0.017	0.00017	U	0.00022	U	0.00017	U	0.00018	U
1,1-Dichloroethane	120	640	NA	NA	0.24	0.00020	U	0.00025	U	0.00020	U	0.00020	U
1,1-Dichloroethene	11	180	52	240	0.0069	0.00022	U	0.00027	U	0.00022	U	0.00022	U
1,2,3-Trichlorobenzene	NA	NA	NA	NA	NA	0.00025	U	0.00031	U	0.00025	U	0.00025	U
1,2,4-Trichlorobenzene	780	13000	94	NA	0.52	0.00092	U	0.00011	U	0.00092	U	0.00091	U
1,2-Dibromo-3-Chloropropane	0.87	4.5	0.026	0.12	0.005	NR		NR		NR		NR	
1,2-Dichlorobenzene	6700	110000	NA	NA	11	NR		NR		NR		NR	
1,2-Dibromoethane (EDB)	0.35	1.8	0.085	0.41	0.0050	0.00018	U	0.00022	U	0.00018	U	0.00017	U
1,2-Dichloroethane	5.8	30	71	320	0.0095	0.00029	U	0.00036	U	0.00029	U	0.00029	U
1,2-Dichloropropane	19	98	5.7	27	0.0058	0.00041	U	0.00051	U	0.00041	U	0.00042	U
1,3-Dichlorobenzene	6700	110000	NA	NA	11	NR		NR		NR		NR	
1,4-Dichlorobenzene	780	13000	NA	NA	1.4	NR		NR		NR		NR	
1,4-Dioxane	7	36	45	210	0.067	NR		NR		NR		NR	
2-Butanone (MEK)	47000	780000	NA	NA	0.98	0.0011	U	0.0041	J	0.0011	U	0.0011	U
2-Hexanone	390	6500	1000	NA	0.15	0.00076	U	0.00094	U	0.00076	U	0.00081	U
4-Methyl-2-pentanone (MIBK)	NA	NA	NA	NA	NA	0.00065	U	0.00080	U	0.00065	U	0.00069	U
Acetone	70000	NA	NA	NA	19	0.023		0.033		0.0039		0.0037	
Benzene	3	16	2.2	11	0.0094	0.00025	U	0.00031	U	0.00025	U	0.00027	U
Bromodichloromethane	11	59	NA	NA	0.0050	0.00025	U	0.00031	U	0.00025	U	0.00027	U
Bromoform	88	460	NA	NA	0.018	0.00042	U	0.00051	U	0.00041	U	0.00044	U
Bromomethane	110	1800	18	82	0.043	0.00046	U	0.00057	U	0.00046	U	0.00049	U
Carbon disulfide	NA	NA	NA	NA	3.7	0.00033	J	0.00032	U	0.00026	U	0.00028	U
Carbon tetrachloride	7.6	40	1.4	6.9	0.0075	0.00018	U	0.00022	U	0.00018	U	0.00019	U
Chlorobenzene	510	8400	NA	NA	0.64	0.00017	U	0.00021	U	0.00017	U	0.00018	U
Chlorobromomethane	NA	NA	NA	NA	NA	NR		NR		NR		NR	
Chlorodibromomethane (Dibromochloromethane)	8.3	43	NA	NA	0.005	0.00019	U	0.00023	U	0.00019	U	0.00020	U
Chloroethane	NA	NA	NA	NA	NA	0.00051	U	0.00063	U	0.00051	U	0.00054	U
Chloroform	780	13000	590	NA	0.33	0.00031	U	0.00039	U	0.00031	U	0.00033	U
Chloromethane	NA	NA	270	1200	NA	0.00043	U	0.00053	U	0.00042	U	0.00045	U
cis-1,2-Dichloroethene	780	13000	NA	NA	0.35	0.00015	U	0.00018	U	0.00015	U	0.00016	U
cis-1,3-Dichloropropene	NA	NA	NA	NA	NA	0.00027	U	0.00033	U	0.00027	U	0.00028	U
Cyclohexane	NA	NA	NA	NA	NA	NR		NR		NR		NR	
Dichlorobromomethane	11	59	NA	NA	0.005	NR		NR		NR		NR	
Dichlorodifluoromethane	16000	260000	NA	NA	38	NR		NR		NR		NR	
Ethylbenzene	7800	130000	10	48	15	0.00020	U	0.00024	U	0.00019	U	0.00021	U
Isopropylbenzene	7800	130000	NA	NA	22	NR		NR		NR		NR	
Methyl acetate	78000	NA	NA	NA	22	NR		NR		NR		NR	
Methyl tert-butyl ether	780	13000	140	650	0.25	NR		NR		NR		NR	
Methylcyclohexane	NA	NA	NA	NA	NA	NR		NR		NR		NR	
Methylene Chloride	50	260	1400	NA	0.013	0.00027	J	0.00034	J	0.00016	U	0.00017	U
m-Xylene & p-Xylene	NA	NA	NA	NA	NA	NR		NR		NR		NR	
o-Xylene	NA	NA	NA	NA	NA	NR		NR		NR		NR	
Styrene	16000	260000	NA	NA	2.1	0.00012	U	0.00015	U	0.00015	J	0.00013	U
TBA	1400	23000	NA	NA	0.32	0.0032	U	0.0040	U	0.0032	U	0.0034	U
Tetrachloroethene	330	1700	47	NA	0.0086	0.00014	U	0.00017	U	0.00014	U	0.00015	U
Toluene	6300	100000	NA	NA	7.8	0.00061	U	0.00076	U	0.00061	U	0.00065	U
trans-1,2-Dichloroethene	1300	22000	NA	NA	0.56	0.00024	U	0.00030	U	0.00024	U	0.00026	U
trans-1,3-Dichloropropene	NA	NA	NA	NA	NA	0.00026	U	0.00032	U	0.00026	U	0.00028	U
Trichloroethene	15	79	3	14	0.0065	0.00014	U	0.00023	J	0.00014	U	0.00034	J
Trichlorofluoromethane (Freon 11)	23000	390000	NA	NA	29	NR		NR		NR		NR	
Vinyl chloride	0.97	5	1.4	6.4	0.0067	0.00054	U	0.00066	U	0.00053	U	0.00057	U
Xylenes, Total	1200	190000	NA	NA	19	0.00025	U	0.00031	U	0.00025	U	0.00026	U
Total Conc	NA	NA	NA	NA	NA	0.0236		0.03767		0.00015		0.00034	
Total Estimated Conc. (TICs)	NA	NA	NA	NA	NA	0.0		0.0		0.0		0.0	

TABLE 3
 Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-11/24.5-25.0	SB-13/10.5-11.0	SB-14/15.0-15.5	SB-15/15.0-15.5	SB-16/11.5-12.0	SB-17/19.5-20.0		
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	24.5 - 25.0' 460-165588-3	10.5 - 11.0' 460-165693-1	15.0 - 15.5' 460-177480-1	15.0 - 15.5' 460-177480-2	11.5 - 12.0' 460-177480-3	19.5 - 20.0' 460-177480-4		
Sampling Date	SRS - May 2021												
Unit	SRS - May 2021												
BN+15 BY 8270D (mg/kg)													
1,1'-Biphenyl (Diphenyl)	87	450	NA	NA	NA	0.0053	U	0.0059	U	0.0051	U	0.0049	U
1,2,4,5-Tetrachlorobenzene	23	390	NA	NA	NA	0.0052	U	0.0059	U	0.0050	U	0.0048	U
2,2'-oxybis[1-chloropropane]	3100	52000	NA	NA	1.9	0.0072	U	0.0081	U*	0.0069	U	0.0066	U
2,3,4,6-Tetrachlorophenol	1900	27000	NA	NA	26	0.027	U	0.030	U	0.026	U	0.025	U
2,4,5-Trichlorophenol	6300	91000	NA	NA	68	0.013	U	0.015	U	0.013	U	0.012	U
2,4,6-Trichlorophenol	49	230	NA	NA	0.86	0.020	U	0.023	U	0.019	U	0.019	U
2,4-Dichlorophenol	190	2700	NA	NA	0.19	0.0084	U	0.0095	U	0.0081	U	0.0078	U
2,4-Dimethylphenol	1300	18000	NA	NA	2.3	0.017	U	0.020	U	0.017	U	0.016	U
2,4-Dinitrophenol	130	1800	NA	NA	0.33	0.19	U	0.22	U	0.19	U	0.18	U
2,4-Dinitrotoluene	NA	NA	NA	NA	NA	0.020	U	0.023	U	0.019	U	0.019	U
2,6-Dinitrotoluene	NA	NA	NA	NA	NA	0.013	U	0.015	U	0.012	U	0.012	U
2-Chloronaphthalene	4800	67000	NA	NA	NA	0.018	U	0.021	U	0.018	U	0.017	U
2-Chlorophenol	390	6500	NA	NA	0.76	0.0055	U	0.0063	U	0.0054	U	0.0051	U
2-Methylnaphthalene	240	3300	NA	NA	3.1	0.0049	U	0.0056	U	0.0048	U	0.015	J
2-Methylphenol	320	4600	NA	NA	0.77	0.0064	U	0.0072	U	0.0062	U	0.0059	U
2-Nitroaniline	NA	NA	NA	NA	NA	0.015	U	0.017	U	0.014	U	0.014	U
2-Nitrophenol	NA	NA	NA	NA	NA	0.013	U	0.014	U	0.012	U	0.012	U
3,3'-Dichlorobenzidine	1.2	5.7	NA	NA	3.9	0.060	U*	0.068	U*	0.058	J*F	0.058	U*
3-Nitroaniline	NA	NA	NA	NA	NA	0.021	U	0.024	U	0.021	U	0.020	U
4,6-Dinitro-2-methylphenol	NA	NA	NA	NA	NA	0.064	U	0.073	U	0.062	U	0.060	U
4-Bromophenyl phenyl ether	NA	NA	NA	NA	NA	0.0051	U	0.0058	U	0.0050	U	0.0048	U
4-Chloro-3-methylphenol	NA	NA	NA	NA	NA	0.0066	U	0.0074	U	0.0064	U	0.0061	U
4-Chloroaniline	2.7	13	NA	NA	0.23	0.028	U	0.031	U	0.027	U	0.026	U
4-Chlorophenyl phenyl ether	NA	NA	NA	NA	NA	0.0062	U	0.0071	U	0.0060	U	0.0058	U
4-Methylphenol	630	9100	NA	NA	0.75	0.0067	U	0.0076	U	0.0065	U	0.0063	U
4-Nitroaniline	27	130	NA	NA	NA	0.015	U	0.017	U	0.014	U	0.014	U
4-Nitrophenol	NA	NA	NA	NA	NA	0.065	U	0.073	U	0.062	U	0.060	U
Acenaphthene	3600	50000	NA	NA	NA	0.029	U	0.033	U	0.028	U	0.027	U
Acenaphthylene	NA	NA	NA	NA	NA	0.0041	U	0.0046	U	0.0040	U	0.0038	U
Acetophenone	7800	130000	NA	NA	3.6	0.0064	U	0.0072	U	0.0062	U	0.0059	U
Anthracene	18000	250000	NA	NA	NA	0.0044	U	0.0050	U	0.0043	U	0.0041	U
Atrazine	220	3200	NA	NA	0.33	0.010	U	0.011	U	0.0097	J*F	0.0093	U*
Benzaldehyde	170	910	NA	NA	NA	0.017	U	0.020	U	0.017	U	0.016	U
Benzo[a]anthracene	5.1	23	78000	370000	0.71	0.014	U	0.016	U	0.013	U	0.011	U
Benzo[a]pyrene	0.51	2.3	3500	16000	NA	0.011	U	0.012	U	0.010	U	0.0088	U
Benzo[b]fluoranthene	5.1	23	78000	370000	NA	0.010	U	0.012	U	0.0099	U	0.0091	U
Benzo[g,h,i]perylene	NA	NA	NA	NA	NA	0.012	U	0.013	U	0.011	U	0.0058	J
Benzo[k]fluoranthene	51	230	780000	NA	NA	0.0078	U	0.0088	U	0.0075	U	0.0029	J
Bis(2-chloroethoxy)methane	190	2700	NA	NA	NA	0.014	U	0.015	U	0.013	U	0.013	U
Bis(2-chloroethyl)ether	0.63	3.3	NA	NA	0.33	0.0048	U	0.0054	U	0.0046	U	0.0044	U
Bis(2-ethylhexyl) phthalate	39	180	NA	NA	14	0.021	U	0.024	U	0.020	U	0.019	J
Butyl benzyl phthalate	290	1300	NA	NA	29	0.019	U	0.021	U	0.018	U	0.017	U
Caprolactam	32000	460000	290	1300	16	0.024	U	0.027	U	0.023	U F1	0.023	U
Carbazole	NA	NA	NA	NA	NA	0.0046	U	0.0052	U	0.0045	U	0.0043	U
Chrysene	510	2300	NA	NA	NA	0.0067	U	0.0076	U	0.0065	U	0.0065	J
Dibenz(a,h)anthracene	0.51	2.3	7800	37000	NA	0.017	U	0.019	U	0.017	U	0.016	J
Dibenzofuran	NA	NA	NA	NA	NA	0.0056	U	0.0063	U	0.0054	U	0.0052	U
Diethyl phthalate	51000	730000	NA	NA	44	0.0057	U	0.0065	U	0.0056	U	0.0053	U
Dimethyl phthalate	NA	NA	NA	NA	NA	0.0048	U	0.0054	U	0.0046	U	0.0044	U
Di-n-butyl phthalate	6300	91000	NA	NA	NA	0.070	U	0.079	U	0.068	U	0.065	U
Di-n-octyl phthalate	630	9100	NA	NA	NA	0.021	U	0.024	U	0.020	U	0.019	U
Fluoranthene	2400	33000	NA	NA	NA	0.0051	U	0.0058	U	0.0050	U	0.014	J
Fluorene	2400	33000	NA	NA	NA	0.0054	U	0.0061	U	0.0052	U	0.034	J
Hexachlorobenzene	0.43	2.3	NA	NA	0.17	0.0058	U	0.0066	U	0.0056	U	0.0054	U
Hexachlorobutadiene	8.9	47	NA	NA	0.17	0.0084	U	0.0095	U	0.0082	U	0.0078	U
Hexachlorocyclopentadiene	470	7800	2.7	NA	2.5	0.035	U	0.039	U	0.034	U	0.032	U
Hexachloroethane	17	91	NA	NA	0.17	0.0061	U	0.0069	U	0.0059	U	0.0057	U
Indeno[1,2,3-cd]pyrene	5.1	23	78000	370000	NA	0.015	U	0.018	U	0.015	U	0.051	U

TABLE 3
Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-11/24.5-25.0	SB-13/10.5-11.0	SB-14/15.0-15.5	SB-15/15.0-15.5	SB-16/11.5-12.0	SB-17/19.5-20.0				
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	24.5 - 25.0' 460-165588-3	10.5 - 11.0' 460-165693-1	15.0 - 15.5' 460-177480-1	15.0 - 15.5' 460-177480-2	11.5 - 12.0' 460-177480-3	19.5 - 20.0' 460-177480-4				
Sampling Date	SRS - May 2021					9/26/2018	9/27/2018	3/18/2019	3/18/2019	3/18/2019	3/18/2019				
Unit	SRS - May 2021					9/26/2018	9/27/2018	3/18/2019	3/18/2019	3/18/2019	3/18/2019				
Isophorone	570	2700	NA	NA	0.23	0.010	U	0.012	U	0.010	U	0.010	U	0.0097	U
Naphthalene	2500	34000	5.7	27	19	0.015	J	0.0077	U	0.0066	U	0.0066	U	0.0064	U
Nitrobenzene	160	2600	7.5	36	0.17	0.0095	U	0.011	U	0.0092	U	0.0092	U	0.0088	U
N-Nitrosodi-n-propylamine	0.17	0.36	NA	NA	0.17	0.0063	U	0.0071	U	0.0061	U	0.0061	U	0.0058	U
N-Nitrosodiphenylamine	110	520	NA	NA	1.1	0.0076	U	0.0086	U	0.0073	U	0.0074	U	0.0073	U
Pentachlorophenol	1	4.4	NA	NA	0.33	0.081	U	0.092	U	0.079	U	0.079	U	0.075	U
Phenanthrene	NA	NA	NA	NA	NA	0.0070	U	0.0079	U	0.0067	U	0.0068	U	0.23	J
Phenol	19000	270000	39000	NA	21	0.0059	U	0.0066	U	0.0057	U	0.0057	U	0.0054	U
Pyrene	1800	25000	NA	NA	NA	0.0098	U	0.011	U	0.0095	U	0.0096	U	0.0095	U
Total Conc	NA	NA	NA	NA	NA	0.015		0.0		0.0		0.0		1.281	
Total Estimated Conc. (TICs)	NA	NA	NA	NA	NA	0.0		1.53		0.0		0.0		0.0	
PESTICIDES BY 8081B (mg/kg)															
4,4'-DDD	2.3	11	NA	NA	0.47	0.0014	U	0.0015	U	0.0013	U	0.0013	U	0.0013	U
4,4'-DDE	2	11	NA	NA	0.47	0.00095	U	0.0070	J	0.00092	U	0.00092	U	0.00088	U
4,4'-DDT	1.9	9.5	NA	NA	0.67	0.0015	U	0.0017	U	0.0014	U	0.0014	U	0.0014	U
Aldrin	0.041	0.21	NA	NA	0.13	0.0012	U	0.0014	U	0.0012	U	0.0012	U	0.0011	U
alpha-BHC	0.086	0.41	NA	NA	0.0023	0.00081	U	0.00092	U	0.00079	U	0.00079	U	0.00076	U
beta-BHC	0.3	1.4	NA	NA	0.0046	0.00090	U	0.0010	U	0.00087	U	0.00087	U	0.00083	U
Chlordane	NA	NA	NA	NA	NA	0.019	U	0.022	U	0.019	U	0.019	U	0.018	U
delta-BHC	NA	NA	NA	NA	NA	0.00049	U	0.00056	U	0.00048	U	0.00048	U	0.00046	U
Dieldrin	0.034	0.16	NA	NA	0.024	0.0010	U	0.0012	U	0.0010	U	0.0010	U	0.00097	U
Endosulfan I	NA	NA	NA	NA	NA	0.0012	U	0.0014	U	0.0012	U	0.0012	U	0.0011	U
Endosulfan II	NA	NA	NA	NA	NA	0.0021	U	0.0023	U	0.0020	U	0.0020	U	0.0019	U
Endosulfan sulfate	NA	NA	NA	NA	NA	0.0010	U	0.0011	U	0.00097	U	0.00098	U	0.00097	U
Endrin	19	270	NA	NA	1.6	0.0011	U	0.0013	U	0.0011	U	0.0011	U	0.0011	U
Endrin aldehyde	NA	NA	NA	NA	NA	0.0019	U	0.0021	U	0.0018	U	0.0018	U	0.0018	U
Endrin ketone	NA	NA	NA	NA	NA	0.0016	U	0.0018	U	0.0015	U	0.0015	U	0.0014	U
gamma-BHC (Lindane)	0.57	2.8	NA	NA	0.0035	0.00074	U	0.00084	U	0.00072	U	0.00072	U	0.00069	U
Heptachlor	0.15	0.81	NA	NA	0.083	0.00095	U	0.0011	U	0.00092	U	0.00092	U	0.00088	U
Heptachlor epoxide	0.076	0.4	NA	NA	0.081	0.0012	U	0.0014	U	0.0012	U	0.0012	U	0.0011	U
Methoxychlor	320	4600	NA	NA	NA	0.0018	U	0.0021	U	0.0018	U	0.0018	U	0.0017	U
trans-Chlordane	NA	NA	NA	NA	NA	0.029	U	0.033	U	0.028	U	0.028	U	0.027	U
PCBs BY 8082A (mg/kg)															
PCB-1016	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.010	U	0.010	U	0.010	U
PCB-1221	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.010	U	0.010	U	0.0099	U
PCB-1232	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.010	U	0.010	U	0.0099	U
PCB-1242	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.010	U	0.010	U	0.0099	U
PCB-1248	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.010	U	0.010	U	0.0099	U
PCB-1254	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.011	U	0.011	U	0.010	U
PCB-1260	NA	NA	NA	NA	NA	0.011	U	0.012	U	0.011	U	0.011	U	0.010	U
Total PCBs	0.25	1.1	NA	NA	1.6	0.0		0.0		0.0		0.0		0.0	
NJDEP EPH (mg/kg)															
Total EPH (C9-C40)	5300	75000	NA	NA	NA	2.4	U	2.7	U	2.3	U	2.3	U	2.3	U
METALS BY 6010D (mg/kg)															
Aluminum	78000	NA	NA	NA	NA	4450		10400		7920		1980		4740	
Antimony	31	520	NA	NA	5.4	0.94	U	0.97	U	1.1	U	1.2	U	1.2	U
Arsenic	19	19	1100	5200	19	0.95	U	1.1	J	3.1	J	1.3	U	1.3	U
Barium	16000	260000	870000	NA	2100	7.1	J	14.5	J	13.2	J	5.5	J	14.2	J
Beryllium	160	2600	2000	9300	0.7	0.093	U	0.096	J	0.17	J	0.099	U	0.099	U
Cadmium	71	1100	2600	12000	1.9	0.14	U	0.15	U	0.15	U	0.15	U	0.15	U
Calcium	NA	NA	NA	NA	NA	307	J	490	J	63.2	U	65.2	U	65.7	J
Chromium	NA	NA	NA	NA	NA	6.8		14.6		11.9		2.8		8.9	
Cobalt	23	390	520	2500	90	1.3	U	1.3	U	1.3	U	1.4	U	1.4	U
Copper	3100	52000	NA	NA	910	3.4	J	7.2		6.1		2.9	U	3.8	J
Iron	NA	NA	NA	NA	NA	3390		6170		10600		691		1910	
Lead	400	800	NA	NA	90	5.9		3.5		3.1		1.0	J	2.1	J
Magnesium	NA	NA	NA	NA	NA	61.2	U	69.7	J	62.6	U	64.5	U	65.0	U
Manganese	1900	31000	87000	400000	NA	13.5		32.2		21.3		2.0	J	4.1	J
Nickel	1600	26000	20000	93000	48	2.5	J	6.3	J	3.9	J	1.6	J	4.6	J

TABLE 3
Summary of Soil Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	NJ SRS 7:26D	SB-11/24.5-25.0	SB-13/10.5-11.0	SB-14/15.0-15.5	SB-15/15.0-15.5	SB-16/11.5-12.0	SB-17/19.5-20.0						
Lab Sample ID	Tbl1 Ingestion-Dermal Residential	Tbl2 Ingestion-Dermal Nonresidential	Tbl3 Inhalation Residential	Tbl4 Inhalation Nonresidential	Tbl5 Migration to GW Exposure Pathway	24.5 - 25.0' 460-165588-3	10.5 - 11.0' 460-165693-1	15.0 - 15.5' 460-177480-1	15.0 - 15.5' 460-177480-2	11.5 - 12.0' 460-177480-3	19.5 - 20.0' 460-177480-4						
Sampling Date	SRS - May 2021					9/26/2018	9/27/2018	3/18/2019	3/18/2019	3/18/2019	3/18/2019						
Unit	SRS - May 2021					SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021	SRS - May 2021						
Potassium	NA	NA	NA	NA	NA	79.7	J	124	J	94.8	J	68.8	U	71.2	J	68.5	U
Selenium	390	6500	NA	NA	11	2.5	U	2.6	U	2.6	U	2.6	U	2.7	U	2.6	U
Silver	390	6500	NA	NA	0.5	0.20	U	0.20	U	0.20	U	0.21	U	0.21	U	0.21	U
Sodium	NA	NA	NA	NA	NA	84.5	U	86.7	U	86.3	U	89.0	U	89.7	U	88.5	U
Thallium	NA	NA	NA	NA	NA	0.67	U	0.69	U	0.69	U	0.71	U	0.71	U	0.70	U
Vanadium	390	6500	170000	800000	NA	6.3	J	17.0		40.3		2.7	J	7.9	J	5.8	J
Zinc	23000	390000	NA	NA	930	31.9		5.0	U	5.0	U	5.2	U	5.2	U	5.1	U
MERCURY BY 7471B (mg/kg)																	
Mercury	23	390	520000	NA	0.1	0.011	U F1	0.013	U	0.014	J	0.011	U	0.011	U	0.010	U
CYANIDE BY 9012B (mg/kg)																	
Cyanide, Total	47	780	NA	NA	20	0.070	U	0.14	J	0.12	U	0.11	U	0.12	U	0.11	U

Highlighted Concentrations shown in bold type face exceed limits

J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U - Indicates the analyte was analyzed for but not detected.

B - Compound was found in the blank and sample.

* - LCS or LCSD is outside acceptance limits.

F1 - MS and/or MSD Recovery is outside acceptance limits.

Soil Remediation Standards (SRS)

NA - No Standard

NR - Not Reported / Analyzed

mg/kg - Milligrams per kilogram

TABLE 4
Summary of Monitoring Well Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	MW-1 (MW-C)	MW-1 (MW-C)	MW-1 (MW-C)	MW-1	MW-1	MW-1
Screened Interval (BGS.)	Higher of PQLs	19' - 39'	19' - 39'	19' - 39'	19' - 39'	19' - 39'	19' - 39'
Lab Sample ID	and GWQC	M44246	M47347	L1630694-03	460-155405-1	320-48473-4	460-262701-2
Sampling Date	2022	4/4/2014	10/23/2014	9/27/2016	5/3/2018	3/18/2019	7/27/2022
VOC (ug/l)		<i>Method 524.2</i>	<i>Method 524.2</i>	<i>Method 8260C</i>	<i>Method 8260C</i>		<i>Method 8260D</i>
Chloroform	70	ND	ND	0.18 J	0.82 J	NR	1.0
Total Conc	NA	NR	NR	0.18	0.82	NR	1.0
Total Estimated Conc. (TICs)	NA	NR	NR	1.33	0.0	NR	0.0
VO SIM (ug/l)					<i>8260C SIM</i>		<i>8260D SIM</i>
Total Conc	NA	NR	NR	NR	0.0	NR	0.0
BN (ug/l)					<i>Method 8270D</i>		
Total Conc	NA	NR	NR	NR	0.0	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	0.0	NR	NR
BN SIM (ug/l)					<i>8270D SIM</i>		
Total Conc	NA	NR	NR	NR	0.0	NR	NR
VO+BN COMBINE TICs (ug/l)					<i>8270D SIM</i>		
Total Estimated Conc. (TICs)	500	NR	NR	1.33	0.0	NR	0.0
PESTICIDES (ug/l)					<i>Method 8081B</i>		
		NR	NR	NR	ND	NR	NR
PCBs (ug/l)					<i>Method 8082A</i>		
PCBs (Total)	0.5	NR	NR	NR	ND	NR	NR
METALS (ug/l)					<i>Method 6020A</i>		<i>Method 6020B</i>
Aluminum	200	NR	NR	NR	1320	NR	2800
Antimony	6	NR	NR	NR	1.1 J	NR	ND
Arsenic	3	NR	NR	NR	9.8	NR	7.9
Barium	6000	NR	NR	NR	61.5	NR	44
Beryllium	1	NR	NR	NR	0.79 J	NR	0.18 J
Calcium	NA	NR	NR	NR	115000	NR	93500
Cobalt	100	NR	NR	NR	9.6	NR	6.9
Copper	1300	NR	NR	NR	4.5	NR	9.0
Iron	300	NR	NR	NR	138	NR	300
Lead	5	NR	NR	NR	0.79 J	NR	2.1
Magnesium	NA	NR	NR	NR	34500	NR	27200
Manganese	50	NR	NR	NR	193	NR	119
Nickel	100	NR	NR	NR	6.5	NR	4.8
Potassium	NA	NR	NR	NR	33100	NR	36300
Selenium	40	NR	NR	NR	1.2 J	NR	1.2 J
Sodium	50000	NR	NR	NR	21500	NR	7850
Zinc	2000	NR	NR	NR	40.1	NR	20.4
MERCURY (ug/l)		<i>Method 245.1</i>	<i>Method 245.1</i>		<i>Method 7470A</i>		<i>Method 7470A</i>
Mercury	2	ND	ND	NR	ND	NR	ND
CYANIDE (ug/l)					<i>Method 9012B</i>		
Cyanide, Total	NA	NR	NR	NR	ND	NR	NR
AMMONIA (mg/l)					<i>Method 350.1</i>		<i>Method 4500</i>
Ammonia as N	3	NR	NR	NR	0.075 J	NR	ND
TDS (mg/l)					<i>SM 2540C</i>		<i>SM 2540C</i>
Total Dissolved Solids	500	NR	NR	NR	910	NR	740
NITRATE (mg/l)		<i>SM4500N03D</i>			<i>Method 300.0</i>		<i>Method 300.0</i>
Nitrate as N	10	43.2	NR	NR	47.0 H D	NR	53.4
PFAS (ng/l)						537 (MOD)	T-WI21398 (V7)
Perfluorononanoic acid (PFNA)	13	NR	NR	NR	NR	NR	0.81 J
Perfluorooctanesulfonic acid (PFOS)	13	NR	NR	NR	NR	7.15	2.0
Perfluorooctanoic acid (PFOA)	14	NR	NR	NR	NR	14.0	9.49

TABLE 4
Summary of Monitoring Well Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	MW-2 (MW-B)	MW-2 (MW-B)	MW-2 (MW-B)	MW-2	MW-2	MW-2
Screened Interval (BGS.)	Higher of PQLs	19' - 39'	19' - 39'	19' - 39'	19' - 39'	19' - 39'	19' - 39'
Lab Sample ID	and GWQC	M44245	M47350	L1630694-02	460-155405-2	320-48473-5	460-262701-5
Sampling Date	2022	4/4/2014	10/23/2014	9/27/2016	5/3/2016	3/18/2019	7/27/2022
VOC (ug/l)		<i>Method 524.2</i>	<i>Method 524.2</i>	<i>Method 8260C</i>	<i>Method 8260C</i>		<i>Method 8260D</i>
1,1,1-Trichloroethane	30	0.81	5.49	ND	0.59 J	NR	ND
1,1-Dichloroethane	50	ND	4.76	ND	0.33 J	NR	0.39 J
1,1-Dichloroethene	1	0.73	5.16	ND	ND	NR	ND
1,3-Dichlorobenzene	600	ND	0.61	ND	ND	NR	ND
1,4-Dichlorobenzene	75	ND	0.58	0.44 J	ND	NR	ND
Benzene	1	ND	ND	0.47 J	0.15 J	NR	ND
Chlorobenzene	50	1.45	2.29	2.1	ND	NR	1.6
cis-1,2-Dichloroethene	70	410.8	1284	120	22	NR	31
trans-1,2-Dichloroethene	100	4.91	11.54	0.77 J	0.40 J	NR	0.71 J
Tetrachloroethene	1	ND	1.29	ND	ND	NR	ND
Trichloroethene	1	82.5	936	8.7	30	NR	19
Vinyl chloride	1	102.3	195	ND	20	NR	32
Total Conc	NA	NR	NR	NR	73.47	NR	85.1
Total Estimated Conc. (TICs)	NA	NR	NR	2.0	0.0	NR	0.0
VO SIM (ug/l)					<i>8260C SIM</i>		<i>8260D SIM</i>
Total Conc	NA	NR	NR	NR	0.0	NR	0.0
BN (ug/l)					<i>Method 8270D</i>		
Total Conc	NA	NR	NR	NR	0.0	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	0.0	NR	NR
BN SIM (ug/l)					<i>8270D SIM</i>		
Total Conc	NA	0.0	0.0	0.0	0.0	NR	NR
COMBINED VO+BN TICs (ug/l)					<i>8270D SIM</i>		
Total Estimated Conc. (TICs)	500	NR	NR	2.0	0.0	NR	0.0
PESTICIDES (ug/l)					<i>Method 8081B</i>		
		ND	ND	ND	ND	NR	NR
PCBs (ug/l)					<i>Method 8082A</i>		
PCBs (Total)	0.5	ND	ND	ND	ND	NR	NR
METALS (ug/l)					<i>Method 6020A</i>		
Aluminum	200	NR	NR	NR	97.9	NR	19.7
Antimony	6	NR	NR	NR	1.5 J	NR	ND
Arsenic	3	NR	NR	NR	1.2 J	NR	5.2
Barium	6000	NR	NR	NR	124	NR	175
Cadmium	4	NR	NR	NR	0.90 J	NR	ND
Calcium	NA	NR	NR	NR	75800	NR	101000
Cobalt	100	NR	NR	NR	ND	NR	0.98 J
Copper	1300	NR	NR	NR	14.3	NR	6.7
Iron	300	NR	NR	NR	1900	NR	31700
Lead	5	NR	NR	NR	1.0 J	NR	ND
Magnesium	NA	NR	NR	NR	11200	NR	13700
Manganese	50	NR	NR	NR	68.3	NR	212
Nickel	100	NR	NR	NR	9.5	NR	7.2
Potassium	NA	NR	NR	NR	8380	NR	9140
Sodium	50000	NR	NR	NR	12100	NR	14000
Vanadium	NA	NR	NR	NR	1.2 J	NR	ND
Zinc	2000	NR	NR	NR	203	NR	133
MERCURY (ug/l)		<i>Method 245.1</i>	<i>Method 245.1</i>		<i>Method 7470A</i>		<i>Method 7470A</i>
Mercury	2	ND	ND	NR	ND	NR	ND
CYANIDE (ug/l)					<i>Method 9012B</i>		
Cyanide, Total	NA	NR	NR	NR	2.2 J	NR	NR
AMMONIA (mg/l)					<i>Method 350.1</i>		<i>Method 4500</i>
Ammonia as N	3	NR	NR	NR	1.7	NR	6.9
TDS BY SM 2540C (mg/l)					<i>SM 2540C</i>		<i>SM 2540C</i>
Total Dissolved Solids	500	NR	NR	NR	358	NR	420
NITRATE (mg/l)		<i>SM4500N03D</i>			<i>Method 300.0</i>		<i>Method 300.0</i>
Nitrate as N	10	3.67	NR	NR	0.28	NR	ND
PFAS (ng/l)						537 (MOD)	T-WI21398 (V7)
Perfluorononanoic acid (PFNA)	13	NR	NR	NR	NR	NR	4.11
Perfluorooctanesulfonic acid (PFOS)	13	NR	NR	NR	NR	231	118
Perfluorooctanoic acid (PFOA)	14	NR	NR	NR	NR	27.6	41.9

TABLE 4
Summary of Monitoring Well Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	MW-3 (MW-A)	MW-3 (MW-A)	MW-3 (MW-A)	MW-3	MW-3	MW-3
Screened Interval (BGS.)	Higher of PQLs	20' - 40'	20' - 40'	20' - 40'	20' - 40'	20' - 40'	20' - 40'
Lab Sample ID	and GWQC	M44244	M47349	L1630694-01	460-155405-3	320-48473-6	460-262701-4
Sampling Date		4/4/2014	10/23/2014	9/27/2016	5/3/2018	3/18/2019	7/27/2022
VOC (ug/l)		Method 524.2	Method 524.2	Method 8260C	Method 8260C		Method 8260D
1,2-Dibromoethane	0.03	0.93	NR	NR	NR	NR	ND
1,1-Dichloroethane	50	0.75	ND	ND	0.48 J	NR	ND
1,2-Dichlorobenzene	600	0.96	ND	ND	ND	NR	ND
1,3-Dichlorobenzene	600	2.24	2.34	ND	ND	NR	ND
1,4-Dichlorobenzene	75	2.06	2.13	0.59 J	2.5	NR	2.7
1,2,4-Trichlorobenzene	9	0.98	ND	ND	ND	NR	ND
1,1,2,2-Tetrachloroethane	1	1.21	ND	ND	ND	NR	ND
1,2,3-Trichlorobenzene	NA	1.51	ND	ND	ND	NR	ND
1,1,2-Trichloroethane	3	0.91	ND	ND	ND	NR	ND
Acetone	6000	NR	NR	2.5 J	7.3	NR	ND
Benzene	1	1.18	3.36	0.32 J	1.4	NR	1.8
Bromobenzene	NA	0.57	ND	NR	NR	NR	ND
Bromochloromethane	NA	0.67	ND	ND	ND	NR	ND
Bromodichloromethane	1	0.52	ND	ND	ND	NR	ND
Bromoform	4	1.04	ND	NR	NR	NR	ND
Chlorobenzene	50	30.2	3.91	1.0	2.4	NR	3.9
Chloroethane	NA	1.57	1.49	0.22 J	3.0	NR	2.3
cis-1,2-Dichloroethene	70	ND	ND	ND	1.5	NR	1.3
Dibromoethane	NA	0.85	ND	NR	NR	NR	ND
Dibromochloromethane	1	0.77	ND	ND	ND	NR	ND
Hexachlorobutadiene	0.02	0.74	ND	NR	NR	NR	ND
MTBE	70	2.22	3.95	2.8	3.1	NR	1.4
Naphthalene	300	0.74	ND	NR	NR	NR	ND
TBA	100	NR	NR	NR	2.7 J	NR	ND
1,2,3-Trichloropropane	0.03	1.11	ND	NR	NR	NR	ND
trans-1,2-Dichloroethene	100	ND	ND	ND	0.20 J	NR	0.25 J
trans-1,3-Dichloropropene	NA	0.5	ND	ND	ND	NR	ND
Vinyl chloride	1	5.08	0.79	0.19 J	15	NR	1.5
Total Conc	NA	NR	NR	NR	39.58	NR	15.15
Total Estimated Conc. (TICs)	NA	NR	NR	NR	5.9	NR	0.0
VO SIM (ug/l)					8260C SIM		8260D SIM
1,4-Dioxane	0.4	NR	NR	NR	NR	NR	1.4
Total Conc	NA	NR	NR	NR	0.0	NR	0.0
BN (ug/l)					Method 8270D		
Total Conc	NA	0.0	0.0	0.0	0.0	NR	NR
Total Estimated Conc. (TICs)	NA	11.0	11.0	11.0	11.0	NR	NR
BN SIM (ug/l)					8270D SIM		
1,4-Dioxane	0.4	NR	NR	3.9	1.5	NR	NR
Total Conc	NA	NR	NR	NR	1.5	NR	NR
VO+BN COMBINE TICs (ug/l)					8270D SIM		
Total Estimated Conc. (TICs)	500	NR	NR	NR	16.9	NR	0.0
PESTICIDES (ug/l)					Method 8081B		
		ND	ND	ND	ND	NR	NR
PCBs (ug/l)					Method 8082A		
PCBs (Total)	0.5	ND	ND	ND	ND	NR	NR
METALS (ug/l)					Method 6020A		Method 6020A
Antimony	6	NR	NR	NR	0.93 J	NR	ND
Arsenic	3	NR	NR	NR	10.7	NR	5.1
Barium	6000	NR	NR	NR	606	NR	388
Calcium	NA	NR	NR	NR	102000	NR	66000
Iron	300	NR	NR	NR	42900	NR	23800
Lead	5	NR	NR	NR	2.6	NR	ND
Magnesium	NA	NR	NR	NR	23300	NR	22700
Manganese	50	NR	NR	NR	222	NR	240
Nickel	100	NR	NR	NR	1.7 J	NR	ND
Potassium	NA	NR	NR	NR	35600	NR	24000
Sodium	50000	NR	NR	NR	526000	NR	393000
Vanadium	NA	NR	NR	NR	3.5 J	NR	2.0 J
MERCURY (ug/l)		Method 245.1	Method 245.1		Method 7470A		Method 7470A
Mercury	2	ND	ND	NR	ND	NR	ND
CYANIDE (ug/l)					Method 9012B		
Cyanide, Total	NA	NR	NR	NR	ND	NR	NR
AMMONIA (mg/l)					Method 350.1		Method 4500
Ammonia as N	3	NR	NR	NR	28.9	NR	21.2
TDS (mg/l)					SM 2540C		SM 2540C
Total Dissolved Solids	500	NR	NR	NR	1890	NR	1480
NITRATE (mg/l)		SM4500N03D			Method 300.0		Method 300.0
Nitrate as N	10	4.42	NR	NR	0.20	NR	7.26
PFAS (ng/l)						537 (MOD)	T-WI21398 (V7)
Perfluorononanoic acid (PFNA)	13	NR	NR	NR	NR	NR	2.2
Perfluorooctanesulfonic acid (PFOS)	13	NR	NR	NR	NR	21.1	17.9
Perfluorooctanoic acid (PFOA)	14	NR	NR	NR	NR	20.7	42.1

TABLE 4
Summary of Monitoring Well Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	MW-4 (MW-D)	MW-4 (MW-D)	MW-4 (MW-D)	MW-4	MW-4	MW-4
Screened Interval (BGS.)	Higher of PQLs	19.5' - 39.5'	19.5' - 39.5'	19.5' - 39.5'	19.5' - 39.5'	19.5' - 39.5'	19.5' - 39.5'
Lab Sample ID	and GWQC	M44247	M47348	L1630694	460-155405-4	320-48473-7	460-262701-1
Sampling Date		4/4/2014	10/23/2014	9/27/2016	5/3/2018	3/18/2019	7/27/2022
VOC (ug/l)		<i>Method 524.2</i>	<i>Method 524.2</i>	<i>Method 8260C</i>	<i>Method 8260C</i>		<i>Method 8260D</i>
Acetone	6000	NR	NR	NR	3.2 J	NR	ND
Benzene	1	ND	ND	ND	0.16 J	NR	ND
Chlorobenzene	50	ND	ND	0.48 J	0.56 J	NR	ND
Vinyl chloride	1	ND	ND	0.08 J	ND	NR	ND
Total Conc	NA	NR	NR	NR	3.92	NR	0.0
Total Estimated Conc. (TICs)	NA	NR	NR	NR	0.0	NR	0.0
VO SIM (ug/l)					8260C SIM		8260D SIM
Total Conc	NA	NR	NR	NR	0.0	NR	0.0
BN BY 8270D (ug/l)					Method 8270D		
Total Conc	NA	NR	NR	NR	0.0	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	0.0	NR	NR
BN SIM (ug/l)					8270 SIM		
Total Conc	NA	NR	NR	NR	0.0	NR	NR
VO+BN COMBINE TICs (ug/l)					8270 SIM		
Total Estimated Conc. (TICs)	500	NR	NR	NR	0.0	NR	0.0
PESTICIDES (ug/l)					Method 8081B		
		NR	NR	NR	ND	NR	NR
PCBs (ug/l)					Method 8082A		
PCBs (Total)	0.5	NR	NR	NR	ND	NR	NR
METALS (ug/l)					Method 6020A		Method 6020A
Aluminum	200	NR	NR	NR	1490	NR	102000
Antimony	6	NR	NR	NR	0.94 J	NR	ND
Arsenic	3	NR	NR	NR	3.3	NR	14.2
Barium	6000	NR	NR	NR	117	NR	73.6
Beryllium	1	NR	NR	NR	0.26 J	NR	0.50 J
Calcium	NA	NR	NR	NR	79000	NR	139000
Chromium	70	NR	NR	NR	ND	NR	3.5 J
Cobalt	100	NR	NR	NR	9.8	NR	17.6
Copper	1300	NR	NR	NR	2.0 J	NR	6.2
Iron	300	NR	NR	NR	2620	NR	2640
Lead	5	NR	NR	NR	3.5	NR	10.1
Magnesium	NA	NR	NR	NR	21300	NR	52000
Manganese	50	NR	NR	NR	426	NR	303
Nickel	100	NR	NR	NR	3.4 J	NR	7.4
Potassium	NA	NR	NR	NR	3350	NR	15600
Selenium	40	NR	NR	NR	ND	NR	3.1
Sodium	50000	NR	NR	NR	7620	NR	8480
Vanadium	NA	NR	NR	NR	ND	NR	5.5
Zinc	2000	NR	NR	NR	7.9 J	NR	ND
MERCURY (ug/l)		Method 245.1	Method 245.1		Method 7470A		Method 7470A
Mercury	2	ND	ND	NR	ND	NR	0.36
CYANIDE (ug/l)					Method 9012B		
Cyanide, Total	NA	NR	NR	NR	ND	NR	NR
AMMONIA (mg/l)					Method 350.1		
Ammonia as N	3	NR	NR	NR	0.33	NR	0.36
TDS (mg/l)					SM 2540C		SM 2540C
Total Dissolved Solids	500	NR	NR	NR	594	NR	1250
NITRATE (mg/l)		SM4500N03D			Method 300.0		Method 300.0
Nitrate as N	10	56.18	NR	NR	32.6 H D	NR	73.2
PFAS (ng/l)						537 (MOD)	T-WI21398 (V7)
Perfluorononanoic acid (PFNA)	13	NR	NR	NR	NR	NR	ND
Perfluorooctanesulfonic acid (PFOS)	13	NR	NR	NR	NR	3.41	ND
Perfluorooctanoic acid (PFOA)	14	NR	NR	NR	NR	11.9	9.28

TABLE 4
 Summary of Monitoring Well Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	CMA-1
Screened Interval (BGS.)	Higher of PQLs	45' - 50'
Lab Sample ID	and GWQC	460-262701-1
Sampling Date	2022	7/27/2022
VOC (ug/l)		Method 8260D
cis-1,2-Dichloroethane	70	5.9
Methyl tert-butyl ether	70	1.4
Trichloroethene	1	3.2
Total Conc	NA	10.5
Total Estimated Conc. (TICs)	500	0.0
VO SIM (ug/l)		8260D SIM
Total Conc	NA	0.0
METALS (ug/l)		Method 6020A
Aluminum	200	828
Barium	6000	134
Calcium	NA	5430
Cobalt	100	1.8 J
Iron	300	76.9 J
Magnesium	NA	2640
Manganese	50	26.5
Nickel	100	3.4 J
Potassium	NA	2970
Sodium	50000	5940
Zinc	2000	7.9 J
MERCURY (ug/l)		Method 7470A
Mercury	2	0.10 J
AMMONIA (mg/l)		Method 4500
Ammonia as N	3	ND
TDS (mg/l)		SM 2540C
Total Dissolved Solids	500	43.0
NITRATE (mg/l)		Method 300.0
Nitrate as N	10	5.11
PFAS (ng/l)		T-WI21398 (V7)
Perfluorononanoic acid (PFNA)	13	ND
Perfluorooctanesulfonic acid (PFOS)	13	0.65 J
Perfluorooctanoic acid (PFOA)	14	0.86 J

Qualifiers:

ND - Indicates the analyte was analyzed for but not detected.
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 * - RPD of the LCS and LCSD exceeds the control limits.
 F1 - MS and/or MSD Recovery is outside acceptance limits.
 H - Sample was prepped or analyzed beyond the specified holding time.
 H3 : Sample was received and analyzed past holding time.
 D - Sample results are obtained from a dilution;
 the surrogate or matrix spike recoveries reported are calculated from diluted samples.

Note:

NA - No Standard
 NR - Not Reported / Analyzed
 GW - Groundwater
 PQL - Practical Quantitation Level
 TICs - Tentatively Identified Compounds
 GWQC - Groundwater Quality Criteria
 Exceeds NJDEP GWQC

TABLE 5
Summary of Groundwater Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-2/15-25	GWS-3/14-24	GWS-3/47-50	GWS-5/47-50	GWS-6/20-30	GWS-9/15-25	GWS-10/15-25	GWS-14/0-19	GWS-16/47-50	GWS-17/0-19	GWS-18/47-50	GWS-19/36-40	GWS-20/0-19	GWS-20/46-50	GWS-20/71-75	
Screened Interval (bgs.)	Higher of PQLs and GWQC	15' - 25'	14' - 24'	47' - 50'	47' - 50'	20' - 30'	15' - 25'	15' - 25'	0' - 19'	47' - 50'	0' - 19'	47' - 50'	36' - 40'	0' - 19'	46' - 50'	71' - 75'	
Lab Sample ID		460-165468-1	460-165468-2	460-165739-1	460-165739-2	460-165468-3	460-165591-1	460-165591-2	320-48473-8	460-177578-2	320-48473-3	460-177578-1	460-177578-3	460-177668-1	460-177668-2	460-177668-3	
Sampling Date		9/25/2018	9/25/2018	9/27/2018	9/27/2018	9/25/2018	9/26/2018	9/26/2018	3/18/2019	3/19/2019	3/18/2019	3/19/2019	3/19/2019	3/20/2019	3/20/2019	3/20/2019	
VOC BY 8260C (ug/l)																	
1,1,1-Trichloroethane	30	0.24	U	0.24	U	0.24	U	0.24	U	NR		0.24	U	NR		0.24	U
1,1,2,2-Tetrachloroethane	1	0.37	U	0.37	U	0.37	U	0.37	U	NR		0.37	U	NR		0.37	U
1,1,2-Trichloroethane	3	0.43	U	0.43	U	0.43	U	0.43	U	NR		0.43	U	NR		0.43	U
1,1-Dichloroethane	50	0.26	U	0.26	U	0.26	U	0.26	U	NR		0.26	U	NR		0.26	U
1,1-Dichloroethene	1	0.12	U	0.12	U	0.12	U	0.12	U	NR		0.12	U	NR		0.12	U
1,2,3-Trichlorobenzene	NA	0.36	U	0.36	U	0.36	U	0.36	U	NR		0.36	U	NR		0.36	U
1,2,3-Trichloropropane	0.03	NR		NR		NR		NR		NR		NR		NR		NR	
1,2,4-Trichlorobenzene	9	0.37	U	0.37	U	0.37	U	0.37	U	NR		0.37	U	NR		0.37	U
1,2,4-Trimethylbenzene	NA	0.60	J	0.37	U	0.37	U	0.37	U	NR		NR		NR		NR	
1,2-Dichlorobenzene	600	0.43	U	0.43	U	0.43	U	0.43	U	NR		0.43	U	NR		0.43	U
1,2-Dichloroethane	2	0.43	U	0.43	U	0.43	U	0.43	U	NR		0.43	U	NR		0.43	U
1,2-Dichloropropane	1	0.35	U	0.35	U	0.35	U	0.35	U	NR		0.35	U	NR		0.35	U
1,3-Dichlorobenzene	600	0.34	U	0.34	U	0.34	U	0.34	U	NR		0.34	U	NR		0.34	U
1,4-Dichlorobenzene	75	0.76	U	0.76	U	0.76	U	5.0		2.0		1.2		NR		0.76	U
2-Butanone	300	1.9	U	1.9	U	1.9	U	1.9	U	NR		1.9	U	NR		1.9	U
2-Hexanone	40	2.9	U	2.9	U	2.9	U	2.9	U	NR		2.9	U	NR		2.9	U
4-Methyl-2-pentanone	NA	2.7	U	2.7	U	2.7	U	2.7	U	NR		2.7	U	NR		2.7	U
Acetone	6000	5.0	U	5.0	U	5.0	U	5.5		5.0		5.0	U	NR		5.0	U
Benzene	1	0.43	U	0.43	U	0.67	J	0.43	U	3.2		0.43	U	NR		0.59	J
Bromochloromethane	NA	0.41	U	0.41	U	0.41	U	0.41	U	0.41		0.41	U	NR		0.41	U
Bromodichloromethane	1	0.34	U	0.34	U	0.34	U	0.34	U	0.34		0.34	U	NR		0.34	U
Bromoform	4	0.54	U*	0.54	U*	0.54	U	0.54	U*	0.54		0.54	U	NR		0.54	U*
Bromomethane	10	1.0	U*	1.0	U*	1.0	U	1.0	U*	1.0		1.0	U	NR		1.0	U*
Carbon disulfide	700	0.16	U	0.16	U	0.16	U	0.16	U	0.20	J	0.16	U	NR		0.16	U
Carbon tetrachloride	1	0.21	U	0.21	U	0.21	U	0.21	U	0.21		0.21	U	NR		0.21	U
Chlorobenzene	50	1.0		1.8		0.94	J	0.38	U	7.2		6.4		NR		3.4	
Chloroethane	NA	0.32	U	0.32	U	0.32	U	0.38	J	0.32	U	0.32	U	NR		0.32	U
Chloroform	70	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U	0.33	U	NR		0.33	U
Chloromethane	NA	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	NR		0.14	U
cis-1,2-Dichloroethene	70	0.22	U	0.22	U	0.22	U	2.1		0.22	U	0.22	U	NR		2.8	
cis-1,3-Dichloropropene	NA	0.46	U	0.46	U	0.46	U	0.46	U	0.46	U	0.46	U	NR		0.46	U
Cyclohexane	NA	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U*	NR		0.32	U*
Dibromochloromethane	1	0.28	U	0.28	U	0.28	U	0.28	U	0.28	U	0.28	U	NR		0.28	U
Dichlorodifluoromethane	1000	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U	NR		0.12	U
Ethylbenzene	700	0.46	J	0.30	U	0.30	U	0.30	U	0.30	U	0.30	U	NR		0.30	U
Freon TF	20000	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U*	NR		0.31	U*
Isopropylbenzene	700	0.34	U	0.43	J	0.34	U	0.34	U	0.50	J	1.3		0.62	J	NR	
Methyl acetate	7000	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	NR		0.31	U
Methylcyclohexane	NA	0.26	U	0.26	U	0.26	U	0.26	U	0.59	J	0.26	U	NR		0.26	U*
Methylene Chloride	3	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	0.32	U	NR		0.32	U
MTBE	70	0.47	U	0.47	U	0.47	U	2.6		0.47	U	0.47	U	NR		0.47	U
Naphthalene	300	7.4		0.41	U	0.41	U	0.67	J	1.1		0.41	U	NR		NR	
Styrene	100	0.42	U	0.42	U	0.42	U	0.42	U	0.42	U	0.42	U	NR		0.42	U
TBA	100	8.3	U	8.3	U	8.3	U	23		8.3	U	8.3	U	NR		8.3	U
Tetrachloroethene	1	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U	NR		0.25	U
Toluene	600	0.66	J	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	NR		0.38	U
trans-1,2-Dichloroethene	100	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U	NR		0.24	U
trans-1,3-Dichloropropene	NA	0.49	U	0.49	U	0.49	U	0.49	U	0.49	U	0.49	U	NR		0.49	U
Trichloroethene	1	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	0.31	U	NR		2.6	
Trichlorofluoromethane	2000	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	0.14	U	NR		0.14	U
Vinyl chloride	1	0.17	U	0.17	U	0.17	U	2.0		0.17	U	0.17	U	NR		3.8	
Xylenes, Total	1000	1.6	J	0.65	U	0.65	U	0.65	U	1.2	J	0.65	U	NR		0.30	U
Total Conc	NA	11.72		2.23		1.61		0.0		52.15		13.29		NR		7.49	
Total Estimated Conc. (TICs)	NA	0.0		0.0		0.0		0.0		0.0		0.0		NR		0.0	
VO SIM BY 8260C SIM (ug/l)																	
1,2,3-Trichloropropane	0.03	0.0030	U	0.0030	U	0.0030	U	0.0030	U	NR		0.0030	U	NR		0.0030	U*
1,2-Dibromo-3-Chloropropane	0.02	0.0040	U	0.0040	U	0.0040	U	0.0040	U	NR		0.0040	U	NR		0.0040	U*
1,4-Dioxane	0.4	NR		NR		NR		NR		NR		0.20	U	NR		0.20	U
Ethylene Dibromide	0.03	0.0010	U*	0.0010	U*	0.0010	U	0.0010	U*	0.0010	U*	0.0010	U*	NR		0.0010	U*
Total Conc	NA	0.0		0.0		0.0		0.0		0.0		0.88		NR		0.0	
																0.71	

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-2/15-25	GWS-3/14-24	GWS-3/47-50	GWS-5/47-50	GWS-6/20-30	GWS-9/15-25	GWS-10/15-25	GWS-14/0-19	GWS-16/47-50	GWS-17/0-19	GWS-18/47-50	GWS-19/36-40	GWS-20/0-19	GWS-20/46-50	GWS-20/71-75
Screened Interval (bgs.)	Higher of PQLs and GWQC	15' - 25'	14' - 24'	47' - 50'	47' - 50'	20' - 30'	15' - 25'	15' - 25'	0' - 19'	47' - 50'	0' - 19'	47' - 50'	36' - 40'	0' - 19'	46' - 50'	71' - 75'
Lab Sample ID		460-165468-1	460-165468-2	460-165739-1	460-165739-2	460-165468-3	460-165591-1	460-165591-2	320-48473-8	460-177578-2	320-48473-3	460-177578-1	460-177578-3	460-177668-1	460-177668-2	460-177668-3
Sampling Date		9/25/2018	9/25/2018	9/27/2018	9/27/2018	9/25/2018	9/26/2018	9/26/2018	3/18/2019	3/19/2019	3/18/2019	3/19/2019	3/19/2019	3/20/2019	3/20/2019	3/20/2019
BN BY 8270D (ug/l)																
1,2,4,5-Tetrachlorobenzene	NA	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	NR	NR	NR	NR	NR
1,3-Dichlorobenzene	600	2.0	U*	2.0	U*	2.0	U	2.0	U*	2.0	U*	NR	NR	NR	NR	NR
1,4-Dichlorobenzene	75	1.3	U*	1.3	U*	1.3	U	1.3	U*	1.3	U*	NR	NR	NR	NR	NR
1-Methylnaphthalene	NA	1.2	J	1.1	U	1.1	U	1.1	U	1.1	U	NR	NR	NR	NR	NR
2,3,4,6-Tetrachlorophenol	200	0.75	U	0.75	U	0.75	U	0.75	U	0.75	U	NR	NR	NR	NR	NR
2,4,5-Trichlorophenol	700	0.28	U	0.28	U	0.28	U	0.28	U	0.28	U	NR	NR	NR	NR	NR
2,4,6-Trichlorophenol	20	0.30	U	0.30	U	0.30	U	0.30	U	0.30	U	NR	NR	NR	NR	NR
2,4-Dichlorophenol	20	0.42	U	0.42	U	0.42	U	0.42	U	0.42	U	NR	NR	NR	NR	NR
2,4-Dimethylphenol	100	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U	NR	NR	NR	NR	NR
2,4-Dinitrophenol	40	14	U	14	U	14	U	14	U	14	U	NR	NR	NR	NR	NR
2,4-Dinitrotoluene	NA	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	NR	NR	NR	NR	NR
2,6-Dinitrotoluene	NA	0.39	U	0.39	U	0.39	U	0.39	U	0.39	U	NR	NR	NR	NR	NR
2-Chloronaphthalene	600	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	NR	NR	NR	NR	NR
2-Chlorophenol	40	0.38	U	0.38	U	0.38	U	0.38	U	0.38	U	NR	NR	NR	NR	NR
2-Methylnaphthalene	30	1.2	J	1.1	U	1.1	U	1.1	U	1.1	U	NR	NR	NR	NR	NR
2-Methylphenol	50	0.26	U*	0.26	U*	0.26	U	0.26	U*	0.26	U	NR	NR	NR	NR	NR
2-Nitroaniline	NA	0.47	U	0.47	U	0.47	U	0.47	U	0.47	U	NR	NR	NR	NR	NR
2-Nitrophenol	NA	0.75	U	0.75	U	0.75	U	0.75	U	0.75	U	NR	NR	NR	NR	NR
3,3'-Dichlorobenzidine	30	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	NR	NR	NR	NR	NR
3-Nitroaniline	NA	0.96	U	0.96	U	0.96	U	0.96	U	0.96	U	NR	NR	NR	NR	NR
4,6-Dinitro-2-methylphenol	0.7	13	U	13	U	13	U	13	U	13	U	NR	NR	NR	NR	NR
4-Bromophenyl phenyl ether	NA	0.75	U	0.75	U	0.75	U	0.75	U	0.75	U	NR	NR	NR	NR	NR
4-Chloro-3-methylphenol	NA	0.58	U	0.58	U	0.58	U	0.58	U	0.58	U	NR	NR	NR	NR	NR
4-Chlorophenyl phenyl ether	NA	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	NR	NR	NR	NR	NR
4-Methylphenol	50	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U	NR	NR	NR	NR	NR
4-Nitroaniline	NA	0.54	U	0.54	U	0.54	U	0.54	U	0.54	U	NR	NR	NR	NR	NR
4-Nitrophenol	NA	0.69	U	0.69	U	0.69	U	0.69	U	0.69	U	NR	NR	NR	NR	NR
Acenaphthene	400	1.1	U	1.1	U	1.1	U	1.1	U	1.1	U	NR	NR	NR	NR	NR
Acenaphthylene	NA	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	NR	NR	NR	NR	NR
Anthracene	2000	0.63	U	0.63	U	0.63	U	0.63	U	0.63	U	NR	NR	NR	NR	NR
Benzidine	20	5.1	U	5.1	U	5.1	U	5.1	U	5.1	U	NR	NR	NR	NR	NR
Benzo[g,h,i]perylene	NA	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	NR	NR	NR	NR	NR
Benzo[k]fluoranthene	0.5	0.67	U	0.67	U	0.67	U	0.67	U	0.67	U	NR	NR	NR	NR	NR
bis(2-chloroisopropyl) ether	300	0.63	U	0.63	U	0.63	U	0.63	U	0.63	U	NR	NR	NR	NR	NR
Bis(2-chloroethoxy)methane	NA	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U	NR	NR	NR	NR	NR
Bis(2-ethylhexyl) phthalate	3	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	NR	NR	NR	NR	NR
Butyl benzyl phthalate	100	0.85	U	0.85	U	0.85	U	0.85	U	0.85	U	NR	NR	NR	NR	NR
Carbazole	NA	0.68	U	0.68	U	0.68	U	0.68	U	0.68	U	NR	NR	NR	NR	NR
Chrysene	5	0.91	U	0.91	U	0.91	U	0.91	U	0.91	U	NR	NR	NR	NR	NR
Dibenzofuran	NA	1.4	J	1.1	U	1.1	U	1.1	U	1.1	U	NR	NR	NR	NR	NR
Diethyl phthalate	6000	0.98	U	0.98	U	0.98	U	0.98	U	0.98	U	NR	NR	NR	NR	NR
Dimethyl phthalate	NA	0.77	U	0.77	U	0.77	U	0.77	U	0.77	U	NR	NR	NR	NR	NR
Di-n-butyl phthalate	700	0.84	U	0.84	U	0.84	U	0.84	U	0.84	U	NR	NR	NR	NR	NR
Di-n-octyl phthalate	100	4.8	U*	4.8	U*	4.8	U	4.8	U*	4.8	U*	NR	NR	NR	NR	NR
Fluoranthene	300	0.84	U	0.84	U	0.84	U	0.84	U	0.84	U	NR	NR	NR	NR	NR
Fluorene	300	2.6	J	0.91	U	0.91	U	0.91	U	0.91	U	NR	NR	NR	NR	NR
Hexachlorobutadiene	1	0.78	U	0.78	U	0.78	U	0.78	U	0.78	U	NR	NR	NR	NR	NR
Hexachlorocyclopentadiene	40	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	NR	NR	NR	NR	NR
Hexachloroethane	7	1.2	U	1.2	U	1.2	U	1.2	U	1.2	U	NR	NR	NR	NR	NR
Isophorone	40	0.80	U	0.80	U	0.80	U	0.80	U	0.80	U	NR	NR	NR	NR	NR
Naphthalene	300	2.6	J	1.1	U	1.1	U	1.1	U	1.1	U	NR	NR	NR	NR	NR
Nitrobenzene	6	0.57	U	0.57	U	0.57	U	0.57	U	0.57	U	NR	NR	NR	NR	NR
N-Nitrosodi-n-propylamine	10	0.43	U	0.43	U	0.43	U	0.43	U	0.43	U	NR	NR	NR	NR	NR
N-Nitrosodiphenylamine	10	0.89	U	0.89	U	0.89	U	1.4	J	0.89	U	NR	NR	NR	NR	NR
Phenanthrene	NA	2.5	J	0.58	U	0.58	U	0.58	U	0.58	U	NR	NR	NR	NR	NR
Phenol	2000	0.29	U	0.29	U	0.29	U	0.29	U	0.29	U	NR	NR	NR	NR	NR
Pyrene	200	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	NR	NR	NR	NR	NR
Total Conc	NA	11.5		0.0		0.0		3.8		0.0		NR	NR	NR	NR	NR
Total Estimated Conc. (TICs)	NA	7.6		0.0		8.4		0.0		69.6		0.0		0.0		0.0

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-2/15-25	GWS-3/14-24	GWS-3/47-50	GWS-5/47-50	GWS-6/20-30	GWS-9/15-25	GWS-10/15-25	GWS-14/0-19	GWS-16/47-50	GWS-17/0-19	GWS-18/47-50	GWS-19/36-40	GWS-20/0-19	GWS-20/46-50	GWS-20/71-75	
Screened Interval (bgs.)	Higher of PQLs and GWQC	15' - 25'	14' - 24'	47' - 50'	47' - 50'	20' - 30'	15' - 25'	15' - 25'	0' - 19'	47' - 50'	0' - 19'	47' - 50'	36' - 40'	0' - 19'	46' - 50'	71' - 75'	
Lab Sample ID		460-165468-1	460-165468-2	460-165739-1	460-165739-2	460-165468-3	460-165591-1	460-165591-2	320-48473-8	460-177578-2	320-48473-3	460-177578-1	460-177578-3	460-177668-1	460-177668-2	460-177668-3	
Sampling Date		9/25/2018	9/25/2018	9/27/2018	9/27/2018	9/25/2018	9/26/2018	9/26/2018	3/18/2019	3/19/2019	3/18/2019	3/19/2019	3/19/2019	3/20/2019	3/20/2019	3/20/2019	
BN SIM BY 8270D SIM (ug/l)																	
1,4-Dioxane	0.4	1.5	0.17	0.17	0.17	0.17	0.17	0.17	NR	NR	NR	NR	NR	NR	NR	NR	
Benzo[a]anthracene	0.1	0.016	0.016	0.016	0.016	0.021	0.016	0.016	NR	NR	NR	NR	NR	NR	NR	NR	
Benzo[a]pyrene	0.1	0.022	0.025	0.022	0.022	0.022	0.022	0.022	NR	NR	NR	NR	NR	NR	NR	NR	
Benzo[b]fluoranthene	0.2	0.024	0.024	0.024	0.024	0.024	0.024	0.024	NR	NR	NR	NR	NR	NR	NR	NR	
Bis(2-chloroethyl)ether	7	0.026	0.026	0.026	0.026	0.026	0.026	0.026	NR	NR	NR	NR	NR	NR	NR	NR	
Dibenz(a,h)anthracene	0.3	0.011	0.011	0.011	0.011	0.011	0.011	0.011	NR	NR	NR	NR	NR	NR	NR	NR	
Hexachlorobenzene	0.02	0.013	0.013	0.013	0.013	0.013	0.013	0.013	NR	NR	NR	NR	NR	NR	NR	NR	
Indeno[1,2,3-cd]pyrene	0.2	0.036	0.036	0.036	0.036	0.036	0.036	0.036	NR	NR	NR	NR	NR	NR	NR	NR	
N-Nitrosodimethylamine	0.8	0.12	0.12	0.12	0.12	0.12	0.12	0.12	NR	NR	NR	NR	NR	NR	NR	NR	
Pentachlorophenol	0.3	0.15	0.15	0.15	0.15	0.15	0.15	0.15	NR	NR	NR	NR	NR	NR	NR	NR	
Total Conc	NA	1.5	0.025	0.0	0.0	3.721	0.0	0.0	NR	NR	NR	NR	NR	NR	NR	NR	
VO+BN COMBINE TICs																	
Total Estimated Conc. (TICs)	500	7.6	0.0	8.4	0.0	69.6	0.0	0.0	NR	NR	NR	NR	NR	NR	NR	NR	
PESTICIDES BY 8081B (ug/l)																	
4,4'-DDD	0.1	0.0060	0.0060	NR	NR	0.0060	0.0060	0.0060	NR	NR	NR	NR	NR	NR	NR	NR	
4,4'-DDE	0.1	0.0020	0.0020	NR	NR	0.0020	0.0020	0.0020	NR	NR	NR	NR	NR	NR	NR	NR	
4,4'-DDT	0.1	0.0040	0.0040	NR	NR	0.0040	0.0040	0.0040	NR	NR	NR	NR	NR	NR	NR	NR	
Aldrin	0.04	0.0030	0.0030	NR	NR	0.0030	0.0030	0.0030	NR	NR	NR	NR	NR	NR	NR	NR	
alpha-BHC	0.02	0.0070	0.0070	NR	NR	0.0070	0.0070	0.0070	NR	NR	NR	NR	NR	NR	NR	NR	
beta-BHC	0.04	0.0040	0.0040	NR	NR	0.0040	0.0040	0.0040	NR	NR	NR	NR	NR	NR	NR	NR	
Chlordane	0.5	0.055	0.055	NR	NR	0.055	0.055	0.055	NR	NR	NR	NR	NR	NR	NR	NR	
cis-Chlordane	NA	0.0020	0.0020	NR	NR	0.0020	0.0020	0.0020	NR	NR	NR	NR	NR	NR	NR	NR	
delta-BHC	NA	0.0050	0.0050	NR	NR	0.0050	0.0050	0.0050	NR	NR	NR	NR	NR	NR	NR	NR	
Dieldrin	0.03	0.0030	0.0030	NR	NR	0.0030	0.0030	0.0030	NR	NR	NR	NR	NR	NR	NR	NR	
Endosulfan I	40	0.0020	0.0020	NR	NR	0.0020	0.0020	0.0020	NR	NR	NR	NR	NR	NR	NR	NR	
Endosulfan II	40	0.0040	0.0040	NR	NR	0.0040	0.0040	0.0040	NR	NR	NR	NR	NR	NR	NR	NR	
Endosulfan sulfate	40	0.0060	0.0060	NR	NR	0.0060	0.0060	0.0060	NR	NR	NR	NR	NR	NR	NR	NR	
Endrin	2	0.0040	0.0040	NR	NR	0.0040	0.0040	0.0040	NR	NR	NR	NR	NR	NR	NR	NR	
Endrin aldehyde	NA	0.0080	0.0080	NR	NR	0.0080	0.0080	0.0080	NR	NR	NR	NR	NR	NR	NR	NR	
Endrin ketone	NA	0.0080	0.0080	NR	NR	0.0080	0.0080	0.0080	NR	NR	NR	NR	NR	NR	NR	NR	
gamma-BHC (Lindane)	0.03	0.012	0.012	NR	NR	0.012	0.012	0.012	NR	NR	NR	NR	NR	NR	NR	NR	
Heptachlor	0.05	0.0030	0.0030	NR	NR	0.0030	0.0030	0.0030	NR	NR	NR	NR	NR	NR	NR	NR	
Heptachlor epoxide	0.2	0.0050	0.0050	NR	NR	0.0050	0.0050	0.0050	NR	NR	NR	NR	NR	NR	NR	NR	
Methoxychlor	40	0.0040	0.0040	NR	NR	0.0040	0.0040	0.0040	NR	NR	NR	NR	NR	NR	NR	NR	
Toxaphene	2	0.11	0.11	NR	NR	0.11	0.11	0.11	NR	NR	NR	NR	NR	NR	NR	NR	
trans-Chlordane	NA	0.0030	0.0030	NR	NR	0.0030	0.0030	0.0030	NR	NR	NR	NR	NR	NR	NR	NR	
PCBs BY 8082A (ug/l)																	
Aroclor 1016	NA	0.12	0.12	NR	NR	0.12	0.12	0.12	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1221	NA	0.12	0.12	NR	NR	0.12	0.12	0.12	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1232	NA	0.12	0.12	NR	NR	0.12	0.12	0.12	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1242	NA	0.12	0.12	NR	NR	0.12	0.12	0.12	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1248	NA	0.12	0.12	NR	NR	0.12	0.12	0.12	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1254	NA	0.11	0.11	NR	NR	0.11	0.11	0.11	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1260	NA	0.11	0.11	NR	NR	0.11	0.11	0.11	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1262	NA	0.11	0.11	NR	NR	0.11	0.11	0.11	NR	NR	NR	NR	NR	NR	NR	NR	
Aroclor 1268	NA	0.11	0.11	NR	NR	0.11	0.11	0.11	NR	NR	NR	NR	NR	NR	NR	NR	
PCBs Total	0.5								NR	NR	NR	NR	NR	NR	NR	NR	
METALS BY 6020B (ug/l)																	
Aluminum	200	35.7	1120	NR	NR	638	762	54.4	NR	NR	NR	NR	NR	NR	NR	NR	
Antimony	6	0.62	0.62	NR	NR	0.62	0.62	0.62	NR	NR	NR	NR	NR	NR	NR	NR	
Arsenic	3	4.0	32.1	NR	NR	7.6	2.3	9.3	NR	NR	NR	NR	NR	NR	NR	NR	
Barium	6000	442	357	NR	NR	535	247	397	NR	NR	NR	NR	NR	NR	NR	NR	
Beryllium	1	0.25	0.25	NR	NR	0.25	0.25	0.25	NR	NR	NR	NR	NR	NR	NR	NR	
Cadmium	4	0.81	0.81	NR	NR	0.81	0.81	0.81	NR	NR	NR	NR	NR	NR	NR	NR	
Calcium	NA	54000	100000	NR	NR	125000	124000	113000	NR	NR	NR	NR	NR	NR	NR	NR	
Chromium	70	2.3	5.1	NR	NR	2.3	4.6	2.3	NR	NR	NR	NR	NR	NR	NR	NR	
Cobalt	100	1.6	1.6	NR	NR	1.6	1.6	1.6	NR	NR	NR	NR	NR	NR	NR	NR	
Copper	1300	2.0	5.8	NR	NR	2.0	9.3	3.7	NR	NR	NR	NR	NR	NR	NR	NR	
Iron	300	18600	44000	NR	NR	16800	50600	35100	NR	NR	NR	NR	NR	NR	NR	NR	
Lead	5	0.55	4.5	NR	NR	0.55	25.2	1.6	NR	NR	NR	NR	NR	NR	NR	NR	
Magnesium	NA	6600	10900	NR	NR	43700	18900	16300	NR	NR	NR	NR	NR	NR	NR	NR	

TABLE 5
Summary of Groundwater Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-2/15-25	GWS-3/14-24	GWS-3/47-50	GWS-5/47-50	GWS-6/20-30	GWS-9/15-25	GWS-10/15-25	GWS-14/0-19	GWS-16/47-50	GWS-17/0-19	GWS-18/47-50	GWS-19/36-40	GWS-20/0-19	GWS-20/46-50	GWS-20/71-75
Screened Interval (bgs.)	Higher of PQLs and GWQC	15' - 25'	14' - 24'	47' - 50'	47' - 50'	20' - 30'	15' - 25'	15' - 25'	0' - 19'	47' - 50'	0' - 19'	47' - 50'	36' - 40'	0' - 19'	46' - 50'	71' - 75'
Lab Sample ID		460-165468-1	460-165468-2	460-165739-1	460-165739-2	460-165468-3	460-165591-1	460-165591-2	320-48473-8	460-177578-2	320-48473-3	460-177578-1	460-177578-3	460-177668-1	460-177668-2	460-177668-3
Sampling Date		2022	9/25/2018	9/25/2018	9/27/2018	9/25/2018	9/26/2018	9/26/2018	3/18/2019	3/19/2019	3/18/2019	3/19/2019	3/19/2019	3/20/2019	3/20/2019	3/20/2019
Manganese	50	147	212	NR	NR	184	365	209	NR	NR	NR	NR	NR	NR	NR	NR
Nickel	100	2.4	U	2.4	U	NR	NR	2.4	U	2.7	J	2.4	U	NR	NR	NR
Potassium	NA	3350		7480		NR	NR	54300		8490		12500		NR	NR	NR
Selenium	40	5.4	U	5.4	U	NR	NR	5.4	U	5.4	U	5.4	U	NR	NR	NR
Silver	40	0.59	U	0.59	U	NR	NR	0.59	U	0.59	U	0.59	U	NR	NR	NR
Sodium	50000	6870		6360		NR	NR	60900		29600		11900		NR	NR	NR
Thallium	2	0.16	U	0.16	U	NR	NR	0.16	U	0.16	U	0.16	U	NR	NR	NR
Vanadium	NA	1.1	U	4.7		NR	NR	5.8		4.3		1.6	J	NR	NR	NR
Zinc	2000	11.1	U	17.4		NR	NR	11.7	J	19.0		11.1	U	NR	NR	NR
MERCURY BY 7470A (ug/l)																
Mercury	2	0.12	U	0.12	U	NR	NR	0.12	U	0.12	U	0.12	U	NR	NR	NR
CYANIDE BY 9012B (ug/l)																
Cyanide, Total	NA	2.0	U	4.0	J	NR	NR	2.0	U	6.2	J	2.0	U	NR	NR	NR
AMMONIA BY 350.1 (mg/l)																
Ammonia	3	1.8		12.1		NR	NR	45.3		7		9.1		NR	5.5	6.8
TDS BY SM 2540C (mg/l)																
Total Dissolved Solids	500	331		492		NR	NR	1260		614		512		NR	310	1070
NITRATE BY 300.0 (mg/l)																
Nitrate as N	10	0.11		0.016	U	NR	NR	0.016	U	0.016	U	0.016	U	NR	1.1	F1
														NR	12.2	NR
														NR	37.6	19.0
																NR

Client ID	Class II-A	GWS-2/15-25	GWS-3/14-24	GWS-3/47-50	GWS-5/47-50	GWS-6/20-30	GWS-9/15-25	GWS-10/15-25	GWS-14/0-19	GWS-16/47-50	GWS-17/0-19	GWS-18/47-50	GWS-19/36-40	GWS-20/0-19	GWS-20/46-50	GWS-20/71-75
Screened Interval (bgs.)	Higher of PQLs and GWQC	15' - 25'	14' - 24'	47' - 50'	47' - 50'	20' - 30'	15' - 25'	15' - 25'	0' - 19'	47' - 50'	0' - 19'	47' - 50'	36' - 40'	0' - 19'	46' - 50'	71' - 75'
Lab Sample ID		NR	NR	NR	NR	NR	NR	NR	320-48473-8	320-48513-2	320-48473-3	320-48513-1	NR	320-48579-1	320-48579-2	NR
Sampling Date		2022	9/25/2018	9/25/2018	9/27/2018	9/27/2018	9/25/2018	9/26/2018	9/26/2018	3/18/2019	3/19/2019	3/18/2019	3/19/2019	3/19/2019	3/20/2019	3/20/2019
PFAS BY 537 (MODIFIED) (ng/l)																
Perfluorononanoic acid (PFNA)	13	NR		NR		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Perfluorooctanesulfonic acid (PFOS)	13	NR		NR		NR	NR	NR	NR	2.22		14.6		131		16.7
Perfluorooctanoic acid (PFOA)	14	NR		NR		NR	NR	NR	NR	55.7		25.4		130		22.4

Qualifiers:
U - Indicates the analyte was analyzed for but not detected.
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
* - LCS or LCSD is outside acceptance limits.
* - RPD of the LCS and LCSD exceeds the control limits.
F1 - MS and/or MSD Recovery is outside acceptance limits.
H - Sample was prepped or analyzed beyond the specified holding time.
H3 : Sample was received and analyzed past holding time.
D - Sample results are obtained from a dilution;
the surrogate or matrix spike recoveries reported are calculated from diluted samples.

Note:
NA - No Standard
NR - Not Reported / Analyzed
GW - Groundwater
ug/l - micrograms per liter
PQL - Practical Quantitation Level
TICS - Tentatively Identified Compounds
GWQC - Groundwater Quality Criteria
Exceeds NJDEP GWQC

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A Higher of PQLs and GWQC	GWS-20/96-100 96' - 100' 460-177668-4	GWS-21/0-15 0' - 15' 460-177984-1	GWS-21/36-40 36' - 40' 460-177984-2	GWS-21/46-50 46' - 50' 460-177984-3	GWS-21/71-75 71' - 75' 460-177984-4	GWS-21/96-100 96' - 100' 460-178096-1	GWS-22/0-15 0' - 15' 460-178096-2	GWS-22/26-30 26' - 30' 460-178096-3	GWS-22/46-50 46' - 50' 460-178096-4	GWS-22/71-75 71' - 75' 460-178223-1	GWS-22/96-100 96' - 100' 460-178223-2	LOT 29.02 IRRIGATION 460-178220-1	GWS-23/0-18 0' - 18' 460-178560-1	GWS-23/46-50 46' - 50' 460-178560-2	GWS-23/71-75 71' - 75' 460-178560-3
Screened Interval (bgs.)																
Lab Sample ID																
Sampling Date	2022	3/20/2019	3/25/2019	3/25/2019	3/25/2019	3/25/2019	3/26/2019	3/26/2019	3/26/2019	3/26/2019	3/27/2019	3/27/2019	3/27/2019	4/1/2019	4/1/2019	4/1/2019
VOC BY 8260C (ug/l)																
1,1,1-Trichloroethane	30	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
1,1,2,2-Tetrachloroethane	1	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,1,2-Trichloroethane	3	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,1-Dichloroethane	50	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.96 J
1,1-Dichloroethene	1	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.51 J
1,2,3-Trichlorobenzene	NA	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U*	0.36 U*	0.36 U*	0.36 U*	0.36 U	0.36 U	0.36 U*	0.36 U	0.36 U	0.36 U
1,2,3-Trichloropropane	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U*	0.37 U*	0.37 U*	0.37 U*	0.37 U	0.37 U	0.37 U*	0.37 U	0.37 U	0.37 U
1,2,4-Trimethylbenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,2-Dichloroethane	2	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.47 J	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,2-Dichloropropane	1	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
1,3-Dichlorobenzene	600	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
1,4-Dichlorobenzene	75	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.91 J	0.76 U
2-Butanone	300	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U
2-Hexanone	40	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U
4-Methyl-2-pentanone	NA	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U
Acetone	6000	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	7.3
Benzene	1	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	1.0
Bromochloromethane	NA	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Bromodichloromethane	1	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Bromoform	4	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*	0.54 U*
Bromomethane	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	700	0.25 J	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U
Carbon tetrachloride	1	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
Chlorobenzene	50	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	1.9	1.1
Chloroethane	NA	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1.8	0.32 U
Chloroform	70	0.33 U	0.33 U	1.0	2.5	0.33 U	0.33 U	0.33 U	0.44 J	0.43 J	0.65 J	0.38 J	0.33 U	0.33 U	0.33 U	0.33 U
Chloromethane	NA	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
cis-1,2-Dichloroethene	70	8.8	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	15
cis-1,3-Dichloropropene	NA	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
Cyclohexane	NA	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U*	0.32 U*	0.32 U*
Dibromochloromethane	1	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U
Dichlorodifluoromethane	1000	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
Ethylbenzene	700	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U
Freon TF	20000	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U*	0.31 U	0.31 U	0.31 U
Isopropylbenzene	700	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Methyl acetate	7000	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U*	0.31 U*	0.31 U*
Methylcyclohexane	NA	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
Methylene Chloride	3	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
MTBE	70	0.47 U	0.47 U	33	1.5	0.47 U	0.47 U	0.47 U	5.6	11	2.9	0.79 J	0.47 U	0.47 U	4.4	36
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Styrene	100	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
TBA	100	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U
Tetrachloroethene	1	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.39 J
Toluene	600	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
trans-1,2-Dichloroethene	100	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	2.1
trans-1,3-Dichloropropene	NA	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U
Trichloroethene	1	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	3.1
Trichlorofluoromethane	2000	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
Vinyl chloride	1	3.2	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	9.5	150
Xylenes, Total	1000	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.52 J
Total Conc	NA	12.25	0.0	34.0	4.0	0.0	0.0	0.0	6.04	11.9	3.55	1.17	0.0	0.0	34.51	333.68
Total Estimated Conc. (TICs)	NA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VO SIM BY 8260C SIM (ug/l)																
1,2,3-Trichloropropane	0.03	0.0030 U*	0.0030 U	0.017 J	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0079 J	0.021 J	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U
1,2-Dibromo-3-Chloropropane	0.02	0.0040 U*	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U
1,4-Dioxane	0.4	0.67	0.20 U	0.20 U	0.40	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	1.8	3.0
Ethylene Dibromide	0.03	0.0010 U*	0.0010 U	0.052	0.0065 J	0.0010 U	0.0010 U	0.0010 U	0.023	0.076	0.0081 J	0.0047 J	0.0032 J	0.0010 U	0.0010 U	0.0010 U
Total Conc	NA	0.67	0.0	0.069	0.4065	0.0	0.0	0.0	0.0309	0.097	0.0081	0.0047	0.0032	0.0	1.8	3.0

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-20/96-100	GWS-21/0-15	GWS-21/36-40	GWS-21/46-50	GWS-21/71-75	GWS-21/96-100	GWS-22/0-15	GWS-22/26-30	GWS-22/46-50	GWS-22/71-75	GWS-22/96-100	LOT 29.02	GWS-23/0-18	GWS-23/46-50	GWS-23/71-75
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	36' - 40'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	26' - 30'	46' - 50'	71' - 75'	96' - 100'	IRRIGATION	0' - 18'	46' - 50'	71' - 75'
Lab Sample ID		460-177668-4	460-177984-1	460-177984-2	460-177984-3	460-177984-4	460-178096-1	460-178096-2	460-178096-3	460-178096-4	460-178223-1	460-178223-2	460-178220-1	460-178560-1	460-178560-2	460-178560-3
Sampling Date		3/20/2019	3/25/2019	3/25/2019	3/25/2019	3/25/2019	3/26/2019	3/26/2019	3/26/2019	3/26/2019	3/27/2019	3/27/2019	3/27/2019	4/1/2019	4/1/2019	4/1/2019
BN BY 8270D (ug/l)																
1,2,4,5-Tetrachlorobenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,3-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,4-Dichlorobenzene	75	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-Methylnaphthalene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,3,4,6-Tetrachlorophenol	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,5-Trichlorophenol	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,6-Trichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dimethylphenol	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,6-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chloronaphthalene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chlorophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylnaphthalene	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3,3'-Dichlorobenzidine	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,6-Dinitro-2-methylphenol	0.7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Bromophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chloro-3-methylphenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chlorophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthene	400	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Anthracene	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzidine	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[g,h,i]perylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[k]fluoranthene	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
bis (2-chloroisopropyl) ether	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethoxy)methane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-ethylhexyl) phthalate	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butyl benzyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carbazole	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chrysene	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenzofuran	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Diethyl phthalate	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dimethyl phthalate	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-butyl phthalate	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-octyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluoranthene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluorene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobutadiene	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorocyclopentadiene	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachloroethane	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Isophorone	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nitrobenzene	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodi-n-propylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodiphenylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenanthrene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenol	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pyrene	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-20/96-100	GWS-21/0-15	GWS-21/36-40	GWS-21/46-50	GWS-21/71-75	GWS-21/96-100	GWS-22/0-15	GWS-22/26-30	GWS-22/46-50	GWS-22/71-75	GWS-22/96-100	LOT 29.02	GWS-23/0-18	GWS-23/46-50	GWS-23/71-75	
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	36' - 40'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	26' - 30'	46' - 50'	71' - 75'	96' - 100'	IRRIGATION	0' - 18'	46' - 50'	71' - 75'	
Lab Sample ID		460-177668-4	460-177984-1	460-177984-2	460-177984-3	460-177984-4	460-178096-1	460-178096-2	460-178096-3	460-178096-4	460-178223-1	460-178223-2	460-178220-1	460-178560-1	460-178560-2	460-178560-3	
Sampling Date		3/20/2019	3/25/2019	3/25/2019	3/25/2019	3/25/2019	3/26/2019	3/26/2019	3/26/2019	3/26/2019	3/27/2019	3/27/2019	3/27/2019	4/1/2019	4/1/2019	4/1/2019	
BN SIM BY 8270D SIM (ug/l)																	
1,4-Dioxane	0.4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]anthracene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]pyrene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[b]fluoranthene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethyl)ether	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenz(a,h)anthracene	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobenzene	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indeno[1,2,3-cd]pyrene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodimethylamine	0.8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentachlorophenol	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VO+BN COMBINE TICS																	
Total Estimated Conc. (TICs)	500	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PESTICIDES BY 8081B (ug/l)																	
4,4'-DDD	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDE	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDT	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aldrin	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
alpha-BHC	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
beta-BHC	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chlordane	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
cis-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
delta-BHC	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dieldrin	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan I	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan II	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan sulfate	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin aldehyde	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin ketone	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
gamma-BHC (Lindane)	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor	0.05	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor epoxide	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Methoxychlor	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Toxaphene	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
trans-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs BY 8082A (ug/l)																	
Aroclor 1016	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1221	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1232	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1242	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1248	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1254	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1260	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1262	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1268	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs Total	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
METALS BY 6020B (ug/l)																	
Aluminum	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Antimony	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Arsenic	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Barium	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Beryllium	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cadmium	4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Calcium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chromium	70	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cobalt	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Copper	1300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Iron	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lead	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Magnesium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-20/96-100	GWS-21/0-15	GWS-21/36-40	GWS-21/46-50	GWS-21/71-75	GWS-21/96-100	GWS-22/0-15	GWS-22/26-30	GWS-22/46-50	GWS-22/71-75	GWS-22/96-100	LOT 29.02	GWS-23/0-18	GWS-23/46-50	GWS-23/71-75
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	36' - 40'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	26' - 30'	46' - 50'	71' - 75'	96' - 100'	IRRIGATION	0' - 18'	46' - 50'	71' - 75'
Lab Sample ID		460-177668-4	460-177984-1	460-177984-2	460-177984-3	460-177984-4	460-178096-1	460-178096-2	460-178096-3	460-178096-4	460-178223-1	460-178223-2	460-178220-1	460-178560-1	460-178560-2	460-178560-3
Sampling Date	2022	3/20/2019	3/25/2019	3/25/2019	3/25/2019	3/25/2019	3/26/2019	3/26/2019	3/26/2019	3/26/2019	3/27/2019	3/27/2019	3/27/2019	4/1/2019	4/1/2019	4/1/2019
Manganese	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nickel	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Potassium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Selenium	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Silver	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sodium	50000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Thallium	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Vanadium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Zinc	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
MERCURY BY 7470A (ug/l)																
Mercury	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CYANIDE BY 9012B (ug/l)																
Cyanide, Total	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
AMMONIA BY 350.1 (mg/l)																
Ammonia	3	NR	0.18	NR	0.068	U	NR	0.32	NR	0.28	NR	NR	NR	0.17	J	8.6
TDS BY SM 2540C (mg/l)																
Total Dissolved Solids	500	NR	1320	NR	162	NR	NR	1680	NR	417	NR	NR	NR	378	764	NR
NITRATE BY 300.0 (mg/l)																
Nitrate as N	10	NR	29.2	NR	1.8	NR	NR	56.5	NR	16.1	NR	NR	NR	17.8	0.55	NR

Client ID	Class II-A	GWS-20/96-100	GWS-21/0-15	GWS-21/36-40	GWS-21/46-50	GWS-21/71-75	GWS-21/96-100	GWS-22/0-15	GWS-22/26-30	GWS-22/46-50	GWS-22/71-75	GWS-22/96-100	LOT 29.02	GWS-23/0-18	GWS-23/46-50	GWS-23/71-75
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	36' - 40'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	26' - 30'	46' - 50'	71' - 75'	96' - 100'	IRRIGATION	0' - 18'	46' - 50'	71' - 75'
Lab Sample ID		NR	320-48686-1	460-177984-2	320-48686-2	460-177984-4	460-178096-1	320-48744-1	460-178096-3	320-48744-2	460-178223-1	460-178223-2	460-178220-1	320-48890-1	320-48890-2	NR
Sampling Date	2022	3/20/2019	3/25/2019	3/25/2019	3/25/2019	3/25/2019	3/26/2019	3/26/2019	3/26/2019	3/26/2019	3/27/2019	3/27/2019	3/27/2019	4/1/2019	4/1/2019	4/1/2019
PFAS BY 537 (MODIFIED) (ng/l)																
Perfluorononanoic acid (PFNA)	13	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Perfluorooctanesulfonic acid (PFOS)	13	NR	0.49	U	NR	0.98	J	NR	0.81	J	NR	2.22	NR	NR	ND	36.8
Perfluorooctanoic acid (PFOA)	14	NR	42.6	NR	3.29	NR	NR	24.7	NR	12.6	NR	NR	NR	4.44	37.4	NR

Qualifiers:
 U - Indicates the analyte was analyzed for but not detected.
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 * - LCS or LCSD is outside acceptance limits.
 * - RPD of the LCS and LCSD exceeds the control limits.
 F1 - MS and/or MSD Recovery is outside acceptance limits.
 H - Sample was prepped or analyzed beyond the specified holding time.
 H3 : Sample was received and analyzed past holding time.
 D - Sample results are obtained from a dilution;
 the surrogate or matrix spike recoveries reported are calculated from diluted samples.


Note:
 NA - No Standard
 NR - Not Reported / Analyzed
 GW - Groundwater
 ug/l - micrograms per liter
 PQL - Practical Quantitation Level
 TICS - Tentatively Identified Compounds
 GWQC - Groundwater Quality Criteria
 Exceeds NJDEP GWQC

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A Higher of PQLs and GWQC	GWS-23/96-100 96' - 100' 460-178560-4	GWS-24/0-15 0' - 15' 460-178647-1	GWS-24/46-50 46' - 50' 460-178647-2	GWS-24/71-75 71' - 75' 460-178647-3	GWS-24/96-100 96' - 100' 460-178793-1	GWS-25/0-15 0' - 15' 460-178876-1	GWS-25/46-50 46' - 50' 460-178876-2	GWS-25/71-75 71' - 75' 460-178876-3	GWS-25/96-100 96' - 100' 460-178876-4	FB-BAILER -	FB-TUBE -	GWS-26/132-136 132' - 136' 460-196100-1	GWS-27/95-100 95' - 100' 460-210748-1	GWS-27/120-125 120' - 125' 460-210748-2	GWS-27/145-150 145' - 150' 460-210748-3	
Screened Interval (bgs.)																	
Lab Sample ID																	
Sampling Date		2022	4/1/2019	4/2/2019	4/2/2019	4/2/2019	4/2/2019	4/2/2019	4/4/2019	4/4/2019	4/4/2019	3/18/2019	3/18/2019	11/8/2019	6/8/2020	6/8/2020	6/9/2020
VOC BY 8260C (ug/l)																	
1,1,1-Trichloroethane	30	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	NR	NR	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
1,1,2,2-Tetrachloroethane	1	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	NR	NR	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,1,2-Trichloroethane	3	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	NR	NR	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,1-Dichloroethane	50	0.56 J	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	NR	NR	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
1,1-Dichloroethene	1	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	NR	NR	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
1,2,3-Trichlorobenzene	NA	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	NR	NR	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
1,2,3-Trichloropropane	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	0.66 U	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	NR	NR	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,2,4-Trimethylbenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	J	NR	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,2-Dichloroethane	2	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	NR	NR	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,2-Dichloropropane	1	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	NR	NR	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
1,3-Dichlorobenzene	600	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	NR	NR	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
1,4-Dichlorobenzene	75	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	NR	NR	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
2-Butanone	300	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	NR	NR	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U
2-Hexanone	40	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	NR	NR	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
4-Methyl-2-pentanone	NA	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	NR	NR	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Acetone	6000	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	NR	NR	4.4 U	16	4.4 U	6.8	
Benzene	1	1.2	0.43 U	0.43 U	1.5	1.7	0.43 U	0.43 U	0.43 U	1.0	NR	NR	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Bromochloromethane	NA	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	NR	NR	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Bromodichloromethane	1	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	NR	NR	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Bromoform	4	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	NR	NR	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
Bromomethane	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	NR	NR	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U
Carbon disulfide	700	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.57 J	0.16 U	0.16 U	0.63 J	J	NR	NR	0.82 U	0.82 U	0.82 U	0.82 U
Carbon tetrachloride	1	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	NR	NR	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
Chlorobenzene	50	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	J	NR	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
Chloroethane	NA	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	NR	NR	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Chloroform	70	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	NR	NR	0.33 U	0.42 J	0.33 U	0.33 U	0.33 U
Chloromethane	NA	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	NR	NR	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
cis-1,2-Dichloroethene	70	51	0.22 U	43	30	350	0.22 U	100	180	2.5	NR	NR	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
cis-1,3-Dichloropropene	NA	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	NR	NR	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
Cyclohexane	NA	0.32 U*	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	NR	NR	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Dibromochloromethane	1	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	NR	NR	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U
Dichlorodifluoromethane	1000	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	NR	NR	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Ethylbenzene	700	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	NR	NR	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U
Freon TF	20000	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	NR	NR	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Isopropylbenzene	700	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	NR	NR	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Methyl acetate	7000	0.31 U*	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	NR	NR	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U
Methylcyclohexane	NA	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	NR	NR	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
Methylene Chloride	3	0.54 J	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	J	NR	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
MTBE	70	2.3	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	NR	NR	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Styrene	100	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	NR	NR	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
TBA	100	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	NR	NR	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U
Tetrachloroethene	1	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	NR	NR	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U
Toluene	600	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	NR	NR	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
trans-1,2-Dichloroethene	100	0.66 J	0.24 U	0.24 U	0.97 J	2.4	0.24 U	1.4	1.3	0.24 U	NR	NR	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
trans-1,3-Dichloropropene	NA	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U	NR	NR	0.49 U	0.49 U	0.49 U	0.49 U	0.49 U
Trichloroethene	1	2.5	0.31 U	22	9.1	4.0	0.31 U	9.8	0.53 J	1.2	NR	NR	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Trichlorofluoromethane	2000	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U	NR	NR	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Vinyl chloride	1	56	0.17 U	0.48 J	1.9	7.6	0.17 U	0.17 U	0.17 U	1.1	NR	NR	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U
Xylenes, Total	1000	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	NR	NR	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U
Total Conc	NA	114.76	0.0	65.48	43.47	367.58	0.0	111.2	187.13	7.95	NR	NR	0.0	16.42	0.0	6.8	
Total Estimated Conc. (TICs)	NA	0.0	0.0	0.0	0.0	7.6	0.0	0.0	13.0	16.0	NR	NR	0.0	0.0	0.0	0.0	
VO SIM BY 8260C SIM (ug/l)																	
1,2,3-Trichloropropane	0.03	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U	0.0030 U	NR	NR	NR	0.012 U	0.012 U	0.012 U	0.012 U
1,2-Dibromo-3-Chloropropane	0.02	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.0040 U	NR	NR	NR	NR	NR	NR	NR
1,4-Dioxane	0.4	1.9	0.20 U	0.20 U	1.4	2.0	0.20 U	0.20 U	0.51	0.87	NR	NR	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
Ethylene Dibromide	0.03	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	1.9	0.0	0.0	1.4	2.0	0.0	0.0	0.51	0.87	NR	NR	0.0				

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-23/96-100	GWS-24/0-15	GWS-24/46-50	GWS-24/71-75	GWS-24/96-100	GWS-25/0-15	GWS-25/46-50	GWS-25/71-75	GWS-25/96-100	FB-BAILER	FB-TUBE	GWS-26/132-136	GWS-27/95-100	GWS-27/120-125	GWS-27/145-150
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	-	-	132' - 136'	95' - 100'	120' - 125'	145' - 150'
Lab Sample ID		460-178560-4	460-178647-1	460-178647-2	460-178647-3	460-178793-1	460-178876-1	460-178876-2	460-178876-3	460-178876-4	320-48473-1	320-48473-2	460-196100-1	460-210748-1	460-210748-2	460-210748-3
Sampling Date		2022	4/1/2019	4/2/2019	4/2/2019	4/2/2019	4/4/2019	4/4/2019	4/4/2019	4/4/2019	3/18/2019	3/18/2019	11/8/2019	6/8/2020	6/8/2020	6/9/2020
BN BY 8270D (ug/l)																
1,2,4,5-Tetrachlorobenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,3-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,4-Dichlorobenzene	75	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-Methylnaphthalene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,3,4,6-Tetrachlorophenol	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,5-Trichlorophenol	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,6-Trichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dimethylphenol	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,6-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chloronaphthalene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chlorophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylnaphthalene	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3,3'-Dichlorobenzidine	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,6-Dinitro-2-methylphenol	0.7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Bromophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chloro-3-methylphenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chlorophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthene	400	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Anthracene	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzidine	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[g,h,i]perylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[k]fluoranthene	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
bis(2-chloroisopropyl) ether	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethoxy)methane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-ethylhexyl) phthalate	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butyl benzyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carbazole	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chrysene	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenzofuran	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Diethyl phthalate	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dimethyl phthalate	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-butyl phthalate	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-octyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluoranthene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluorene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobutadiene	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorocyclopentadiene	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachloroethane	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Isophorone	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nitrobenzene	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodi-n-propylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodiphenylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenanthrene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenol	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pyrene	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-23/96-100	GWS-24/0-15	GWS-24/46-50	GWS-24/71-75	GWS-24/96-100	GWS-25/0-15	GWS-25/46-50	GWS-25/71-75	GWS-25/96-100	FB-BAILER	FB-TUBE	GWS-26/132-136	GWS-27/95-100	GWS-27/120-125	GWS-27/145-150
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	-	-	132' - 136'	95' - 100'	120' - 125'	145' - 150'
Lab Sample ID		460-178560-4	460-178647-1	460-178647-2	460-178647-3	460-178793-1	460-178876-1	460-178876-2	460-178876-3	460-178876-4	320-48473-1	320-48473-2	460-196100-1	460-210748-1	460-210748-2	460-210748-3
Sampling Date		4/1/2019	4/2/2019	4/2/2019	4/2/2019	4/2/2019	4/4/2019	4/4/2019	4/4/2019	4/4/2019	3/18/2019	3/18/2019	11/8/2019	6/8/2020	6/8/2020	6/9/2020
BN SIM BY 8270D SIM (ug/l)																
1,4-Dioxane	0.4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]anthracene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]pyrene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[b]fluoranthene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethyl)ether	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenz(a,h)anthracene	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobenzene	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indeno[1,2,3-cd]pyrene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodimethylamine	0.8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentachlorophenol	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VO+BN COMBINE TICS																
Total Estimated Conc. (TICs)	500	NR	NR	NR	NR	7.6	NR	NR	13.0	16.0	NR	NR	NR	NR	NR	NR
PESTICIDES BY 8081B (ug/l)																
4,4'-DDD	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDE	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDT	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aldrin	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
alpha-BHC	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
beta-BHC	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chlordane	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
cis-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
delta-BHC	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dieldrin	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan I	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan II	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan sulfate	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin aldehyde	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin ketone	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
gamma-BHC (Lindane)	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor	0.05	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor epoxide	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Methoxychlor	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Toxaphene	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
trans-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs BY 8082A (ug/l)																
Aroclor 1016	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1221	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1232	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1242	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1248	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1254	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1260	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1262	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1268	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs Total	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
METALS BY 6020B (ug/l)																
Aluminum	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Antimony	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Arsenic	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Barium	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Beryllium	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cadmium	4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Calcium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chromium	70	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cobalt	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Copper	1300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Iron	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lead	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Magnesium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-23/96-100	GWS-24/0-15	GWS-24/46-50	GWS-24/71-75	GWS-24/96-100	GWS-25/0-15	GWS-25/46-50	GWS-25/71-75	GWS-25/96-100	FB-BAILER	FB-TUBE	GWS-26/132-136	GWS-27/95-100	GWS-27/120-125	GWS-27/145-150
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	--	--	132' - 136'	95' - 100'	120' - 125'	145' - 150'
Lab Sample ID		460-178560-4	460-178647-1	460-178647-2	460-178647-3	460-178793-1	460-178876-1	460-178876-2	460-178876-3	460-178876-4	320-48473-1	320-48473-2	460-196100-1	460-210748-1	460-210748-2	460-210748-3
Sampling Date	2022	4/1/2019	4/2/2019	4/2/2019	4/2/2019	4/2/2019	4/4/2019	4/4/2019	4/4/2019	4/4/2019	3/18/2019	3/18/2019	11/8/2019	6/8/2020	6/8/2020	6/9/2020
Manganese	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nickel	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Potassium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Selenium	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Silver	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Sodium	50000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Thallium	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Vanadium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Zinc	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
MERCURY BY 7470A (ug/l)																
Mercury	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CYANIDE BY 9012B (ug/l)																
Cyanide, Total	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
AMMONIA BY 350.1 (mg/l)																
Ammonia	3	NR	0.15	J	0.23	NR	NR	0.24	0.24	NR	NR	NR	0.034	U	NR	NR
TDS BY SM 2540C (mg/l)																
Total Dissolved Solids	500	NR	98.0		868	NR	NR	1590	582	NR	NR	NR	0.056	U	NR	NR
NITRATE BY 300.0 (mg/l)																
Nitrate as N	10	NR	4.3		54.5	NR	NR	110	46.6	NR	NR	NR	25.0		NR	NR

Client ID	Class II-A	GWS-23/96-100	GWS-24/0-15	GWS-24/46-50	GWS-24/71-75	GWS-24/96-100	GWS-25/0-15	GWS-25/46-50	GWS-25/71-75	GWS-25/96-100	FB-BAILER	FB-TUBE	GWS-26/132-136	GWS-27/95-100	GWS-27/120-125	GWS-27/145-150
Screened Interval (bgs.)	Higher of PQLs and GWQC	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	--	--	132' - 136'	95' - 100'	120' - 125'	145' - 150'
Lab Sample ID		NR	320-48949-1	320-48949-2	NR	NR	320-49016-1	320-49016-2	NR	NR	320-48473-1	320-48473-2	460-56648-1	200-53935-1	200-53935-2	200-53935-4
Sampling Date	2022	4/1/2019	4/2/2019	4/2/2019	4/2/2019	4/2/2019	4/4/2019	4/4/2019	4/4/2019	4/4/2019	3/18/2019	3/18/2019	11/8/2019	6/8/2020	6/8/2020	6/9/2020
PFAS BY 537 (MODIFIED) (ng/l)																
Perfluorononanoic acid (PFNA)	13	NR	NR		NR	NR	NR	NR	NR	NR	NR	NR	0.57	J	0.71	J
Perfluorooctanesulfonic acid (PFOS)	13	NR	1.06	J	18.7	NR	NR	0.62	J	2.81	NR	NR	0.48	U	2.62	B
Perfluorooctanoic acid (PFOA)	14	NR	4.26		39.6	NR	NR	15.7		14.4	NR	NR	0.43	U	0.86	J

Qualifiers:
 U - Indicates the analyte was analyzed for but not detected.
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 * - LCS or LCSD is outside acceptance limits.
 * - RPD of the LCS and LCSD exceeds the control limits.
 F1 - MS and/or MSD Recovery is outside acceptance limits.
 H - Sample was prepped or analyzed beyond the specified holding time.
 H3 : Sample was received and analyzed past holding time.
 D - Sample results are obtained from a dilution;
 the surrogate or matrix spike recoveries reported are calculated from diluted samples.


Note:
 NA - No Standard
 NR - Not Reported / Analyzed
 GW - Groundwater
 ug/l - micrograms per liter
 PQL - Practical Quantitation Level
 TICS - Tentatively Identified Compounds
 GWQC - Groundwater Quality Criteria
 Exceeds NJDEP GWQC

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-28/125-130	GWS-28/145-150	GWS-29/7-17	GWS-29/46-50	GWS-29/71-75	GWS-29/96-100	GWS-30/5-15	GWS-30/41-45	GWS-30/76-80	GWS-30/96-100	GWS-31/5-15	GWS-31/46-50	GWS-31/71-75	GWS-31/96-100	GWS-32/0-10
Screened Interval (bgs.)	Higher of PQLs and GWQC	125' - 130'	145' - 150'	7' - 14'	46' - 50'	71' - 75'	96' - 100'	5' - 15'	41' - 45'	76' - 80'	96' - 100'	5' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 10'
Lab Sample ID		460-210948-1	460-210948-2	460-219670-1	460-219670-2	460-219670-3	460-219670-4	460-219907-1	460-219907-2	460-219907-3	460-219907-4	460-220019-1	460-220019-2	460-220019-3	460-220019-4	460-220244-1
Sampling Date	2022	6/10/2020	6/10/2020	10/1/2020	10/1/2020	10/1/2020	10/1/2020	10/5/2020	10/5/2020	10/5/2020	10/5/2020	10/6/2020	10/6/2020	10/6/2020	10/6/2020	10/7/2020
BN BY 8270D (ug/l)																
1,2,4,5-Tetrachlorobenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,3-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,4-Dichlorobenzene	75	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-Methylnaphthalene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,3,4,6-Tetrachlorophenol	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,5-Trichlorophenol	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,6-Trichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dimethylphenol	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,6-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chloronaphthalene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chlorophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylnaphthalene	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3,3'-Dichlorobenzidine	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,6-Dinitro-2-methylphenol	0.7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Bromophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chloro-3-methylphenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chlorophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthene	400	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Anthracene	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzidine	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[g,h,i]perylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[k]fluoranthene	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
bis(2-chloroisopropyl) ether	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethoxy)methane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-ethylhexyl) phthalate	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butyl benzyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carbazole	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chrysene	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenzofuran	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Diethyl phthalate	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dimethyl phthalate	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-butyl phthalate	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-octyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluoranthene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluorene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobutadiene	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorocyclopentadiene	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachloroethane	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Isophorone	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nitrobenzene	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodi-n-propylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodiphenylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenanthrene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenol	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pyrene	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-28/125-130	GWS-28/145-150	GWS-29/7-17	GWS-29/46-50	GWS-29/71-75	GWS-29/96-100	GWS-30/5-15	GWS-30/41-45	GWS-30/76-80	GWS-30/96-100	GWS-31/5-15	GWS-31/46-50	GWS-31/71-75	GWS-31/96-100	GWS-32/0-10	
Screened Interval (bgs.)	Higher of PQLs and GWQC	125' - 130'	145' - 150'	7' - 14'	46' - 50'	71' - 75'	96' - 100'	5' - 15'	41' - 45'	76' - 80'	96' - 100'	5' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 10'	
Lab Sample ID		460-210948-1	460-210948-2	460-219670-1	460-219670-2	460-219670-3	460-219670-4	460-219907-1	460-219907-2	460-219907-3	460-219907-4	460-220019-1	460-220019-2	460-220019-3	460-220019-4	460-220244-1	
Sampling Date		6/10/2020	6/10/2020	10/1/2020	10/1/2020	10/1/2020	10/1/2020	10/5/2020	10/5/2020	10/5/2020	10/5/2020	10/6/2020	10/6/2020	10/6/2020	10/6/2020	10/7/2020	
BN SIM BY 8270D SIM (ug/l)																	
1,4-Dioxane	0.4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]anthracene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]pyrene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[b]fluoranthene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethyl)ether	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenz(a,h)anthracene	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobenzene	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indeno[1,2,3-cd]pyrene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodimethylamine	0.8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentachlorophenol	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VO+BN COMBINE TICS																	
Total Estimated Conc. (TICs)	500	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PESTICIDES BY 8081B (ug/l)																	
4,4'-DDD	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDE	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDT	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aldrin	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
alpha-BHC	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
beta-BHC	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chlordane	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
cis-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
delta-BHC	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dieldrin	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan I	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan II	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan sulfate	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin aldehyde	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin ketone	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
gamma-BHC (Lindane)	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor	0.05	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor epoxide	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Methoxychlor	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Toxaphene	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
trans-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs BY 8082A (ug/l)																	
Aroclor 1016	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1221	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1232	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1242	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1248	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1254	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1260	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1262	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1268	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs Total	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
METALS BY 6020B (ug/l)																	
Aluminum	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Antimony	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Arsenic	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Barium	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Beryllium	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cadmium	4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Calcium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chromium	70	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cobalt	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Copper	1300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Iron	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lead	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Magnesium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
Summary of Groundwater Sampling Analytical Results
Buena Vista Twp. Public Works Yard
430 Union Road, Buena Vista Township, Atlantic County, New Jersey
NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-28/125-130	GWS-28/145-150	GWS-29/7-17	GWS-29/46-50	GWS-29/71-75	GWS-29/96-100	GWS-30/5-15	GWS-30/41-45	GWS-30/76-80	GWS-30/96-100	GWS-31/5-15	GWS-31/46-50	GWS-31/71-75	GWS-31/96-100	GWS-32/0-10							
Screened Interval (bgs.)	Higher of PQLs and GWQC	125' - 130'	145' - 150'	7' - 14'	46' - 50'	71' - 75'	96' - 100'	5' - 15'	41' - 45'	76' - 80'	96' - 100'	5' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 10'							
Lab Sample ID		460-210948-1	460-210948-2	460-219670-1	460-219670-2	460-219670-3	460-219670-4	460-219907-1	460-219907-2	460-219907-3	460-219907-4	460-220019-1	460-220019-2	460-220019-3	460-220019-4	460-220244-1							
Sampling Date	2022	6/10/2020	6/10/2020	10/1/2020	10/1/2020	10/1/2020	10/1/2020	10/5/2020	10/5/2020	10/5/2020	10/5/2020	10/6/2020	10/6/2020	10/6/2020	10/6/2020	10/7/2020							
Manganese	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Nickel	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Potassium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Selenium	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Silver	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Sodium	50000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Thallium	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Vanadium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Zinc	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
MERCURY BY 7470A (ug/l)																							
Mercury	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
CYANIDE BY 9012B (ug/l)																							
Cyanide, Total	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
AMMONIA BY 350.1 (mg/l)																							
Ammonia	3	NR	NR	0.25	0.065	J	0.17	0.11	0.034	U	0.065	J	2.5	0.16	0.048	J	0.11	0.034	U	0.18	0.047	J	
TDS BY SM 2540C (mg/l)																							
Total Dissolved Solids	500	NR	NR	11.9	46.3		61.2	0.15	J	7.38		33.3	38.5	59.8	4.82		73.1	0.12	J	0.078	U	2.79	H
NITRATE BY 300.0 (mg/l)																							
Nitrate as N	10	NR	NR	225	726		626	354		380		493	424	540		136	896		278		268		102

Client ID	Class II-A	GWS-28/125-130	GWS-28/145-150	GWS-29/7-17	GWS-29/46-50	GWS-29/71-75	GWS-29/96-100	GWS-30/5-15	GWS-30/41-45	GWS-30/76-80	GWS-30/96-100	GWS-31/5-15	GWS-31/46-50	GWS-31/71-75	GWS-31/96-100	GWS-32/0-10														
Screened Interval (bgs.)	Higher of PQLs and GWQC	125' - 130'	145' - 150'	7' - 14'	46' - 50'	71' - 75'	96' - 100'	5' - 15'	41' - 45'	76' - 80'	96' - 100'	5' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 10'														
Lab Sample ID		460-210963-1	460-210963-2	460-219672-1	460-219672-2	460-219672-3	460-219672-4	460-220133-1	460-220133-2	460-220133-3	460-220133-5	460-220022-1	460-220022-2	460-220022-3	460-220022-4	200-55579-1														
Sampling Date	2022	6/10/2020	6/10/2020	10/1/2020	10/1/2020	10/1/2020	10/1/2020	10/5/2020	10/5/2020	10/5/2020	10/5/2020	10/6/2020	10/6/2020	10/6/2020	10/6/2020	10/7/2020														
PFAS BY 537 (MODIFIED) (ng/l)																														
Perfluorononanoic acid (PFNA)	13	0.26	J	1.68		3.85		0.47	U	0.48	U	0.48	U	6.70	J	0.64	J	0.83	J	0.49	U	1.96		0.62	J	0.49	U	0.48	U	2.50
Perfluorooctanesulfonic acid (PFOS)	13	3.65		3.41		5.49		0.70	U	0.90	J	0.72	U	9.76	J	5.15		6.81		0.73	U	4.33		1.18	J	0.73	U	0.73	U	8.04
Perfluorooctanoic acid (PFOA)	14	0.68	U	1.38	J	7.51		12.3		9.31		0.81	U	14.2		10.5		13.5		5.65		12.0		14.5		0.82	J	0.82	U	6.38

Qualifiers:
U - Indicates the analyte was analyzed for but not detected.
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
* - LCS or LCSD is outside acceptance limits.
* - RPD of the LCS and LCSD exceeds the control limits.
F1 - MS and/or MSD Recovery is outside acceptance limits.
H - Sample was prepped or analyzed beyond the specified holding time.
H3 : Sample was received and analyzed past holding time.
D - Sample results are obtained from a dilution;
the surrogate or matrix spike recoveries reported are calculated from diluted samples.

Note:
NA - No Standard
NR - Not Reported / Analyzed
GW - Groundwater
ug/l - micrograms per liter
PQL - Practical Quantitation Level
TICS - Tentatively Identified Compounds
GWQC - Groundwater Quality Criteria
Exceeds NJDEP GWQC

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A Higher of PQLs and GWQC	GWS-32/46-50 46' - 50' 460-220244-2	GWS-32/71-75 71' - 75' 460-220244-3	GWS-32/96-100 96' - 100' 460-220244-4	GWS-33/0-15 0' - 15' 460-232138-1	GWS-33/46-50 46' - 50' 460-232138-2	GWS-33/71-75 71' - 75' 460-232138-3	GWS-33/96-100 96' - 100' 460-232138-4	GWS-34/0-25 0' - 25' 460-241201-1	GWS-34/46-50 46' - 50' 460-241201-2	GWS-34/71-75 71' - 75' 460-241201-3	GWS-34/96-100 96' - 100' 460-241201-4
Screened Interval (bgs.)												
Lab Sample ID												
Sampling Date	2022	10/7/2020	10/7/2020	10/7/2020	4/14/2021	4/14/2021	4/14/2021	4/14/2021	8/18/2021	8/18/2021	8/18/2021	8/18/2021
VOG BY 8260C (ug/l)												
1,1,1-Trichloroethane	30	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
1,1,2,2-Tetrachloroethane	1	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,1,2-Trichloroethane	3	0.43 U	0.43 U	0.43 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
1,1-Dichloroethane	50	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
1,1-Dichloroethene	1	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
1,2,3-Trichlorobenzene	NA	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
1,2,3-Trichloropropane	0.03	0.66 U	0.66 U	0.66 U	NR	NR	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,2,4-Trimethylbenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	0.43 U	0.43 U	0.43 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
1,2-Dichloroethane	2	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
1,2-Dichloropropane	1	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
1,3-Dichlorobenzene	600	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
1,4-Dichlorobenzene	75	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
2-Butanone	300	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U
2-Hexanone	40	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
4-Methyl-2-pentanone	NA	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Acetone	6000	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U
Benzene	1	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Bromochloromethane	NA	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Bromodichloromethane	1	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Bromoform	4	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
Bromomethane	10	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U
Carbon disulfide	700	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U
Carbon tetrachloride	1	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
Chlorobenzene	50	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
Chloroethane	NA	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Chloroform	70	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.62 J	0.41 J
Chloromethane	NA	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
cis-1,2-Dichloroethene	70	0.22 U	1.1	0.22 U	0.22 U	6.3	1.8	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
cis-1,3-Dichloropropene	NA	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
Cyclohexane	NA	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Dibromochloromethane	1	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U	0.28 U
Dichlorodifluoromethane	1000	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Ethylbenzene	700	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U
Freon TF	20000	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Isopropylbenzene	700	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Methyl acetate	7000	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U
Methylcyclohexane	NA	0.26 U	0.26 U	0.26 U	0.71 U	0.71 U	0.71 U	0.71 U	0.71 U	0.71 U	0.71 U	0.71 U
Methylene Chloride	3	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
MTBE	70	5.9	0.47 U	0.47 U	0.22 U	1.5	0.22 U	0.22 U	0.22 U	0.22 U	1.2	0.57 J
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Styrene	100	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
TBA	100	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U	8.3 U
Tetrachloroethene	1	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.25 U	0.35 J	0.25 U
Toluene	600	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
trans-1,2-Dichloroethene	100	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
trans-1,3-Dichloropropene	NA	0.49 U	0.49 U	0.49 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
Trichloroethene	1	0.31 U	0.31 U	0.31 U	0.31 U	3.3	1.0	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Trichlorofluoromethane	2000	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Vinyl chloride	1	0.17 U	0.31 J	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U	0.17 U
Xylenes, Total	1000	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
Total Conc	NA	5.9	1.41	0.0	0.0	11.1	2.8	0.0	0.0	0.0	2.17	0.98
Total Estimated Conc. (TICs)	NA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VO SIM BY 8260C SIM (ug/l)												
1,2,3-Trichloropropane	0.03	NR	NR	NR	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U
1,2-Dibromo-3-Chloropropane	0.02	NR	NR	NR	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U	0.010 U
1,4-Dioxane	0.4	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
Ethylene Dibromide	0.03	NR	NR	NR	0.0079 U	0.0079 U	0.0079 U	0.0079 U	0.0079 U	0.0079 U	0.0079 U	0.0079 U
Total Conc	NA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-32/46-50	GWS-32/71-75	GWS-32/96-100	GWS-33/0-15	GWS-33/46-50	GWS-33/71-75	GWS-33/96-100	GWS-34/0-25	GWS-34/46-50	GWS-34/71-75	GWS-34/96-100
Screened Interval (bgs.)	Higher of PQLs and GWQC	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 25'	46' - 50'	71' - 75'	96' - 100'
Lab Sample ID		460-220244-2	460-220244-3	460-220244-4	460-232138-1	460-232138-2	460-232138-3	460-232138-4	460-241201-1	460-241201-2	460-241201-3	460-241201-4
Sampling Date		10/7/2020	10/7/2020	10/7/2020	4/14/2021	4/14/2021	4/14/2021	4/14/2021	8/18/2021	8/18/2021	8/18/2021	8/18/2021
BN BY 8270D (ug/l)												
1,2,4,5-Tetrachlorobenzene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,2-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,3-Dichlorobenzene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1,4-Dichlorobenzene	75	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-Methylnaphthalene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,3,4,6-Tetrachlorophenol	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,5-Trichlorophenol	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4,6-Trichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dichlorophenol	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dimethylphenol	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,4-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2,6-Dinitrotoluene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chloronaphthalene	600	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Chlorophenol	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylnaphthalene	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3,3'-Dichlorobenzidine	30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,6-Dinitro-2-methylphenol	0.7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Bromophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chloro-3-methylphenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Chlorophenyl phenyl ether	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Methylphenol	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitroaniline	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4-Nitrophenol	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthene	400	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acenaphthylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Anthracene	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzidine	20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[g,h,i]perylene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[k]fluoranthene	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
bis (2-chloroisopropyl) ether	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethoxy)methane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-ethylhexyl) phthalate	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butyl benzyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carbazole	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chrysene	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenzofuran	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Diethyl phthalate	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dimethyl phthalate	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-butyl phthalate	700	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Di-n-octyl phthalate	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluoranthene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Fluorene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobutadiene	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorocyclopentadiene	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachloroethane	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Isophorone	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nitrobenzene	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodi-n-propylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodiphenylamine	10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenanthrene	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Phenol	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pyrene	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Estimated Conc. (TICs)	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698


Client ID	Class II-A	GWS-32/46-50	GWS-32/71-75	GWS-32/96-100	GWS-33/0-15	GWS-33/46-50	GWS-33/71-75	GWS-33/96-100	GWS-34/0-25	GWS-34/46-50	GWS-34/71-75	GWS-34/96-100
Screened Interval (bgs.)	Higher of PQLs and GWQC	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 25'	46' - 50'	71' - 75'	96' - 100'
Lab Sample ID		460-220244-2	460-220244-3	460-220244-4	460-232138-1	460-232138-2	460-232138-3	460-232138-4	460-241201-1	460-241201-2	460-241201-3	460-241201-4
Sampling Date		10/7/2020	10/7/2020	10/7/2020	4/14/2021	4/14/2021	4/14/2021	4/14/2021	8/18/2021	8/18/2021	8/18/2021	8/18/2021
BN SIM BY 8270D SIM (ug/l)												
1,4-Dioxane	0.4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]anthracene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[a]pyrene	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzo[b]fluoranthene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bis(2-chloroethyl)ether	7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dibenz(a,h)anthracene	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hexachlorobenzene	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indeno[1,2,3-cd]pyrene	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
N-Nitrosodimethylamine	0.8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentachlorophenol	0.3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Total Conc	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VO+BN COMBINE TICS												
Total Estimated Conc. (TICs)	500	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PESTICIDES BY 8081B (ug/l)												
4,4'-DDD	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDE	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
4,4'-DDT	0.1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aldrin	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
alpha-BHC	0.02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
beta-BHC	0.04	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chlordane	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
cis-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
delta-BHC	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dieldrin	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan I	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan II	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endosulfan sulfate	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin aldehyde	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Endrin ketone	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
gamma-BHC (Lindane)	0.03	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor	0.05	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptachlor epoxide	0.2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Methoxychlor	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Toxaphene	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
trans-Chlordane	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs BY 8082A (ug/l)												
Aroclor 1016	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1221	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1232	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1242	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1248	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1254	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1260	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1262	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aroclor 1268	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
PCBs Total	0.5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
METALS BY 6020B (ug/l)												
Aluminum	200	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Antimony	6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Arsenic	3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Barium	6000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Beryllium	1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cadmium	4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Calcium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Chromium	70	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cobalt	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Copper	1300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Iron	300	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lead	5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Magnesium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

TABLE 5
 Summary of Groundwater Sampling Analytical Results
 Buena Vista Twp. Public Works Yard
 430 Union Road, Buena Vista Township, Atlantic County, New Jersey
 NJDEP SRP PI# 032698

Client ID	Class II-A	GWS-32/46-50	GWS-32/71-75	GWS-32/96-100	GWS-33/0-15	GWS-33/46-50	GWS-33/71-75	GWS-33/96-100	GWS-34/0-25	GWS-34/46-50	GWS-34/71-75	GWS-34/96-100							
Screened Interval (bgs.)	Higher of PQLs and GWQC	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 25'	46' - 50'	71' - 75'	96' - 100'							
Lab Sample ID		460-220244-2	460-220244-3	460-220244-4	460-232138-1	460-232138-2	460-232138-3	460-232138-4	460-241201-1	460-241201-2	460-241201-3	460-241201-4							
Sampling Date		10/7/2020	10/7/2020	10/7/2020	4/14/2021	4/14/2021	4/14/2021	4/14/2021	8/18/2021	8/18/2021	8/18/2021	8/18/2021							
Manganese	50	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Nickel	100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Potassium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Selenium	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Silver	40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Sodium	50000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Thallium	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Vanadium	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
Zinc	2000	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
MERCURY BY 7470A (ug/l)																			
Mercury	2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
CYANIDE BY 9012B (ug/l)																			
Cyanide, Total	NA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR							
AMMONIA BY 350.1 (mg/l)																			
Ammonia	3	0.036	J	0.089	J	0.035	J	0.050	U	0.058	J	0.050	U	NR	NR	NR	NR		
TDS BY SM 2540C (mg/l)																			
Total Dissolved Solids	500	1.74	H H	0.080	H H	0.078	H H	1.41		6.49		0.093	J	0.078	U	NR	NR	NR	NR
NITRATE BY 300.0 (mg/l)																			
Nitrate as N	10	65.0		40.0		52.0		56.0		82.0		64.0		34.0		NR	NR	NR	NR

Client ID	Class II-A	GWS-32/46-50	GWS-32/71-75	GWS-32/96-100	GWS-33/0-15	GWS-33/46-50	GWS-33/71-75	GWS-33/96-100	GWS-34/0-25	GWS-34/46-50	GWS-34/71-75	GWS-34/96-100										
Screened Interval (bgs.)	Higher of PQLs and GWQC	46' - 50'	71' - 75'	96' - 100'	0' - 15'	46' - 50'	71' - 75'	96' - 100'	0' - 25'	46' - 50'	71' - 75'	96' - 100'										
Lab Sample ID		200-55579-2	200-55579-3	200-55579-4	460-232185-1	460-232185-2	460-232185-3	460-232185-4	200-59766-1	200-59766-2	200-59766-3	200-59766-5										
Sampling Date		10/7/2020	10/7/2020	10/7/2020	4/14/2021	4/14/2021	4/14/2021	4/14/2021	8/18/2021	8/18/2021	8/18/2021	8/18/2021										
PFAS BY 537 (MODIFIED) (ng/l)																						
Perfluorononanoic acid (PFNA)	13	0.47	U	0.47	U	0.48	U	0.24	U	0.23	U	0.23	U	0.26	J	2.18		0.33	J	0.24	U	
Perfluorooctanesulfonic acid (PFOS)	13	0.71	U	0.70	U	0.72	U	0.24	U	0.79	J	0.24	U	0.24	U	1.82		1.56	J	0.52	J	
Perfluorooctanoic acid (PFOA)	14	0.80	U	0.79	U	0.81	U	6.58		1.10	J	0.35	U	0.34	U	9.08		6.04		9.00		2.87

Qualifiers:
 U - Indicates the analyte was analyzed for but not detected.
 J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
 * - LCS or LCSD is outside acceptance limits.
 * - RPD of the LCS and LCSD exceeds the control limits.
 F1 - MS and/or MSD Recovery is outside acceptance limits.
 H - Sample was prepped or analyzed beyond the specified holding time.
 H3 : Sample was received and analyzed past holding time.
 D - Sample results are obtained from a dilution; the surrogate or matrix spike recoveries reported are calculated from diluted samples.


Note:
 NA - No Standard
 NR - Not Reported / Analyzed
 GW - Groundwater
 ug/l - micrograms per liter
 PQL - Practical Quantitation Level
 TICS - Tentatively Identified Compounds
 GWQC - Groundwater Quality Criteria
 Exceeds NJDEP GWQC

FIGURES



SITE LOCATION
 Northing: 240,510.99
 Easting: 373,332.43

**USGS 7.5 MINUTE TOPOGRAPHIC MAP
 FIVE POINTS QUADRANGLE - 1977**



**BUENA VISTA TWP. PUBLIC
 WORKS YARD**

430 UNION ROAD
 BLOCK 7101, LOT 25


BUENA VISTA TOWNSHIP
 ATLANTIC COUNTY, NJ

SITE LOCATION MAP

CALMAR ASSOCIATES LLC.

1415 13th Avenue
 Dorothy, NJ 08317

DRWN: MT	RYAN K. SEIBERT, LSRP
CHK'D: RKS	SRP PI# 032698
APPD:	FIGURE 1




AOC-1

BLOCK 7101
25

UNION ROAD

LEGEND:

- TAX BOUNDARY
-  AREA OF CONCERN (AOC)



AREA OF CONCERN MAP

BUENA VISTA TOWNSHIP PUBLIC WORKS YARD
430 UNION ROAD
BUENA VISTA TOWNSHIP
ATLANTIC COUNTY, NEW JERSEY


CALMAR
Associates LLC.

DATE: SEPTEMBER 2022

SCALE: 1" = 150'

NJDEP SRP PI # 032698
Ryan K. Seibert, LSRP

Figure 2



Job Sample ID: 7201-01
 Lab Sample ID: 7201-01
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5601-01
 Lab Sample ID: 5601-01
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7101-01
 Lab Sample ID: 7101-01
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7201-02
 Lab Sample ID: 7201-02
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7201-03
 Lab Sample ID: 7201-03
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7201-04
 Lab Sample ID: 7201-04
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7201-05
 Lab Sample ID: 7201-05
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5601-02
 Lab Sample ID: 5601-02
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5601-03
 Lab Sample ID: 5601-03
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5601-04
 Lab Sample ID: 5601-04
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7101-02
 Lab Sample ID: 7101-02
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7101-03
 Lab Sample ID: 7101-03
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7101-04
 Lab Sample ID: 7101-04
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5801-01
 Lab Sample ID: 5801-01
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5801-02
 Lab Sample ID: 5801-02
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5801-03
 Lab Sample ID: 5801-03
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 5801-04
 Lab Sample ID: 5801-04
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7003-01
 Lab Sample ID: 7003-01
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7003-02
 Lab Sample ID: 7003-02
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7003-03
 Lab Sample ID: 7003-03
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

Job Sample ID: 7003-04
 Lab Sample ID: 7003-04
 Analyte: Asbestos, Barium, Benzene, Beryllium, Cadmium, Chromium, Lead, Manganese, Nickel, Polystyrene, Potassium, Selenium, Vanadium, Mercury, PCBs, PCE, NDEP, Metals, Silica, PAHs, Stannic Oxide, Uranium.

- LEGEND:**
- TAX BOUNDARY
 - SOIL BORING LOCATION
 - EXCEEDS NJDEP SOIL REMEDIATION STANDARD (SRS)
 - RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE
 - INDICATES THE ANALYTE WAS ANALYZED FOR BUT NOT DETECTED
 - COMPOUND WAS FOUND IN THE BLANK AND SAMPLE
 - NA NOT STANDARD
 - NR NOT REPORTED / ANALYZED
 - mg/kg MILLIGRAMS PER KILOGRAMS

SOIL SAMPLING ANALYTICAL RESULTS MAP


BUENA VISTA TOWNSHIP PUBLIC WORKS YARD
 430 UNION ROAD
 BUENA VISTA TOWNSHIP
 ATLANTIC COUNTY, NEW JERSEY

DATE: SEPTEMBER 2022
 SCALE: 1" = 250'

CALMAR Associates LLC.

NJDEP SRP PI # 032698
 Ryan K. Seibert, LSRP

Figure 3



Well ID	Class	Height of PDA	Lab Sample ID	Sampling Date	1-Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Benzene	Toluene	o-Xylene	m-Xylene	p-Xylene	Styrene	Triethylamine	Diethylamine	Triethylamine	Total Hydrocarbon (THC)	Perfluorinated Compounds (PFCs)	Perchlorinated Compounds (PCCs)
GW-01	Class 1A	9' 10"	GW-01-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GW-02	Class 1A	8' 10"	GW-02-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

DETAIL A

Well ID	Class	Height of PDA	Lab Sample ID	Sampling Date	1-Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Benzene	Toluene	o-Xylene	m-Xylene	p-Xylene	Styrene	Triethylamine	Diethylamine	Triethylamine	Total Hydrocarbon (THC)	Perfluorinated Compounds (PFCs)	Perchlorinated Compounds (PCCs)
GW-03	Class 1A	9' 10"	GW-03-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GW-04	Class 1A	8' 10"	GW-04-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

DETAIL B

Well ID	Class	Height of PDA	Lab Sample ID	Sampling Date	1-Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Benzene	Toluene	o-Xylene	m-Xylene	p-Xylene	Styrene	Triethylamine	Diethylamine	Triethylamine	Total Hydrocarbon (THC)	Perfluorinated Compounds (PFCs)	Perchlorinated Compounds (PCCs)
GW-05	Class 1A	9' 10"	GW-05-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GW-06	Class 1A	8' 10"	GW-06-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Well ID	Class	Height of PDA	Lab Sample ID	Sampling Date	1-Chlorobenzene	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Benzene	Toluene	o-Xylene	m-Xylene	p-Xylene	Styrene	Triethylamine	Diethylamine	Triethylamine	Total Hydrocarbon (THC)	Perfluorinated Compounds (PFCs)	Perchlorinated Compounds (PCCs)
GW-07	Class 1A	9' 10"	GW-07-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GW-08	Class 1A	8' 10"	GW-08-1A	10/29/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

GROUNDWATER SAMPLING ANALYTICAL RESULTS MAP

BUENA VISTA TOWNSHIP
 ATLANTIC COUNTY, NEW JERSEY

SCALE: 1" = 250'

DATE: SEPTEMBER 2022


Figure 4

ASSETS LLC.

NUSEP SRP P1 032898
 Ryan J. Seibel, LSP




- LEGEND:**
- MONITORING WELL LOCATION
 - TAX BOUNDARY
 - 88.0 GROUNDWATER CONTOUR
 - (88.09) GROUNDWATER ELEVATION
 - GROUNDWATER FLOW DIRECTION



GROUNDWATER ELEVATION CONTOUR MAY 3, 2018	
BUENA VISTA TOWNSHIP PUBLIC WORKS YARD 430 UNION ROAD BUENA VISTA TOWNSHIP ATLANTIC COUNTY, NEW JERSEY	
CALMAR Associates LLC.	DATE: SEPTEMBER 2022
NJDEP SRP PI # 032698 Ryan K. Seibert, LSRP	SCALE: 1" = 150'
Figure 5	



- LEGEND:
- MONITORING WELL LOCATION
 - TAX BOUNDARY
 - GROUNDWATER CONTOUR
 - GROUNDWATER ELEVATION
 - GROUNDWATER FLOW DIRECTION



GROUNDWATER ELEVATION CONTOUR
MARCH 19, 2019

BUENA VISTA TOWNSHIP PUBLIC WORKS YARD
430 UNION ROAD
BUENA VISTA TOWNSHIP
ATLANTIC COUNTY, NEW JERSEY

CALMAR
Associates LLC.






NJDEP SRP PI # 032698
Ryan K. Seibert, LSRP


DATE: SEPTEMBER 2022

SCALE: 1" = 150'


Figure 6



- LEGEND:
-  MONITORING WELL LOCATION
 -  TAX BOUNDARY
 -  84.60 GROUNDWATER CONTOUR
 -  (84.77) GROUNDWATER ELEVATION
 -  GROUNDWATER FLOW DIRECTION



<p>GROUNDWATER ELEVATION CONTOUR JULY 22, 2022</p>	
<p>BUENA VISTA TOWNSHIP PUBLIC WORKS YARD 430 UNION ROAD BUENA VISTA TOWNSHIP ATLANTIC COUNTY, NEW JERSEY</p>	
<p>CALMAR Associates LLC.</p>	<p>DATE: SEPTEMBER 2022</p>
<p>NJDEP SRP PI # 032698 Ryan K. Seibert, LSRP</p>	<p>SCALE: 1" = 150'</p>
<p>Figure 7</p>	




APPENDIX A

NJDEP SITE INVESTIGATION REPORT - 2015

SITE INVESTIGATION

**BUENA VISTA TOWNSHIP
DEPARTMENT OF PUBLIC WORKS YARD
430 UNION ROAD
BUENA VISTA TWP., ATLANTIC COUNTY, NEW JERSEY
EPA ID NO.: NJR000025221**



Volume 1 of 2

**New Jersey Department of Environmental Protection
Division of Remediation Management
Bureau of Environmental Measurements and Site Assessment**

USEPA COPY

**BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS YARD
430 UNION ROAD
BUENA VISTA TOWNSHIP – ATLANTIC COUNTY – NEW JERSEY
EPA ID NO. NJR000025221**

TABLE OF CONTENTS

NARRATIVE

MAPS

1. UNITED STATES GEOLOGICAL SURVEY (USGS) TOPOGRAPHIC MAP – FIVE POINTS QUADRANGLE (1979)
2. SITE MAP (2015)
3. TOWNSHIP OF BUENA VISTA TAX MAP (2015)
4. GOODLE MAPS ROAD MAP (2015)
5. NJDEP SAMPLE LOCATION MAP (2015)
6. NOTABLE SAMPLES AND VOC-IMPACTED POTABLE WELLS (2015)
7. NJDEP 15 MILE SURFACE WATER PATHWAY AND WATER WITHDRAWAL POINTS MAP (2015)
8. NJDEP SENSITIVE ENVIRONMENTS 15 MILE SURFACE WATER PATHWAY (2015)
9. FLOOD INSURANCE MAP (1979)
10. NJDEP GIS WETLANDS MAP (2015)
11. NJDEP GIS POPULATION MAP (2015)
12. WATER SYSTEM DISTRIBUTION MAP (2015)
13. WELLHEAD PROTECTION AREA MAP (2015)

ATTACHMENTS

- A. PROPERTY INFORMATION FOR 430 UNION ROAD, BUENA VISTA TOWNSHIP, NEW JERSEY; WWW.ETAXMAPS.COM (2011)
- B. OSHA DESCRIPTION FOR 4953: REFUSE SYSTEMS; WWW.OSHA.GOV (2015)
- C. STATE AND COUNTY QUICK FACTS FOR ATLANTIC COUNTY, NEW JERSEY, UNITED STATES CENSUS BUREAU; 2010
- D. POST ROAD POTABLE WELL CONTAMINATION SITE FACT SHEET; NJDEP (2014)
- E. PUBLIC NOTICE SPECIAL MEETING ON THURSDAY OCTOBER 30TH; BUENA VISTA TOWNSHIP (2014)
- F. PRELIMINARY ASSESSMENT FOR BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS YARD; NJDEP-BEMSA (2014)
- G. PRE-CERCLIS SCREENING DATA ENTRY FORM FOR BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS YARD; NJDEP-BEMSA (2014)
- H. SITE ACCESS AGREEMENT IN THE MATTER OF SITE BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS YARD, INCLUDING WORK PLAN – NJDEP, BEMSA AND BUENA VISTA TOWNSHIP (2014)
- I. UNDERGROUND STORAGE TANK REGISTRATION SUMMARY, BUENA VISTA TOWNSHIP PUBLIC WORKS YARD; NJDEP-OPRA DATAMINER (2014)
- J. CORRESPONDENCE RE: REMEDIAL INVESTIGATION REPORT FOR BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS YARD – BETWEEN NJDEP-BUST AND AND SCHAIFFER & SHEIDEGG CONSULTING ENGINEERS, LLC (FEBRUARY 2000-APRIL 2001)
- K. BASELINE ECOLOGICAL EVALUATION FOR BUENA VISTA PUBLIC WORKS YARD; JUNETTE E NOWELL CONSULTING, LTD. (FEBRUARY 2001)
- L. GROUNDWATER REMEDIAL INVESTIGATION REPORT AT THE BUENA VISTA PUBLIC WORKS YARD; THE PROPERTY EVALUATION GROUP, INC (JANUARY 18, 2001)

- M. CORRESPONDENCE REGARDING AND INCLUDING WELL SEARCH RESULTS FOR BUENA VISTA TOWNSHIP PUBLIC WORKS YARD – JOHN F CALLAGHAN TO NJDEP (AUGUST 26, 2005)
- N. WELL RECORDS AND PERMITS FOR ON-SITE MONITORING WELLS; NJDEP DIVISION OF WATER RESOURCES (1987)
- O. BUENA TOWNSHIP LANDFILL SAMPLE RESULTS APRIL 4, 2014; SOUTH JERSEY WATER TEST, LLC (APRIL 9 2014)
- P. BUENA TOWNSHIP PUBLIC WORKS FACILITY GROUNDWATER SAMPLING AND TESTING OCTOBER 23, 2014; SOUTH JERSEY WATER TEST, LLC (OCTOBER 27, 2014)
- Q. RECEPTOR EVALUATION FORM FOR BUENA VISTA TOWNSHIP PUBLIC WORKS YARD PREPARED FOR NJDEP; JOHN CALLAGHAN, LSRP, CALMAR ASSOCIATES, LLC (JUNE 28, 2012)
- R. RESPONSE ACTION OUTCOME CORRESPONDENCE AND FORM; PREPARED BY PAUL KENNY, REMMINGTON & VERNICK ENGINEERS AND AFFILIATES FOR SUE BARBER, MAYOR, BUENA VISTA TOWNSHIP (FEBRUARY 6, 2014)
- S. GROUND WATER QUALITY STANDARDS – CLASS IIA BY CONSITUENT; NJDEP (JULY 27, 2011)
- T. WEB SOIL SURVEY – AUGB SOILS; UNITED STATE DEPARTMENT OF AGRICULTURE, NATURAL RESOURCE CONSERVATION SERVICE (JUNE 2015)
- U. WEB SOIL SURVEY – UDRB SOILS; UNITED STATE DEPARTMENT OF AGRICULTURE, NATURAL RESOURCE CONSERVATION SERVICE (JUNE 2015)
- V. MINERAL RESOURCES ON-LINE SPATIAL DATA – COHANSEY FORMATION; UNITED STATES GEOLOGICAL SURVEY (ACCESSED JUNE 18, 2015)
- W. BUENA VISTA TOWNSHIP SURFICIAL GEOLOGY; NJDEP GEOWEB (JUNE 2015)
- X. BUENA VISTA TOWNSHIP BEDROCK GEOLOGY; NJDEP GEOWEB (JUNE 2015)
- Y. BUENA VISTA KIRKWOOD-COHANSEY AQUIFER; NJDEP GEOWEB (JUNE 2015)
- Z. NJDEP EXTERNAL CHAINS OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM; NJDEP FOR EPA REGION 2 DESA LABORATORY (FEBRUARY 2015)

- AA. BUENA VISTA TWP. DPW YARD – RESULTS OF ANALYSES FOR SAMPLES RECEIVED BY EPA REGION 2 BETWEEN FEBRUARY 19, 2015 AND FEBRUARY 26, 2015 (MARCH 2015)
- BB. SAMPLING TRIP REPORT – BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS YARD; NJDEP (OCTOBER 2014)
- CC. NJDEP EXTERNAL CHAINS OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM; NJDEP FOR ALS LABORATORY GROUP – SALT LAKE CITY (OCTOBER 2014)
- DD. BUENA VISTA TWP. DPW YARD – RESULTS OF ANALYSIS FOR SAMPLES COLLECTED OCTOBER 20-21, 2014 RECEIVED BY ALS LABORATORY GROUP – SALT LAKE CITY; USEPA REGION 2 DESA LABORATORY (NOVEMBER 19, 2014)
- EE. FIELD GC ANALYSIS FOR SAMPLES COLLECTED OCTOBER 20-21, 2014 – AREA ADJACENT TO BUENA VISTA TOWNSHIP DPW; NJDEP BEMSA (OCTOBER 2014)
- FF. WELL PERMIT INFORMATION – BUENA VISTA TOWNSHIP DPW YARD; NJDEP, OCTOBER 2014)
- GG. NJDEP EXTERNAL CHAINS OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM; NJDEP FOR TEST AMERICA, BURLINGTON VERMONT (FEBRUARY 2015)
- HH. ANALYTICAL REPORT FOR SAMPLES RECEIVED FEBRUARY 28, 2015; TEST AMERICA, BURLINGTON VERMONT (MARCH 12, 2015)
- II. SOURCE WATER ASSESSMENT REPORT FOR ALPINE VILLAGE MOBILE HOME PARK; NJDEP (OCTOBER 2004)
- JJ. ALPINE VILLAGE MOBILE HOME PARK SOURCE WATER ASSESSMENT SUMMARY (2004)
- KK. SOURCE WATER ASSESSMENT REPORT BUENA BOROUGH MUA HOME PARK; NJDEP (OCTOBER 2004)
- LL. BUENA BOROUGH MUA PARK SOURCE WATER ASSESSMENT SUMMARY (2004)

NARRATIVE

SITE INVESTIGATION REPORT

PART I: GENERAL INFORMATION

Site Name: Buena Vista Township Department of Public Works Yard

Aka: Buena Vista Solid Waste Landfill

Program Interest (PI) # 660004

Address: 430 Union Road

Municipality: Buena Vista Township **State:** NJ **Zip Code:** 08310

County: Atlantic

EPA ID No.: NJR000025221

Block: 7101 **Lot(s):** 25

Latitude: +39°29'37"N **Longitude:** -74°55'15.528"W

X Coordinate: 373,359.9871 ft **Y Coordinate:** 240,489.2528 ft

USGS Quadrangle: Five Points **Acreage:** 9.62 **SIC Code:** 4953 (Refuse Systems)

Current Owner: Buena Vista Township

Mailing Address: 890 Harding Highway

City: Buena Vista Township **State:** NJ **Zip Code:** 08310

Telephone No.: Lisa Tilton (Buena Vista Township) phone: 856-697-2100 Ext. *811

Current Operator: Buena Vista Township Department of Public Works

Mailing Address: 430 Union Road

City: Buena Vista Township **State:** NJ **Zip Code:** 08310

Telephone No.: Rich Calereso (Operator DPW Yard) phone: 609-381-4677

(MAPS 1, 3 AND 4; ATTACHMENTS A, B)

Owner/Operator History:

NAME	OPERATOR/ OWNER	DATES	
		FROM	TO
Buena Vista Township Department of Public Works Yard	Buena Vista Township	unknown	Present

An official deed noting the date of Buena Vista Township's initial acquisition of the property currently occupied by the Department of Public Works could not be located. NJDEP, BEMSA conducted a deed search at the Atlantic County Clerk's Office did not yield a deed; however, in 1906 there are hundreds pages of deeds yielding property from Buena Vista Township to Buena Vista Township. These deeds were handwritten and difficult to decipher. It is possible this collection of internal property transfers contains the initial public record of Buena Vista Township's ownership of the DPW Yard.

(MAP 3; ATTACHMENT A)

Surrounding Land Use (zoning, adjacent properties):

The Buena Vista Township Department of Public Works Yard (BVTDPWY) is bounded by agricultural land (farm fields) on the North and West, by a residential property to the South, and Union Road to the East. On the other side of Union Road is agricultural land with a residence and other out buildings. (MAP 3, 4; ATTACHMENTS K, L, R)

Distance to Nearest Residence or School: The nearest residence is adjacent to the Buena Vista Township DPW yard.

Direction: The nearest residence lies 49 feet south of the DPW yard's southern property line

Population Density (residents per square mile): 184.4 people/square mile

(MAP 3; ATTACHMENTS C, L, R)

PART II: SITE OPERATIONS

Discuss all current and past operations at the site. Include a description of the buildings or structures on site and their physical condition. In addition, tabulate all areas of concern (AOC) and provide the waste source type for each AOC. Include the physical state of waste at each AOC as stored or disposed, the condition of containers and the presence or absence of secondary containment and the volume of waste stored or disposed, or the volume or area of contaminated soil or water.

Buena Vista Township (BVT) operates its Department of Public Works (DPW) garage on site at 430 South Union Road, Buena Vista Township, Atlantic County, NJ. Formerly, the site served as a fueling station for Buena Vista Township motor vehicles. A small municipal landfill, now closed, also exists on site. A specific closure date is not known but locals and DPW employees recall operations ceasing in the late 1970s or early 1980s. DEP documentation suggests cessation between 1977 and 1982.

According to local residents, prior to operation as a DPW Yard, the site may have been a gravel pit (with excavated gravel being used for road-making). USGS Five Points Quadrangle topographic map shows a gravel pit near the current site. Historic aerials dating as far back as 1931 show disturbed land, potentially corroborating its use as a gravel pit. Anecdotes of residents' describe the landfill as existing earlier than the 1950's though a precise date is not known for the start of landfill operations.

The precise location and extent of the former landfill is not known, though it is generally believed to span at least 75% of the site - most of the area beyond the paved and built upon DPW yard which occupies the Northeast quadrant of the site. The area estimated to be the former landfill is covered in vegetation – mostly Phragmites. Local residents claim that before being covered by fill and vegetation that the landfill was covered with a layer of shingles. Material that

is likely shingles was encountered at varying depths (0-5 foot interval) below grade in some on-site borings advanced in association with groundwater sample collection in February 2015.

The Northeast quadrant, currently used by the Department of Public Works in day-to-day operations, consists of a main building with garage and offices which lies 41 feet off of Union Road, paved areas surrounding it, and a salt storage shed 371 feet from Union road. Various dumpsters and municipal vehicles occupy the paved area on site.

The former fueling station was also located on this paved area before closure in 1998 (Environmental Design Services Corporation removed two 550-gallon gasoline underground storage tanks (UST) and one 1,000 gallon diesel UST, dispensers, and associated piping from the site. All tanks were installed in 1944). Due to gasoline-saturated soils and associated groundwater contamination associated with one of the tanks, soil removal, post-excavation soil samples and a subsequent groundwater investigation were conducted at the site for this contamination. One monitoring well was installed and subsequently removed following receipt of an NJDEP No Further Action declaration in association with the UST removal. VOCs were not targeted.

In 2014 groundwater contamination was detected in private potable wells in the vicinity of the 430 Union Road property. As a result, the Atlantic County Health Department and New Jersey Department of Environmental Protection (NJDEP) sampled potentially impacted private wells in the area and detected a suite of contaminants above the New Jersey Drinking Water Maximum Contaminant Level (MCL) for trichloroethene (TCE), vinyl chloride, cis-1,2-dichloroethene, cis-1,2-dichloropropane, benzene, mercury and perchlorate. The extent of contamination is still being assessed, but analytical results thus far have confirmed 31 impacted wells. Of these 31, the majority of impacted wells are located to the south and southwest and down gradient of the Buena Township DPW Yard. As an interim measure, affected homes are being provided with point of entry treatment systems (POETS) through the NJDEP Environmental Claims Administration (Spill Fund).

In 1987 four on site monitoring wells were installed to evaluate the closed landfill. The well installation records indicate Buena Vista Township owned the property at that time. Quinlan drilling was the contractor. Neither the township nor NJDEP have records of the wells being sampled until recently. The four wells were sampled for the first time on record on April 8, 2014 and results showed vinyl chloride at levels as high as 102.3 ppb and TCE at levels as high as 82.5 ppb in two of the wells. These levels are well above the Ground Water Quality Standards (GWQS) set at 1 ppb for both compounds. The four monitoring wells were again sampled on October 24, 2014 and contamination was shown to persist in the same two wells.

(MAPS 1, 2, 3, 4, 5, 6; ATTACHMENTS D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S)

AOC SUMMARY TABLE

AOC Name	Source Type	Physical State	Waste Quantity
DPW Work Area	Possible landfill, former below-ground fuel tank	Liquid, Solid	Unkown
Former Municipal Landfill	Landfill	Liquid, Solid	Unkown

(ATTACHMENTS F, G, H, I, J, K, L, M, N, O, P, Q, R, S)

PART III: PERMITS

A. NJPDES

Number	Expiration Date	Date Issued	Formation or Water Body Discharged To
0055433	Unknown	March 18, 1977	Unknown

B. New Jersey Air Pollution Control Certificates

Plant ID No.: NA

No. of Certificates: NA

Equipment Permitted: NA

C. BUST Registration

Registration No.: Unknown - terminated

No. of Tanks: 3

Tank No.	Capacity (gallons)	Contents of Tank	Status
E001	550	gasoline	Closed - removed
E002	550	gasoline	Closed - removed
E003	1,000	Diesel No. 2	Closed - removed

(ATTACHMENTS I)

D. RCRA Status (TSD, Generator, Protective Filer, etc.)

Buena Vista Township municipal solid waste program is managed by the DPW yard whose offices are housed on site. As such, they hold permits for hazardous and solid waste handling and hauling. Although the vehicles used for these activities are housed on site, these permitted materials and activities do not currently occur on site.

E. Other Permits (RCRA, NRC, etc.)

Issuing Agency	Permit No.	Permit Type	Date Issued	Expiration Date
NJDEP – Hazardous Waste Program	HWH120001	Hazardous Waste Handler	2012	---
NJDEP – Solid Waste Program	RTS100003	Solid/Hazard Waste Veh Reg Set	05/07/2015	---

PART IV: SOIL EXPOSURE

Describe soil type. Include soil series, composition of the soil and permeability of the soil.

There are two soil types present at the site. United States Department of Agriculture classifies them as Aura sandy loam (AugB) which occurs at 2%-5% slopes, and Udorthents, refuse substratum

(UdrB) which occurs at 0%-8% slopes.

UdrB soils are described generally as Loamy human-transported material over refuse. UdrB soils cover most of the site except for the edges of the property boundary. On this site the typical soil profile (though highly variable) was 0 to 6 inches of loam/organic materials, followed by about 6 inches of coarse brown sand, 12 inches of grey silty sand, 12 to 24 inches of shingles, followed by up to 15 feet of debris (plastic, glass, wood, bone fragments, Styrofoam, etc.) layered intermittently with coarse gravelly sand grading finer at various thicknesses. The Capacity of the most limiting layer to transmit water is highly variable in these soils with a Ksat anywhere between 0.01 and 14.17 inches per hour

AugB soils occur only on the very edges of the site. These well drained soils with old loamy and/or gravelly alluvium as parent material have a moderately high Ksat between 0.20 and 0.60 inches per hour. These soils are classified as prime farmland

(MAPS 1, 9; ATTACHMENTS T, U, V, W, X, Y)

For each sampling event, identify the sampler and date of sampling and list the name, address and certification number of the lab which performed the analyses. State who conducted the quality assurance review of the data and summarize any data qualifications.

Soil sampling was conducted by NJDEP, BEMSA at one on-site location (boring 11) on February 25, 2015. A three foot soil core was recovered at the interval 10 to 15 feet below grade. From these three feet, two soil samples were collected: one set of encore samples for VOC analysis and one Mercury sample.

These samples were sent to USEPA Region 2 DESA Lab (located at 2892, Woodbridge Avenue, Edison, NJ 08837 assessed the data.

(MAPS 5, 6; ATTACHMENTS H, Z, AA)

Tabulate sample numbers and the associated Area of Concern or describe the sample location. Identify samples which establish background conditions.

NJDEP/BEMSA DATE	
SAMPLE #	ASSOCIATED AOC/SAMPLE LOCATION
SS-1 Mercury	Onsite boring 11 located in the Southwest corner of the site
SS-1 VOA	Onsite boring 11 located in the Southwest corner of the site

(ATTACHMENT AA)

Tabulate contaminants identified in the soil. Include sample number, depth, contaminant levels and corresponding NJDEP Soil Remediation Standard.

Soil contamination levels were found to be below NJDEP Soil Remediation Standards in both sample, SS-1 Mercury and SS-1 VOA.

(ATTACHMENT AA)

Discuss contaminants identified in the soil above background and remediation standards and provide the rationale for site attribution. State whether Level 1 or Level 2 contamination is present.

No contaminants were identified in the soil above background and remediation standards

Based on these results, a release to soil attributable to the site has not been documented above background and the NJDEP Soil Remediation Standards.

(ATTACHMENT AA)

Total area of surficial contamination in square feet:

Unknown, soil contamination was not detected.

(ATTACHMENT AA)

If no soil sampling has been conducted, discuss areas of potentially contaminated soil, areas that are visibly contaminated or results from soil gas surveys.

Although soil sampling was conducted at one boring location and was found not to contain contamination above soil standards, there is still potential for soil contamination at other areas within the former landfill. Of particular interest are different intervals and boring locations within the southwest quadrant of the DPW Yard.

(MAPS 5, 6; ATTACHMENTS H, AA)

Number of people occupying residences or attending school or day care on or within 200 feet of the site: 9

Number of workers on or within 200 feet of the site: As many as 40 (seasonally variable as harvesters and other farm workers are employed at adjacent agricultural properties)

Number of on-site employees: 16

(MAPS 3, 11; ATTACHMENTS C, Q, R)

Identify terrestrial sensitive environments within 200 feet of observed contamination.

There are no terrestrially sensitive environments within 200 feet of the observed contamination.

(MAPS 1, 7, 8, 10; ATTACHMENT K)

Determine if any commercial agriculture, silviculture, livestock production or grazing are present within 200 feet of observed contamination.

The highest levels on contamination occur at the southwest corner of the DPW yard. Commercial agricultural activities (cultivation of produce for human consumption) occur northwest, west, southwest, south, and southeast of highest contaminated sample location.

(MAPS 1, 7, 8, 10; ATTACHMENT K)

PART V: GROUND WATER ROUTE

A. HYDROGEOLOGY

Describe geologic formations and the aquifer(s) of concern. Include interconnections, confining layers, discontinuities, composition, hydraulic conductivity and permeability.

The site is mapped by the New Jersey Geologic Survey (NJGS) as within the Atlantic Coastal Plain Physiographic Province. The regional landscape throughout Atlantic County is characterized as a gently sloping, low relief, and mostly sandy terrain which includes numerous small lakes, shallow streams, wetlands and wooded area. The land surface in Atlantic County slopes gently eastward toward the coast; consequently, surface drainage is toward the coastline and ultimately the Atlantic Ocean. Buena Vista Township DPW Yard, however, lies within the Menatico Creek Watershed which leads to the Maurice River which lie west and southwest of the site (though they ultimately flow East)

The DPW Yard property sits atop the Bridgeton Formation. Geology consists of stratified alluvial deposits. These alluvial deposits are Quarternary or Neogene in age and consist predominantly of a silty and clayey mixture of sand and gravel (the ratio of sand to gravel varies greatly throughout the profile). The depth to bedrock is well in excess of 100 feet. In this region, the Bridgeton Formation is underlain by the unconsolidated Cohansey Formation. These marine deposits are Late Miocene in age and consist of predominantly silty sand and uniform sand. Below the Cohansey formation are sandy parts of the the Kirkwood formation which dates to the early or middle Miocene Epoch.

As discussed previously, there are two soil types present at the site. United States Department of Agriculture classifies them as Aura sandy loam (AugB) which occurs at 2% to 5% slopes, and Udorthents, refuse substratum (UdrB) which occurs at 0% to 8% slopes. UdrB soils are described generally as Loamy human-transported material over refuse. UdrB soils cover most of the site

except for the edges of the property boundary. On this site the typical soil profile (though highly variable) was 0 to 6 inches of loam/organic materials, followed by about 6 inches of coarse brown sand, 12 inches of grey silty sand, 12 to 24 inches of shingles, followed by up to 15 feet of debris (plastic, glass, wood, bone fragments, Styrofoam, etc.) layered intermittently with coarse gravelly sand grading finer at various thicknesses. The Capacity of the most limiting layer to transmit water is highly variable in these soils with a Ksat anywhere between 0.01 and 14.17 inches per hour. AugB soils occur only on the very edges of the site. These well drained soils with old loamy and/or gravelly alluvium as parent material have a moderately high Ksat between 0.20 and 0.60 inches per hour. These soils are classified as prime farmland.

(MAP 1; ATTACHMENTS K, R, T, U, V, W, X, Y)

Depth to water table: 13 to 20 feet

Depth to aquifer of concern: Depth to the Kirkwood-Cohansey Aquifer is between 30 and 50 feet.

Depth from lowest point of waste disposal/storage to highest seasonal level of the saturated zone of the aquifer of concern: 0 in some areas

(ATTACHMENTS T, U, V, W, X, Y)

Thickness and permeability of the least permeable layer between the ground surface and the aquifer of concern:

The Kirkwood and Cohansey Aquifer is encountered between 30 and 50 feet below surface. The generalized hydraulic conductivity of the aquifer is 5.0×10^{-2} cm/sec. This aquifer system is composed of the saturated parts of Holocene-age alluvial and colluvial deposits, the Bridgeton Formation, the Cohansey Formation, and sandy parts of the Kirkwood Formation. The aquifer system is unconfined in this part of southern New Jersey. Near the boundary of Atlantic County with Gloucester County the aquifer is known to be around 250 feet thick.

(ATTACHMENT V)

Thickness of aquifer: 150 to 250 feet

Direction of ground water flow: west, southwest

Net precipitation Factor Value: 6

Karst: No

(ATTACHMENTS W, X, Y)

Wellhead Protection Area within 4 miles of the site: Yes

Does a waste source overlie a Wellhead Protection Area: No

(MAPS 12, 13)

B. MONITORING WELL INFORMATION

Briefly discuss why the monitoring wells were installed.

Four monitoring wells were installed on site in 1987. Other than the well record, no documentation was found highlighting the reason for their installment. Documentation suggests the landfill ceased operation between 1977 and 1982 which means it likely did not receive proper closure as New Jersey Landfills that operated before 1982 are not subject to the Sanitary Landfill Facility Closure and Contingency Fund Act (N.J.S.A. 13:1E-100). Because pre-1982 landfills were not required to submit detailed closure plans, it is unknown whether the 1987 installation of monitoring wells is associated with leachate contamination concerns.

One additional monitoring well was installed in 2000 in association with the UST closure discussed above.

(MAP 5; ATTACHMENTS I, L, M, N)

Tabulate all wells below:

Well No.	Screen Depth (feet)	Formation	Location/AOC/Background
MW-1 (1987 – AKA MW-C)	21-41	Kirkwood-Cohansey	Background (side-gradient). Located at the midpoint of the site perimeter bordering Union Road.
MW-2 (1987 – AKA MW - B)	22.5-42.5	Kirkwood-Cohansey	Southwest corner of the site. Near the property boundary. Within landfill's suspected area of contamination.
MW-3 (1987 – AKA MW-A)	22.5-42.5	Kirkwood-Cohansey	Midpoint of the site's Western property line.
MW-4 (1987 – AKA MW-D)	22.5-42.5	Kirkwood-Cohansey	Background (up-gradient). Located in the Northwest Corner of the site near the property boundary.
MW-1 (2000)	17-27	Kirkwood-Cohansey	CLOSED – Associated with the former UST location and fueling station. Upgradient in the Northeast quadrant of the site

For each sampling event, identify the sampler and date of sampling and list the name, address and certification number of the lab which performed the analyses. State who conducted the quality assurance review of the data and summarize any data qualifications.

Buena Vista Township initiated sampling of the four active monitoring wells at the DPW Yard. The sampling was conducted by South Jersey Water Test, LLC (4077 South Black Horse Pike, Williamstown, NJ) and analyzed by KNL Laboratory Services (NJDEP Cert no. FL008).

Sampling of all wells occurred twice following the discovery of contamination in potable wells in the area. The first event was April 3, 2014 and the second was October 24, 2014. The first sampling event also included collection of a raw water sample from the bathroom sink in the DPW building.

(MAPS 5, 6; ATTACHMENTS O, P)

Tabulate contaminants identified in each well. Include well number, contaminant levels and corresponding NJDEP Ground Water Quality Standard (GWQS).

**Bold values are greater than the NJDEP GWQS*

October 23, 2014 Sampling Event

SAMPLE #	CONTAMINANT	CONCENTRATION (ppb) *	NJDEP GWQS (ppb)
MWC-10.24.14	mercury	<0.5	2
MWD-10.24.14	mercury	<0.5	2
MWA-10.24.14	mercury	<0.5	2
MWA-10.24.14	benzene	3.36	1
MWA-10.24.14	vinyl chloride	0.79	1
MWB-10.24.14	mercury	<0.5	2
MWB-10.24.14	vinyl chloride	195	1
MWB-10.24.14	1,1-dichloroethene	5.16	2
MWB-10.24.14	cis-1,2-dichloroethene	1,284	70
MWB-10.24.14	trichloroethene	936	1
MWB-10.24.14	tetrachloroethene	1.29	1

April 4, 2014 Sampling Event

SAMPLE #	CONTAMINANT	CONCENTRATION (ppb) *	NJDEP GWQS (ppb)
MWC-4.8.14	mercury	<0.5	2
MWC-4.8.14	nitrate	43,207	10,000
MWD-4.8.14	mercury	<0.5	2
MWD-4.8.14	nitrate	56,177	10,000
MWA-4.8.14	mercury	<0.5	2
MWA-4.8.14	benzene	1.18	1
MWA-4.8.14	vinyl chloride	5.08	1
MWA-4.8.14	1,1,2,2-tetrachloroethane	1.21	1
SAMPLE #	CONTAMINANT	CONCENTRATION (ppb)	NJDEP GWQS (ppb)
MWB-4.8.14	mercury	<0.5	2
MWB-4.8.14	vinyl chloride	102.3	1
MWB-4.8.14	1,1-dichloroethene	ND	2
MWB-4.8.14	cis-1,2-dichloroethene	410.8	70
MWB-4.8.14	trichloroethene	82.5	1

Discuss contaminants identified in the monitoring wells above background and the ground water quality standards and provide the rationale for site attribution. State whether Level 1 or Level 2 contamination is present.

Both sampling events (October 23, 2014 and April 4, 2014) conducted at the behest of Buena Vista Township at the DPW Yard monitoring wells returned results with heightened levels of volatile organic compounds, most notably in MWB.

The levels of contamination varied between events with the highest levels of vinyl chloride (195 ppb), cis-1,2-dichloroethene (1,284 ppb), trichloroethene (936 ppb), tetrachloroethene (1.29 ppb), and 1,1-dichloroethene (5.16 ppb) all occurring at the later sampling event on October 24, 2014 in MWB. Tetrachloroethene and 1,1-dichloroethene were not found in MWB in the April 4, 2014 sampling event.

In MWA the highest levels of vinyl chloride (5.08 ppb) and 1,1,2,2-tetrachloroethane (1.21 ppb) were found during the earlier (April 4, 2014) sampling event while the highest level benzene (3.36 ppb) was found in the later event. Tetrachloroethene was not found in MWA in this later event. Significant amounts of mercury were not found in any of the monitoring wells at either sampling event (<0.5 ppb in all wells).

Nitrate was sampled for only in the earlier event and was only found in MWC (43,207 ppb) and MWD (56,177 ppb).

All contaminants discussed herein meet criteria for Level I contamination.

Based on these results, a release to ground water of vinyl chloride, cis-1,2-dichloroethene, 1,1-dichloroethene, tetrachloroethene and trichloroethene, attributable to the site has been documented above background and the NJDEP Ground Water Quality Standards.

(MAPS 5, 6; ATTACHMENTS O, P, S)

C. OTHER GROUND WATER SAMPLING

Discuss any other ground water sampling that has occurred. For each sampling event, identify the sampler and date of sampling and list the name, address and certification number of the lab which performed the analyses. State who conducted the quality assurance review of the data and summarize any data qualifications.

NJDEP, BEMSA conducted two sampling events in relation to the Site Investigation at BVT DPW to determine the source of vinyl chloride, DCE, Mercury, and perchlorate in residential potable wells located in the area of Post Road. The Buena Vista Township DPW Yard was a suspected source of groundwater contamination due to its apparently up-gradient proximity to the impacted wells.

The first groundwater sampling event was conducted on October 20 and 21, 2014. Sample locations were selected in farm fields to the west and southwest (down-gradient of the site, up-gradient of the impacted wells) of the site in order to characterize the groundwater quality in the vicinity of the DPW yard. Sample locations were biased by results from on-site monitoring well sampling initiated by Buena Vista Township. NJDEP, BEMSA advanced borings down-gradient and side-gradient in relation to MWA and MWB which were the highest-impacted wells. Ground water samples were collected at discrete intervals with a Geoprobe using a vertical profiling technique. These samples were analyzed for VOCs.

These samples were sent to ALS Laboratory Group – Salt Lake City – DATAC located at 960 West LeVoy Drive, Salt Lake City, UT 84123 (Case no. 44806, SDG no. B0AA0). USEPA Region 2 DESA Lab (located at 2892, Woodbridge Avenue, Edison, NJ 08837 assessed the data. At the time of collection, samples were screened by NJDEP personnel using field gas chromatograph (field GC).

The current SOP HW-33/VOA (Revision 3) March 2013, USEPA Region II Data Validation SOP for Statement of Work SOM01.2 for evaluating organic data was applied. Data was reviewed according to TDF specifications, the National Functional Guidelines Report and the CCS Semi-Automated Screening Results Report. Tentatively Identified Compounds (TICS) for VOA organic fraction is not validated.

The second groundwater sampling event was conducted on February 18, 19, 23, 24 and 25, 2015. Sample locations were selected on site in order to characterize the groundwater quality within the DPW yard. Sample locations were biased by results from on-site monitoring well sampling initiated by Buena Vista Township and by results from the previously mentioned sampling conducted by NJDEP, BEMSA on October 20 and 21, 2014. NJDEP-BEMSA advanced borings up-gradient, and side-gradient as well as within the southwest corner of the site wherein the highest levels of contamination had previously been found. Ground water samples were collected at discrete intervals with a Geoprobe using a vertical profiling technique. These samples were analyzed for VOCs, mercury, and perchlorate.

The VOC and mercury samples were sent to USEPA Region 2 DESA Lab (located at 2892, Woodbridge Avenue, Edison, NJ 08837 for VOC and Mercury analysis.

The perchlorate samples were sent to Test America (30 Community Drive, South Burlington, VT 05403; NJDEP Certification no. VT972). Test results were derived under a system that adheres to the requirements of NELAC. NJDEP's Office of Data Quality validated the data.

The following tables incorporate data generated by both NJDEP sampling events.

(MAPS 5, 6; ATTACHMENTS Z, AA, BB, CC, DD, EE, FF)

Tabulate sample numbers and the associated Area of Concern or describe the sample location. Identify samples which establish background conditions.

NJDEP/BEMSA October 2014, February 2015	
SAMPLE #	ASSOCIATED AOC/SAMPLE LOCATION
GW2A	February sampling event. Up-gradient. Center of DPW Yard's northern property line. 0-20 feet. Boring 2 on map.
GW2B	February sampling event. Up-gradient. Center of DPW Yard's northern property line. 25-28feet. Boring 2 on map.
GW2C	February sampling event. Up-gradient. Center of DPW Yard's northern property line. 33-36 feet. Boring 2 on map.
GW2D	February sampling event. Up-gradient. Center of DPW Yard's northern property line. 41-44 feet. Boring 2 on map.
GW2E	February sampling event. Up-gradient. Center of DPW Yard's northern property line. 46-49 feet. Boring 2 on map.
GW3A	February sampling event. Up-gradient of site's southwest corner, down-gradient of former USTs/fueling station. Center of DPW Yard property. 22-25 feet. Boring 3 on map.
GW3B	February sampling event. Up-gradient of site's southwest corner, down-gradient of former USTs/fueling station. Center of DPW Yard property. 30-33 feet. Boring 3 on map.

SAMPLE #	ASSOCIATED AOC/SAMPLE LOCATION
GW3C	February sampling event. Up-gradient of site's southwest corner, down-gradient of former USTs/fueling station. Center of DPW Yard property. 38-41 feet. Boring 3 on map.
GW3D	February sampling event. Up-gradient of site's southwest corner, down-gradient of former USTs/fueling station. Center of DPW Yard property. 46-49 feet. Boring 3 on map.
GW4A	February sampling event. Side-gradient. Near DPW's eastern property line. 10 feet South of MWC. 0-20 feet. Boring 4 on map.
GW4B	February sampling event. Side-gradient. Near DPW's eastern property line. 10 feet South of MWC. 25-28 feet. Boring 4 on map.
GW4C	February sampling event. Side-gradient. Near DPW's eastern property line. 10 feet South of MWC. 33-36 feet. Boring 4 on map.
GW4D	February sampling event. Side-gradient. Near DPW's eastern property line. 10 feet south of MWC. 41-44. Boring 4 on map.
GW4E	February sampling event. Side-gradient. Near DPW's eastern property line. 10 feet south of MWC. 46-49 feet. Boring 4 on map.
GW4A-mercury, GW4B-mercury, GW4C-mercury, GW4D-mercury	February sampling event. Collected at same intervals as GW4A-D listed above, but in a boring ~6 inches from the original boring 4.
GW5A	February sampling event. Southwest corner of DPW Yard. Up-gradient of MW-B. 16-19 feet. Boring 5 on map.
GW5B	February sampling event. southwest corner of DPW Yard. Up-gradient of MW-B. 24-27 feet. Boring 5 on map.
GW5C	February sampling event. southwest corner of DPW Yard. Up-gradient of MW-B. 31-35 feet. Boring 5 on map.
GW5D	February sampling event. southwest corner of DPW Yard. Up-gradient of MW-B. 42-43 feet. Boring 5 on map.
GW5E	February sampling event. southwest corner of DPW Yard. Up-gradient of MW-B. 46-49 feet. Boring 5 on map.
GW6A (B0AB4)	October sampling event. Down-gradient, 3 feet from property boundary of DPW's southwest corner, farm field boring. 15-18 feet
GW6B (B0AB5)	October sampling event. Down-gradient, 3 feet from property boundary of DPW's southwest corner, farm field boring. 25-28 feet
GW6C (B0AB6)	October sampling event. Down-gradient, 3 feet from property boundary of DPW's southwest corner, farm field boring. 37-40 feet
GW6A-Dilution (B0AB4DL)	This is a dilution of sample 6C run by NJDEP DESA lab due to high concentrations.
GW7A (B0AA0)	October sampling event. Down-gradient, farm field boring. 13-15 feet
GW7B (B0AA1) (B0AA1)	October sampling event. Down-gradient, farm field boring. 25-28 feet

SAMPLE #	ASSOCIATED AOC/SAMPLE LOCATION
GW7C (B0AA2)	October sampling event. Down-gradient, farm field boring. 37-40 feet
GW7D (B0AA3)	October sampling event. Down-gradient, farm field boring. 49-52 feet
GW8A (B0AA4)	October sampling event. Side-gradient, farm field boring. 15-18 feet.
GW8B (B0AA5)	October sampling event. Side-gradient, farm field boring. 25-28 feet.
GW8C (B0AA6)	October sampling event. Side-gradient, farm field boring. 37-40 feet.
GW8D (B0AA7)	October sampling event. Side-gradient, farm field boring. 40-43 feet.
GW9A (B0AB1)	October sampling event. Side-gradient, farm field boring. 15-18 feet
GW9B (B0AB2)	October sampling event. Side-gradient, farm field boring. 25-28 feet
GW9C (B0AB3)	October sampling event. Side-gradient, farm field boring. 37-40 feet
GW10A (B0AA8)	October sampling event. Side-gradient, farm field boring. 14-16 feet
GW10B (B0AA9)	October sampling event. Side-gradient, farm field boring. 26-29 feet
GW10C (B0AB0)	October sampling event. Side-gradient, farm field boring. 33-36 feet
GW11A	February sampling event. southwest corner of DPW Yard. Down-gradient of Boring 5. 2 feet Northeast of MW-B. 16-19 feet. Boring 11 on map.
GW11B	February sampling event. southwest corner of DPW Yard. Down-gradient of Boring 5. 2 feet Northeast of MW-B. 24-27 feet. Boring 11 on map.
GW11C	February sampling event. southwest corner of DPW Yard. Down-gradient of Boring 5. 2 feet Northeast of MW-B. 32-35 feet. Boring 11 on map.

(ATTACHMENTS BB, CC, DD, EE, FF, GG, HH, II)

Tabulate contaminants identified in ground water. Include sample number, contaminant levels and corresponding NJDEP Ground Water Quality Standard (GWQS).

**Bold values are greater than the NJDEP GWQS*

SAMPLE #	DEPTH (feet)	CONTAMINANT	CONCENTRATION (ppb) *	NJDEP GWQS (ppb)
GW2B	25-28	perchlorate	2.16	5
GW2C	33-36	perchlorate	1.25	5
GW2D	41-44	perchlorate	0.53	5
GW2E	46-49	perchlorate	2.51	5
GW3B	30-33	perchlorate	0.44	5
GW3C	38-41	perchlorate	0.52	5
GW3D	46-49	perchlorate	1.15	5
GW4B	25-28	perchlorate	0.35	5
GW4C	33-36	perchlorate	0.75	5
GW4D	41-44	perchlorate	0.92	5
GW4E	46-49	perchlorate	1.19	5
GW5B	24-27	vinyl chloride	33	1
GW5B	24-27	cis-1,2-dichloroethene	24	70

SAMPLE #	DEPTH (feet)	CONTAMINANT	CONCENTRATION (ppb) *	NJDEP GWQS (ppb)
GW5E	46-49	perchlorate	1.16	5
GW6A (B0AB4)	15-18	vinyl chloride	6	1
GW6A (B0AB4)	15-18	1,1-dichloroethane	3.3	50
GW6A (B0AB4)	15-18	1,1-dichloroethene	2.9	1
GW6A (B0AB4)	15-18	1,1,1-trichloroethane	14	30
GW6A (B0AB4)	15-18	tetrachloroethene	2.8	1
GW6A- Dilution (B0AB4DL)	15-18	cis-1,2-dichloroethene	410	70
GW6A- (B0AB4DL)	15-18	trichloroethene	940	1
GW6B (B0AB5)	25-28	cis-1,2-dichloroethene	87	70
GW6B (B0AB5)	25-28	trans-1,2-dichloroethene	1.5	100
GW6B (B0AB5)	25-28	vinyl chloride	120	1
GW6B (B0AB5)	25-28	1,1-dichloroethane	1.4	50
GW6B (B0AB5)	25-28	trichloroethene	1.4	1
GW6C (B0AB6)	37-40	cis-1,2-dichloroethene	30	70
GW6C (B0AB6)	37-40	vinyl chloride	2.1	1
GW6C (B0AB6)	37-40	trichloroethene	13	1
GW7A (B0AA0)	15-18	cis-1,2-dichloroethene	1.8	70
GW7A (B0AA0)	15-18	trichloroethene	1.7	1
GW10A (B0AA8)	14-16	cis-1,2-dichloroethene	65	70
GW10A (B0AA8)	14-16	trichloroethene	33	1

SAMPLE #	DEPTH (feet)	CONTAMINANT	CONCENTRATION (ppb) *	NJDEP GWQS (ppb)
GW10B (B0AA9)	26-29	vinyl chloride	21	1
GW10B (B0AA9)	26-29	cis-1,2-dichloroethene	140	70
GW10B (B0AA9)	26-29	trichloroethene	50	1
GW10C (B0AB0)	33-36	vinyl chloride	9.8	1
GW10C (B0AB0)	33-36	cis-1,2-dichloroethene	130	70
GW10C (B0AB0)	33-36	trichloroethene	47	1
GW11A	16-19	vinyl chloride	290	1
GW11A	16-19	cis-1,2-dichloroethene	1100	70
GW11A	16-19	trans-1,2-dichloroethene	11	100
GW11B	24-27	cis-1,2-dichloroethene	11	70

(ATTACHMENTS Z, AA, BB, CC, DD, EE, FF, GG, HH, II)

Discuss contaminants identified in ground water above background and the ground water quality standards and provide the rationale for site attribution. State whether Level 1 or Level 2 contamination is present.

The initial round of groundwater sampling conducted by NJDEP affiliated with the site involved the collection of groundwater samples in farm fields down-gradient and off site of the DPW Yard. Sampling occurred on October 20 and 21, 2014. These samples were analyzed for VOCs.

The off-site sample set that demonstrated the highest levels of contamination were those collected at varying depths from GW6 and GW10. Samples collected at both of these boring locations had Level I contamination.

GW6 is immediately adjacent to the site's southwest corner property boundary. The shallowest interval in this boring (15 to 18 feet below grade) yielded results of highest contamination (cis-DCE 410 ppb, TCE 940 ppb, vinyl chloride 6 ppb, 1,1-dichloroethene 2.9 ppb, and PCE 2.8 ppb), the next interval (25 to 28 feet below grade) showed vinyl chloride increasing to 120 ppb, with other contaminants at significantly lower levels.

GW10 is farther southwest and down-gradient of the site and of GW6. GW10 revealed cis-DCE (130 ppb at 33 to 36 feet), TCE (50 ppb at 26 to 29 feet), and vinyl chloride (21 ppb at 26 to 29 feet). The contamination in GW10 was found in deeper intervals than in GW6.

GW7 (south of GW10) and GW8 and GW9 (north of GW10) are all side-gradient of GW10. They showed far lower levels of contamination with GW7's sole contaminants of cis-DCE and TCE occurring at significantly lower levels (1.8 ppb and 1.7 ppb, respectively) and GW8 and GW9 yielding results free of VOCs across all intervals.

Further groundwater sampling was conducted by NJDEP, BEMSA on-site at the DPW yard in February 2015. These samples were analyzed for VOCs, mercury, and perchlorate. Neither mercury nor perchlorate was discovered at levels above GWQS that would indicate an on-site source.

GW5 and GW11, both located in the southwest corner of the site near the property boundary and GW6, showed the highest levels of VOC contamination from the February sampling.

GW11 was advanced 2 feet northeast of MW-B (where the highest recorded levels of PCE, TCE, 1,1-DCE, and cis-DCE were encountered) and showed significant levels of VOC contamination in its shallowest two intervals: in the 16 to 19 foot interval cis-DCE was found at 1,100 ppb and vinyl chloride at 290 ppb. This was the highest level of vinyl chloride detected. Contamination levels fell significantly at the next depth (24 to 27 feet) with cis-DCE being detected at 11 ppb.

GW5 was 15 feet northeast and up-gradient of GW11 and showed contamination only in the 24 to 27 foot interval (vinyl chloride 33 ppb, cis-DCE 24 ppb).

VOCs were not detected in background samples up-gradient or side-gradient of the DPW yard's southwest corner (GW2, GW3, GW4).

Based on these results, a release to ground water of water of vinyl chloride, cis-1,2-dichloroethene, 1,1-dichloroethene, tetrachloroethene and trichloroethene, attributable to the site has been documented above background and the NJDEP Ground Water Quality Standards.

(MAPS 5, 6; ATTACHMENTS S, Z, AA, BB, CC, DD, EE, FF, GG, HH, II)

D. POTABLE WELL INFORMATION

Distance to nearest potable well:

The nearest domestic potable well on record is located at 435 Union Road (opposite side of Union Road in relationship to the site) Though on-site employees say their water comes from an on-site well.

Depth of nearest potable well: 180 feet

(MAP 3; ATTACHMENTS M, N, O)

Identify all public supply wells within 4 miles of the site and tabulate for each aquifer the population utilizing that aquifer for drinking purposes. Include only those populations which utilize wells that have a potential to be impacted, not wells which are actually impacted. Do not list private potable wells individually in this table, but include populations served by these private wells.

Distance (miles)	Population served by Aquifer	Residential Population served by Private Potable Wells
on site	0	0
> 0 - 1/4	0	29
> 1/4 - 1/2	0	107
> 1/2 - 1	93	565
> 1 - 2	918	1,377
> 2 - 3	3,620	2,562
> 3 - 4	6,161	2,634

(MAPS 11, 12, 13; ATTACHMENTS M, II, JJ, KK, LL)

State whether ground water is blended with surface water, ground water or both prior to distribution:

Buena Borough MUA, Alpine Village Mobile Home Park, and Vineland Water and Sewer Authority all utilize wells within a 4 mile radius of the site. None of these three purveyors blend ground with surface water. Vineland Water and Sewer Authority blends ground water with ground water sourced from wells outside of the 4 mile radius.

(MAPS 11, 12, 13; ATTACHMENTS M, II, JJ, KK, LL)

Discuss private potable well use within 4 miles of the site. Include depth, formation and distance, if available.

Potable water within 4 miles of this site is supplied predominantly by private potable wells. Many wells are older and as such do not have corresponding records. Of the wells that do have records, depth varies greatly and can range from 40 to 180 feet below grade.

(MAPS 11, 12, 13; ATTACHMENTS M, II, JJ, KK, LL)

Discuss the site's source of potable water.

The DPW's source of potable water is an on-site well. In April of 2014 a raw water sample was collected by South Jersey Water Test, LLC from the faucet of the bathroom within the DPW's main building. Results did not show VOCs, nitrate, or mercury above GWQS or the reporting limit.

Discuss information concerning the population utilizing wells that are known to be contaminated with hazardous substances which are attributable to the site. Also include any other evidence of contaminated drinking water or wells closed due to contamination. State whether Level 1 or Level 2 contamination is present.

In 2014 groundwater contamination was detected in private potable wells in the vicinity of the 430 Union Road property. As a result, the Atlantic County Health Department and New Jersey Department of Environmental Protection (NJDEP) sampled potentially impacted private wells in the area and detected a suite of contaminants above the New Jersey Drinking Water Maximum Contaminant Level (MCL) for trichloroethene (TCE), vinyl chloride, cis-1,2-dichloroethene, cis-1,2-dichloropropane, benzene, mercury and perchlorate. The extent of contamination is still being assessed but analytical results thus far have confirmed 31 impacted wells. Of these 31, the majority of impacted wells are located to the south and southwest and down gradient of the Buena Township DPW Yard. As an interim measure, affected homes are being provided with point of entry treatment systems (POETS) through the Environmental Claims Administration (Spill Fund).

(MAPS 6, 11, 12, 13; ATTACHMENTS M, II, JJ, KK, LL; ATTACHMENTS D, E)

Identify any resource uses of ground water within 4 miles of the site (i.e., commercial livestock watering, ingredient in commercial food preparation, supply for commercial aquaculture, supply for major or designated water recreation area, excluding drinking water use, irrigation of commercial food or commercial forage crops, unusable).

There are no documented resource uses of groundwater for commercial livestock watering, ingredient in commercial food preparation, supply for commercial aquaculture, or supply for major or designated water recreation area

(MAPS 7, 8, 12, 13)

PART VI: SURFACE WATER ROUTE

A. SURFACE WATER

Does a migration pathway to surface water exist? No

Flood plain: FEMA flood maps indicate the site is located within Zone C which is defined as areas of minimal flooding

Size of drainage area for sources at the site in acres: 75% of the site is covered by permeable surface. Down-gradient it is surrounded by the permeable soil of farm fields.

2-year, 24-hour rainfall in inches: 3.04-3.73 inches

Does contaminated ground water discharge to surface water? Unknown.

(MAP 9; ATTACHMENTS K, T, U, V, W, X, Y)

Identify known or potentially contaminated surface water bodies. Follow the pathway of the surface water and indicate all adjoining bodies of water along a route of 15 stream miles.

Surface Water Body	Distance from Site (miles)	Flow (cfs)
Panther Branch	0.5	<10
Manatico Creek	2.8	10-100
Maurice River	11.8	>100-1,000 (At the nearest USGS Stream Gaging Station for the Maurice River average flow between March 2014 and March 2015 was 150)

(MAPS 7, 8, 10)

Identify drinking water intakes and fisheries within 15 miles downstream (or upstream in tidal areas) of the site. For each intake or fishery identify the distance from the point of surface water entry, the name of the fishery and/or supplier and population served.

According to NJDEP GIS data there are no drinking water intakes or fisheries along the 15-mile surface water flow path.

(MAPS 7, 8)

Discuss surface water and/or sediment sampling conducted in relation to the site. Include surface water body, sampling date, sampling agency or company. State whether Level 1 or Level 2 contamination is present for surface water. State whether Level 2 contamination of sediments is present. For each sampling event, list the name, address and certification number of the lab which performed the analyses. State who conducted the quality assurance review of the data and summarize any data qualifications. Discuss visual observations if analytical data are not available (include date of observation).

Surface water and sediment sampling have not been conducted in relation to the site.

Determine if a contaminant on site displays bioaccumulative properties. Identify all bioaccumulative substances that may impact the food chain.

The contaminants of concern are chlorinated volatile organics, predominantly vinyl chloride and cis-1,2-DCE. These compounds do not display bioaccumulative properties. Perchlorate and mercury were also targeted. Mercury does bioaccumulate and although perchlorate does not currently have a published bioaccumulation factor, studies conducted using fish, plankton, and plants do show a capacity. However, groundwater and soil sampling conducted on site did not reveal levels above the legal threshold for either mercury or perchlorate.

Determine if surface water is used for irrigation of commercial food or commercial forage crops, watering of commercial livestock, commercial food preparation or recreation.

According to NJDEP GIS data there are no agricultural water sources along the 15-mile surface water flow path.

(MAPS 7, 8)

B. SENSITIVE ENVIRONMENTS

Identify all sensitive environments, including wetlands, along the 15 stream-mile pathway from the site:

Environment Type	Surface Water Body	Flow (cfs)	Distance from Site (Miles)	Wetland Frontage
Wetlands	Panther Branch	>10	0.5	773
Wetlands	Menatico Creek	10-100	2.8	1944
Wetlands	Maurice River	>100-1,000	11.8	517
Natural Heritage Priority Site (Maurice River North)	Maurice River, Menatico Creek	10-1,000	10.7	567

(MAPS 7, 8, 10)

C. LIKELIHOOD OF RELEASE

Discuss the likelihood of a release of contaminant(s) to surface water, include any additional information concerning the surface water route. Identify contaminants detected and provide a rationale for attributing them to the site. Identify any intakes, fisheries and sensitive environments, listed above, that are or may be actually contaminated by hazardous substances attributed to an observed release from the site.

The potential for surface water contamination from on-site operations is low. The site is bounded by ample farmland on its down-gradient sides. There is currently no outside storage of hazardous materials or waste. Hazardous waste located within the landfill discharges to groundwater

PART VII: AIR ROUTE

A. POPULATION AND SENSITIVE ENVIRONMENTS

Identify populations residing within 4 miles of the site.

Distance (miles)	Population
on site	0
> 0 - 1/4	29
> 1/4 - 1/2	107
> 1/2 - 1	684
> 1 - 2	2,329
> 2 - 3	6,082
> 3 - 4	8,673

(MAP 11)

Identify sensitive environments and wetland acreage within 4 miles of the site.

Distance	Wetland acreage
0 - 1/4	0
> 1/4 - 1/2	52
> 1/2 - 1	156
> 1 - 2	883
> 2 - 3	2,062
> 3 - 4	2,554

(MAP 10)

B. LIKELIHOOD OF RELEASE

Describe the likelihood of release of hazardous substances to air. Identify contaminants detected or suspected and provide a rationale for attributing them to the site. For an observed release, discuss the supporting analytical evidence and its significance relative to background.

The likelihood of a release of hazardous substances to the air is low. A release to air was neither observed nor suspected.

If a release to air is observed or suspected, determine the number of people that reside within the area of air contamination.

A release to air was neither observed nor suspected.

If a release to air is observed, identify any sensitive environments that are located within the area of air contamination.

A release to air was neither observed nor suspected.

PART VIII: REMOVAL ACTION AND/OR IEC CONDITION

Discuss conditions which constitute an Immediate Environmental Concern (IEC) or warrant EPA Removal Action consideration (improper storage of incompatible/reactive materials, leaking or unsound containers, inadequate site security, subsurface gas threat).

This site investigation was instigated by an Immediate Environmental Concern (IEC) condition for contamination of potable wells located along Post Road. The extent of contamination is currently being assessed by NJDEP.

(ATTACHMENTS D, E, F)

PART IX: CONCLUSIONS AND RECOMMENDATIONS

DEP RECOMMENDATIONS

In 2014 NJDEP, BEMSA initiated the investigation of the Buena Vista Township Department of Public Works Yard property as a possible source of VOCs, mercury, and/or perchlorate in potable wells associated with the Post Road Ground Water Contamination Case.

Contamination was known to be present on site due to samples collected from on-site monitoring

wells which showed the presence of VOCs in groundwater above NJDEP GWQS (PCE up to 1.29 ppb, TCE up to 9.36 ppb, vinyl chloride up to 195 ppb, and cis-1,2 -dichloroethene (cis-DCE) up to 1,284 ppb). The highest levels of contamination were detected in monitoring well B, located in the southwest corner of the site,

The initial investigation conducted by NJDEP involved the collection of groundwater samples in farm fields down-gradient and off site of the DPW Yard. Sampling occurred on October 20 and 21, 2014. These samples were analyzed for VOCs.

The off-site sample set that demonstrated the highest levels of contamination were those collected at varying depths from GW6 and GW10. GW6 revealed cis-DCE at 410 ppb and 940 ppb vinyl chloride.

Further groundwater sampling was conducted by NJDEP, BEMSA on-site at the DPW yard in February 2015. These samples were analyzed for VOCs, mercury, and perchlorate. Neither mercury nor perchlorate was discovered at levels above GWQS that would indicate an on-site source. GW5 and GW11, both located in the southwest corner of the site near the property boundary and GW6, showed the highest levels of VOC contamination.

GW11 was advanced 2 feet northeast of MW-B where the highest recorded levels of PCE, TCE, 1,1-DCE, and cis-DCE were encountered. Cis-DCE was found at 1,100 ppb and vinyl chloride at 290 ppb. This was the highest level of vinyl chloride detected.

Given the levels of VOCs present on the former landfill in monitoring well B, the slightly up-gradient GW11, and slightly down-gradient GW6, the southwest corner of the Buena Vista Township Department of Public Works Yard and former landfill's groundwater is contaminated with vinyl chloride, cis-1,2-dichloroethene, 1,1-dichloroethene, tetrachloroethene and trichloroethene. This contamination is migrating off site and is a source of VOC contamination of the potable wells along Post Road in Buena Vista Township.

(MAPS 5, 6; ATTACHMENTS N, O, P, S, Y, Z, AA, BB, CC, DD, EE, FF, GG, HH)

EPA RECOMMENDATIONS (OPTIONS):

The HRS score for this site is 38.46, greater than 28.5; therefore, the site is assigned a higher priority for further action under CERCLA.

Submitted by: Annie Dunham

Title: Environmental Specialist 1

NJDEP, Bureau of Environmental Measurements and Site Assessment


Date: August 31, 2015

PART X: POTENTIALLY RESPONSIBLE PARTIES

NAME	OWNER/OPERATOR/ KNOWN DISCHARGER	CURRENT ADDRESS
Buena Vista Township Department of Public Works Yard	Buena Vista Township	890 Harding Highway Buena Vista Township, NJ 08310


MAPS

Buena Vista Township Department of Public Works Yard






430 South Union Road
Buena Vista Township
Atlantic County, NJ

Latitude: 39.493119
Longitude: -74.593795






USGS Topographic Map - Five Points Quadrangle, NJ

Buena Vista DPW Yard Site Map



Buena Vista Township DPW Yard: Tax Map

MAP 3







430 Union Rd, Buena, NJ 08360


MAP 4




On the go? Use m.bing.com to find maps, directions, businesses, and more



MAP 5 Buena Vista Township DPW Yard Sample Locations




Buena Vista Township Public Works Yard Notable Sample Results and VOC-Impacted Potable Wells





Legend

- BVTDPW
- Monitoring Wells
- October Sampling Event
- February Sampling Event
- VOC-impacted potable wells




MAP 7 Buena Vista Township DPW Yard 15 Mile Surface Water Pathway





Legend

- Panther Branch
- Manantico Creek
- Maurice River
- Surface Water Intakes
- Water Source Areas
- Natural Heritage Priority Sites




MAP 8 Buena Vista Township DPW Yard 15 Mile Surface Water Pathway:

Sensitive Environments




Legend

- Wetlands (2007)
- Panther Branch
- Menantico Creek
- Maurice River
- Natural Heritage Priority Sites



MAP 9



NATIONAL FLOOD INSURANCE PROGRAM


FIRM
FLOOD INSURANCE
RATE MAP

TOWNSHIP OF
BUENA VISTA,
NEW JERSEY
ATLANTIC COUNTY

PANEL 3 OF 4
(SEE MAP INDEX FOR PANELS PRINTED)

COMMUNITY-PANEL NUMBER:
340525 0003 B



EFFECTIVE DATE:
JUNE 22, 1979



U.S. DEPARTMENT OF HOUSING
AND URBAN DEVELOPMENT
FEDERAL INSURANCE ADMINISTRATION

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov

MAP 10 Wetlands Within 4 Miles of Buena Vista Township DPW Yard Atlantic County, NJ






Legend

- BVTDPW
- .25 Mile Radius from DPW
- .5 Mile Radius from DPW
- 1 Mile Radius from DPW
- 2 Mile Radius from DPW
- 3 Mile Radius from DPW
- 4 Mile Radius from DPW

Radial Distance to BVTDPW (miles)	Wetland acreage
0 to 0.25	0
0.25 to 0.50	52
0.50 to 1	156
1 to 2	883
2 to 3	2,062
3 to 4	2,554






Population Within 4 Miles of Buena Vista Township DPW Yard Atlantic County, NJ



Radial Distance to BVTDPW (miles)	Population
0 to 0.25	29
0.25 to 0.50	107
0.50 to 1	684
1 to 2	2,329
2 to 3	6,082
3 to 4	8,673



MAP 12 Public Water Supply Within 4 Miles of BVTDPW Atlantic County, NJ



Radial Distance to BVTDPW (miles)	Population Served by Purveyors	Population Served by Private Potable Wells
0 to 0.25	0	29
0.25 to 0.50	0	107
0.50 to 1	93	565
1 to 2	918	1,377
2 to 3	3,620	2,562
3 to 4	6,161	2,634




MAP 13 Buena Vista Township Wellhead Protection Areas



Legend

- Well Head Protection Areas (Community)
- Well Head Protection Areas (Public Non-Community)
- Buena Vista Township DPW Yard



ATTACHMENT A

241 - 12/12/2014 5:00:00 PM

1 Results matched your query.				select new towns or counties Search Again Mailing Labels Generate List		
District	Block	Lot	Qualifier	Class	Location	Owner
105	7101	25		15C	430 UNION ROAD	BUENA VISTA TOWNSHIP

0

Property Information

Property Location : 430 UNION ROAD , BUENA VISTA TWP.		<input type="button" value="Show Tax Map"/>	Last Sale Price
County		<input type="button" value="Show Virtual Earth Map"/>	
District : 105 Block : 7101 Lot : 25 Qualifier :		Transfer Date :	
Additional Lots :		Transfer Price :	
Current Owner:		Deed Book :	
BUENA VISTA TOWNSHIP 890 HARDING HIGHWAY BUENA NJ 08310		Deed Page :	
		Class : 15C - Public Property	

Assessments					
Total Value :	\$313,600	2011 Tax Rate :	1.972	Zoning :	
Land Value :	\$93,200	2011 Tax Ratio :	106.86%	Building Description :	TV
Improve Value :	\$220,400	Estimated Property Taxes :	\$6,184.19	Land Description :	9.62 AC
% Improvement :	70%	2011 Taxes :	\$0.00	Acreage :	
Assessment at time of sale :		Useable/Non Usable :		Square Footage :	
				Year Constructed :	

ATTACHMENT B



Search

[A to Z Index](#) | [En Español](#) | [Contact Us](#) | [FAQs](#) | [About OSHA](#)

OSHA [SHARE](#) [Facebook](#) [Twitter](#) [LinkedIn](#) **OSHA QuickTakes** [Newsletter](#) [RSS Feeds](#) [Was this page helpful?](#)

Occupational Safety & Health Administration We Can Help

[What's New](#) | [Offices](#)
OSHA

- [Home](#)
- [Workers](#)
- [Regulations](#)
- [Enforcement](#)
- [Data & Statistics](#)
- [Training](#)
- [Publications](#)
- [Newsroom](#)
- [Small Business](#)
- [Anti-Retaliation](#)

Description for 4953: Refuse Systems

Division E: Transportation, Communications, Electric, Gas, And Sanitary Services | Major Group 49: Electric, Gas, And Sanitary Services

Industry Group 495: Sanitary Services

4953 Refuse Systems

Establishments primarily engaged in the collection and disposal of refuse by processing or destruction or in the operation of incinerators, waste treatment plants, landfills, or other sites for disposal of such materials. Establishments primarily engaged in collecting and transporting refuse without such disposal are classified in Transportation, Industry 4212.

- Acid waste, collection and disposal of
- Ashes, collection and disposal of
- Dumps, operation of
- Garbage: collecting, destroying, and processing
- Hazardous waste material disposal sites
- Incinerator operation
- Landfill, sanitary: operation of
- Radioactive waste materials, disposal of
- Refuse systems
- Rubbish collection and disposal
- Sludge disposal sites
- Street refuse systems
- Waste materials disposal at sea

- [SIC Search](#)
- [Division Structure](#)
- [Major Group Structure](#)

[Freedom of Information Act](#) | [Privacy & Security Statement](#) | [Disclaimers](#) | [Important Web Site Notices](#) | [International](#) | [Contact Us](#)

U.S. Department of Labor | Occupational Safety & Health Administration | 200 Constitution Ave., NW, Washington, DC 20210

Telephone: 800-321-OSHA (6742) | TTY

www.OSHA.gov

ATTACHMENT C

State & County QuickFacts
Atlantic County, New Jersey

People QuickFacts	Atlantic County	New Jersey
Population, 2013 estimate	275,882	8,889,338
Population, 2012 estimate	275,382	8,867,749
Population, 2010 (April 1) estimates base	274,549	8,791,909
Population, percent change, April 1, 2010 to July 1, 2013	0.5%	1.2%
Population, percent change, April 1, 2010 to July 1, 2012	0.3%	0.9%
Population, 2010	274,549	8,791,894
Persons under 5 years, percent, 2012	6.0%	6.0%
Persons under 18 years, percent, 2012	22.7%	22.9%
Persons 65 years and over, percent, 2012	15.0%	14.1%
Female persons, percent, 2012	51.5%	51.2%
White alone, percent, 2012 (a)	71.5%	73.8%
Black or African American alone, percent, 2012 (a)	17.3%	14.7%
American Indian and Alaska Native alone, percent, 2012 (a)	0.7%	0.8%
Asian alone, percent, 2012 (a)	8.0%	8.0%
Native Hawaiian and Other Pacific Islander alone, percent, 2012 (a)	0.1%	0.1%
Two or More Races, percent, 2012	2.4%	1.9%
Hispanic or Latino, percent, 2012 (b)	17.7%	18.5%
White alone, not Hispanic or Latino, percent, 2012	67.6%	58.2%
Living in same house 1 year & over, percent, 2008-2012	88.6%	90.0%
Foreign born persons, percent, 2008-2012	16.2%	20.8%
Language other than English spoken at home, pct age 5+	25.6%	29.6%
2008-2012		
High school graduate or higher, percent of persons age 25+	83.7%	87.9%
2008-2012		
Bachelor's degree or higher, percent of persons age 25+	24.1%	35.4%
2008-2012		
Veterans, 2008-2012	17,504	457,724
Mean travel time to work (minutes), workers age 18+, 2008-2012	23.7	30.3
Housing units, 2012	127,360	3,574,558
Homeownership rate, 2008-2012	69.6%	68.2%
Housing units in multi-unit structures, percent, 2008-2012	31.8%	35.9%
Median value of owner-occupied housing units, 2008-2012	\$248,100	\$337,900
Households, 2008-2012	101,018	3,186,878
Persons per household, 2008-2012	2.83	2.70
Per capita money income in past 12 months (2012 dollars), 2008-2012	\$27,227	\$36,928
Median household income, 2008-2012	\$54,659	\$71,637
Persons below poverty level, percent, 2008-2012	12.8%	9.9%

Business QuickFacts

Atlantic County New Jersey

Private nonfarm establishments, 2011	6,408	226,878 ¹
Private nonfarm employment, 2011	111,038	3,377,948 ¹
Private nonfarm employment, percent change, 2010-2011	-2.2%	0.3% ¹
Nonemployer establishments, 2011	16,951	615,142
Total number of firms, 2007	21,027	781,622
Black-owned firms, percent, 2007	7.0%	7.7%
American Indian- and Alaska Native-owned firms, percent, 2007	S	0.4%
Asian-owned firms, percent, 2007	7.4%	8.7%
Native Hawaiian and Other Pacific Islander-owned firms, percent, 2007	F	-2.1%
Hispanic-owned firms, percent, 2007	S	6.7%

B

4/18/2014

Atlantic County QuickFacts from the US Census Bureau

Women-owned firms, percent, 2007	27.8%	27.3%
Manufacturers shipments, 2007 (\$1000)	D	116,608,094
Merchant wholesaler sales, 2007 (\$1000)		1,342,162 239,413,004
Retail sales, 2007 (\$1000)		4,429,395 124,813,580
Retail sales per capita, 2007		\$16,409 \$14,453
Accommodation and food services sales, 2007 (\$1000)		6,093,042 19,993,613
Building permits, 2012	441	17,939
Geography QuickFacts		
Land area in square miles, 2010	555.70	7,564.22
Persons per square mile, 2010	494.1	1,199.5
FIPS Code	001	34
Metropolitan or Micropolitan Statistical Area	Atlantic County	New Jersey Atlantic County
	Hammonon, NJ Metro Area	

†: Includes data not distributed by county.

(a) Includes persons reporting only one race.

(b) Hispanics may be of any race, so also are included in applicable race categories.

D: Suppressed to avoid disclosure of confidential information

F: Fewer than 25 firms

Rk: Rounded on this item for this area in place of data

Nk: Not available

S: Suppressed; does not meet publication standards

Z: Not applicable

Z1: Value greater than zero but less than half unit of measure shown

Source: U.S. Census Bureau; State and County QuickFacts. Data derived from Population Estimates, American Community Survey, Economic Census, Survey of Business Owners, State and County Housing, U.S. Estimation, County Business Patterns, Nonemployer Statistics, Last Revised: Thursday, 2/18/2014 09:55:23 EST

ATTACHMENT D

Post Road Potable Well Contamination Site

Fact Sheet

Buena Vista Township, Atlantic County

April 2014

Site Background

New Jersey Department of
Environmental Protection
Site Remediation Program

Office of Community
Relations

Phone: (609) 984-3081

Toll Free: 1-(800) 253-5647

Fax: (609) 633-2360

For more information
about the potable well
investigation or other
DEP activities at this site,
please contact:

Heather Swartz,
Community Relations
Coordinator

at
(609) 984-7135

or

Heather.Swartz@dep.state.nj.us

In March of 2014, the Atlantic County Health Department notified the New Jersey Department of Environmental Protection (DEP) that nine residential potable (drinking water) wells on Post Road and North Union Road in Buena Vista Township were contaminated with volatile organic compounds (VOCs), and in some cases mercury, at concentrations above New Jersey Ground Water Quality Standards. The VOCs detected in the well water included trichloroethene (TCE), vinyl chloride, cis -1,2 dichloroethene, 1,2 dichloropropane and benzene. The sources of the VOCs and mercury in the ground water are currently unknown. A DEP investigation is underway to determine the sources of these contaminants.

The contaminated private potable wells are being addressed through New Jersey's Spill Fund Claims process. Through this process, the affected residents may be eligible for installation of Point-of-Entry Treatment (POET) systems on their wells. The installation, monitoring and maintenance of the POET systems are provided at no cost to eligible claimants. Information about the New Jersey Spill Fund and a link to the Spill Fund claim form is available at www.nj.gov/dep/srp/finance/eca.htm.

On April 23 and 24, DEP is planning to test up to 30 additional private drinking water wells in the immediate area of Post Road and North Union Road for VOCs and mercury in an effort to identify the extent of the potable well contamination. Any resident whose well is determined to be contaminated with VOCs and/or mercury above New Jersey Ground Water Quality Standards may be eligible to have a POET system installed on their well at no charge. In the future, Buena Vista Township and DEP will evaluate the feasibility of extending public water mains as a long term solution to supply clean drinking water to the affected area.

For information on filing a claim through the Spill Fund, please contact:

CHRIS CHRISTIE
Governor

KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

Dominick Dortch
DEP Financial Services Element – Fund Management Section
Mail Code: 401-06J
P.O. Box 420
Trenton, NJ 08625-0420
Phone: (609) 777-0284
Fax: (609) 292-4401

If you have any questions about possible health impacts due to the contaminated well water, please contact the New Jersey Department of Health, Environmental and Occupational Health, at (609) 826-4984.

For more information about the site contaminants, please visit:

<http://www.epa.gov/superfund/health/index.html>

<http://www.atsdr.cdc.gov/toxfaq.html>




ATTACHMENT E

Mayor
Chuck Chiarello

Administrator
Joseph J. Alessandrino, Jr.

Township Clerk
Lisa A. Tilton



Township Committee
Sue Barber
Teresa Kelly
Steve Martinelli
John Williams

BUENA VISTA TOWNSHIP

P.O. Box 605, 890 Harding Highway
Buena, New Jersey 08310
Telephone: (856) 697-2100
Facsimile: (856) 697-8353

Public Notice Special Meeting on Thursday, October 30th

Public Notice is hereby given that the Buena Vista Township Committee will conduct a Special Meeting on Thursday, October 30, 2014 from 5:00 p.m. to 7:30 p.m. located at the Buena Vista Township Municipal Complex, 890 Harding Highway. Representatives of the State Department of Environmental Protection (DEP), the State Department of Health (DOH) and the Atlantic County Division of Public Health will be in attendance to discuss drinking water, well, and health issues that are being investigated in the area of Post Road, Union Road, LeJan Terrace, and Cimino Blvd.

THIS NOTICE DOES NOT MEAN YOU ARE AFFECTED

Re: Drinking Water / Well Issues / Health Issues
Date: October 20, 2014
From: Mayor Chuck Chiarello on behalf of Township Committee

As a result of additional questions being raised by residents in the Post Road area, the Township Committee has made special arrangements with the State and County to conduct an Open Forum and Presentation on the above referenced date and times.

The meeting will be held in our large meeting room at Township Hall and will follow the below listed format:

- 5:00 p.m. **Meeting Called to Order.**
- 5:05 p.m. **Open Forum** discussion will be held where you can address your individual concerns to members of the agencies in attendance that are listed above.
- 6:00 p.m. **Presentation and Updates** will be made to the group in attendance.
- 6:45 p.m. **Open Forum** resumes where you may ask any additional questions to the members of the agencies in attendance that are listed above.
- 7:30 p.m. **Meeting Adjourns.**

This meeting is a follow-up to the previous Special Meeting held on Thursday, April 10, 2014 at the Township Hall.

ATTACHMENT F

PRELIMINARY ASSESSMENT

Buena Township Department of Public Works Yard
430 South Union Road
Buena Vista Township, Atlantic County, NJ
EPA ID No.

Documentation indicates that Buena Vista Township operates its Department of Public Works (DPW) garage on site at 430 South Union Road, Buena Vista Township, Atlantic County, NJ. Formerly, the site also served as a fueling station for Buena Vista Township motor vehicles, though the three underground storage tanks (USTs) associated with those activities (two 550-gallon gasoline UST, one 1,000-gallon diesel UST) were removed in 1998 along with their corresponding dispensers. There is a closed municipal landfill on site. Prior to operation as a Public Works Yard, the site is rumored to have been a quarry. Historic aerials dating as far back as 1931 show disturbed land, potentially corroborating the quarry assertion. Currently, the site consists of parking/paved surfaces, a garage building and smaller ancillary buildings, a septic tank and seepage pit, and a closed municipal landfill to the west of the main garage building. The land surrounding the DPW Yard is made up primarily of residential and functioning agricultural properties with private wells.

Five monitoring wells exist on site. Four of these were installed in 1987 and are associated with the closed landfill. Vinyl chloride at levels as high as 102.3 ppb and trichloroethene (TCE) at levels as high as 82.5 ppb were detected in two of these wells as of their most recent sampling on April 9, 2014. The fifth well was installed in 2000 and is associated with the 1998 UST removal and has been sealed.

In March of 2014 the Atlantic County Health Department notified New Jersey Department of Environmental Protection (NJDEP) that nine residential potable wells on Post Road and North Union Road, in the vicinity and topographically down-gradient of the DPW property were contaminated with volatile organic compounds (VOCs), and in some cases mercury, at concentrations above New Jersey Ground Water Quality Standards. VOCs detected in the potable well water included TCE, vinyl chloride, cis-1,2-dichloroethene, cis-1,2-dichloropropane, benzene, mercury and perchlorate. A second round of sampling identified seven additional properties with potable well contamination in the vicinity. These results have not yet been confirmed but would potentially bring the number of wells known to be contaminated up to 16. The total number of potable wells impacted is still being determined. The wells confirmed to be contaminated thus far have been offered point of entry treatment systems (POETS) by NJDEP. As contamination is found and confirmed in additional wells, POETS will be offered accordingly.

Because the Buena Township DPW Yard is located upgradient and in close proximity to the cluster of potable wells hit by TCE and vinyl chloride, and existing monitoring wells show the presence of these chemicals on the site, NJDEP/BEMSA recommends that a Site Investigation be conducted to evaluate the Buena Vista DPW Yard's potential contribution to the TCE and vinyl chloride contamination detected in proximal private wells.

ATTACHMENT G

**PRE-CERCLIS SCREENING
DATA ENTRY FORM**

EPA I.D. NUMBER: FORM ISSUED DATE:

0000 45221

NAME OF FACILITY: Buena Township Department of Public Works Yard

STREET: 430 Union Road

CITY: Buena Vista Township **COUNTY:** Atlantic **STATE:** NJ **ZIP CODE:** 08360

LATITUDE: +39°29'37"N **Indicate + for Northern Hemisphere**

LONGITUDE: -74°55'15.528"W **Indicate - for Western Hemisphere**

Accuracy meters: 3

Collection method: GIS

Reference datum: NAD83

Reference point: Center point of facility

Source map scale: 1:2,000

Point/line/area: Point

Collection date: 9/9/2014

Verification method:

Source: NJDEP ArcGIS ArcMap10.2

NPL STATUS: Not on NPL

SITE TYPE MAIN CATEGORIES: Waste Management

SITE TYPE MAIN SUBCATEGORIES: Municipal solid waste landfill


SITE DESCRIPTION: Buena Vista Township operates its Department of Public Works (DPW) garage on site at 430 South Union Road, Buena Vista Township, Atlantic County, NJ. Formerly, the site served as a fueling station for Buena Vista Township motor vehicles. A small municipal landfill, now closed, also exists on site. Prior to operation as a Public Works Yard, the site is rumored to have been a quarry. Historic aerials dating as far back as 1931 show disturbed land, potentially corroborating the quarry assertion.

In 2014 groundwater contamination was detected in private potable wells in the vicinity of 430 Union Road in Buena Vista Township, Atlantic County, NJ. As a result, Atlantic County's Health Department and New Jersey Department of Environmental Protection have sampled potentially impacted private wells in the area and detected a suite of contaminants occurring above the New Jersey Drinking Water Maximum Contaminant Level (MCL) including trichloroethene (TCE), vinyl chloride, cis-1,2-dichloroethene, cis-1,2-dichloropropane, benzene, mercury and perchlorate. The

extent of contamination is still being assessed but analytical results thus far have confirmed nine impacted wells and an additional six wells in need of confirmation sampling. These TCE impacted wells are located to the south and downgradient of the Buena Township DPW Yard

On April 9, 2014 four monitoring wells on site at the Buena Township DPW Yard, installed in 1987 and associated with the closed landfill, were sampled and results showed vinyl chloride at levels as high as 102.3 ppb and TCE at levels as high as 82.5 ppb in two of the wells. These levels are well above the MCL set at 1 ppb.

Because the Buena Township DPW Yard is located upgradient and in close proximity to the cluster of potable wells hit by TCE and vinyl chloride, and existing monitoring wells show the presence of these chemicals on the site, NJDEP/BEMSA recommends that a Site Investigation be conducted to evaluate the Buena Vista DPW Yard's potential contribution to the TCE and vinyl chloride contamination detected in proximal private wells.

Checklist preparer: Annie Dunham 
Print name/signature

Title:
Date:

Address: 380 Scotch Road
Ewing, New Jersey 08628

Phone Number: 609-530-4393
E-mail address: @dep.state.nj.us

Regional EPA Reviewer: _____
Print name/signature Date

ATTACHMENT H

Site Remediation and Waste Management Program
Division of Remediation Support
Bureau of Environmental Measurements & Site Assessment
PO Box 407
Trenton, New Jersey 08625-0407
(609) 584-4280

IN THE MATTER OF THE SITE, :
Buena Vista Township
Department of Public Works : SITE ACCESS AGREEMENT
Yard
PROGRAM INTEREST NO., 660004 :
430 South Union Road,
Buena Vista Township,
Atlantic County, NJ

And

New Jersey Department of
Environmental Protection

RECITALS

Buena Vista Township ("Property Owner") grants the New Jersey Department of Environmental Protection, its contractor(s) and subcontractor(s) (collectively, "DEP") permission to enter upon certain property located at 430 South Union Road, Buena Vista Township, Atlantic County ("the Site"), this property being also known and designated as Block 7101, Lot 25, on the Tax Map of Buena Vista Township, which DEP has designated as Site Remediation Program Interest No. 660004

PURPOSE

1. DEP and the Property Owner are entering into this Agreement so DEP may enter upon the Site to perform a site investigation. A copy of the work plan for the site

investigation is attached to this Agreement as Attachment A.

DEP COMMITMENTS

2. In return for the Property Owner granting DEP access to the Site for the site investigation, DEP agrees to the following:

a. DEP will give the Property Owner reasonable notice before commencing the on-site portion of the site investigation.

b. DEP will, to the greatest practicable extent, perform the site investigation in a way that minimizes interference with the Property Owner's ongoing business operations. If DEP determines, in its sole discretion, that any on-site activity may interfere with the Property Owner's business operations, DEP will first notify, and consult with, the Property Owner before commencing the activity. DEP will, however, decide, in its sole discretion, how to perform the activity.

c. The Property Owner shall have the opportunity to be present at any on-site sampling event, and to split any sample DEP takes to the extent the sample can be split. The Property Owner shall do so only when it agrees to:

i. Provide DEP with notice of its intention to be present when DEP performs the sampling, and its intent to split the sample(s);

ii. Not in any way interfere with the timing or performance of the sampling;

iii. Supply, at its own cost and expense, any equipment DEP requires for splitting the sample(s); and

iv. Perform, or arrange for the performance of, the analysis of each split sample it obtains, at its own cost and expense.

d. DEP shall, as practicable, return the Site to the general condition that existed before DEP's use or occupancy of the Site.

e. If DEP, in its sole discretion, determines that any boring installed during the site investigation is no longer needed, DEP shall properly close and seal the boring.

f. DEP shall, at the Property Owner's request, provide the Property Owner with a copy of any final report concerning the site investigation to the extent the report does not contain any confidential or otherwise privileged information.

INDEMNIFICATION & INSURANCE

3. The State, for itself, its successors and assigns, agrees to indemnify the Property Owner, its heirs, successors and assigns, from any and all liability, claims, damages and actions that may result from the negligent use or occupancy of the Property by the State, subject to the following exceptions: 1) The State shall have no obligation to indemnify or hold harmless the Property Owner, its heirs, successors or assigns, or any of them, for any claims or damages for which the State would have no liability under the New Jersey Tort Claims Act (N.J.S.A. 59:1-1 to -12-3) and the New Jersey Contractual Liability Act (N.J.S.A. 59:13-1 to -14-4); 2) the liability, if any, of the State shall be subject to the availability of the State of New Jersey's funds; and 3) the agreement of the State to indemnify, as set forth in this paragraph, shall not apply to any claims, actions or damages that may arise out of, be occasioned by or result from any condition existing on, or which did exist on, the Property at the time of the execution of this Agreement, or at any time prior to the execution of this Agreement.

4. Besides any other requirement placed upon it by law and the contract(s) the State awards for the site investigation, any contractor DEP retains for the site investigation shall obtain comprehensive general liability

insurance of \$1 million per occurrence and in the aggregate. The policy shall include an endorsement for broad form property damage coverage. Further, the contractor shall:

a. Maintain such insurance for the duration of the site investigation;

b. Name the Property Owner as an additional insured on the certificate of insurance for each policy required by the Request for Proposal DEP issues for the site investigation; and

c. No later than 7 calendar days before commencing any on-site activity, deliver to the Property Owner a copy of each certificate or policy evidencing the required coverage, with proof of payment of the premium, and a conformed copy of this Agreement.

TERM OF AGREEMENT

5. The Property Owner shall promptly sign, date and return this Agreement to DEP. This Agreement shall take effect as of the date DEP's authorized representative signs and dates it.

6. Unless terminated sooner by mutual agreement of the parties, this Agreement shall expire upon DEP giving the Property Owner written notice that use of the Site, or the site investigation, remedial investigation, is complete.

GENERAL CONDITIONS

7. The Property Owner agrees to notify DEP, in writing, no later than 30 calendar days before transferring title to some or all of the Property. The Property Owner shall submit this notice to the Site Assessment Supervisor, Frank Sorce, Bureau of Environmental Measurements and Site Assessment, Division of Site Remediation Management, New Jersey Department of Environmental Protection, 401 East State Street, Mail Code 380-01 PO Box 420, Trenton, New Jersey 08625-0420.


8. This Agreement, including the Attachment(s), represents the entire agreement between the parties

concerning site access, and supersedes all prior negotiations, representations, or agreements, either written or oral, unless otherwise expressly stated.

9. This Agreement may only be modified by the mutual agreement of the Parties. Further, any modification to this Agreement shall be in writing unless DEP, in its sole discretion, determines circumstances allow otherwise. Where any modification is verbal, DEP will document the modification, in writing, as soon as practicable.

10. This Agreement applies to and is binding upon DEP, the Property Owner, their successors and assigns.

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION




EDWARD RUTNAM [Name]
ASSISTANT DIR. [Title]

1/5/15 Dated:


(ATTEST)

[PROPERTY OWNER]



Lisa A. Tilton Name:
Township Clerk Title:

November 24, 2014 Dated:



Chuck Chiarello Name:
Mayor Title:

November 24, 2014 Dated:

rev. 04/14

WORK PLAN FOR SITE INVESTIGATION

SITE NAME: Buena Vista Township Department of Public Works Yard

PI #: 660004

JOB NUMBER: A830410P **ACTIVITY CODE:** V6TE

AKA:

ADDRESS: 430 Union Road

MUNICIPALITY: Buena Vista Township **COUNTY:** Atlantic

EPA ID NUMBER: NJR 000025221

ACCESS GRANTED? Yes for offsite farm/residential properties; contingent upon access agreement for DPW property

SITE CONTACT(S): Lisa Tillman (Buena Vista Township) phone: 856-697-2100 Ext. *811; Rich Calereso (Operator DPW Yard) phone: 609-381-4677; Carol Panco (co-own Block 7101, lots 29, 28, 27, 26. Runs C&M greenhouse on lot 29) phone: 609-381-1987, Theresa and Kevin Seelman (co-own Block 7101, Lot 24) phone: 856-839-0039; Chris Alimenti (lessee of Seelman property, farms on lots 24, 26, 27, 28, 29) phone: 609-517-1052

PROJECT MANAGER NAME: Annie Dunham

AERIAL PHOTOS REVIEWED: Yes

BACKGROUND INFORMATION:

Buena Vista Township operates its Department of Public Works (DPW) garage on site at 430 South Union Road, Buena Vista Township, Atlantic County, NJ. Formerly, the site served as a fueling station for Buena Vista Township motor vehicles. A small municipal landfill, now closed, also exists on site. A specific closure date is not known but locals and DPW employees recall operations ceasing in the late 1970s or early 1980s. Prior to operation as a DPW Yard, the site may have been a gravel pit. Historic aerials dating as far back as 1931 show disturbed land, potentially corroborating its use as a gravel pit.

In 2014 groundwater contamination was detected in private potable wells in the vicinity of the 430 Union Road property. As a result, the Atlantic County Health Department and New Jersey Department of Environmental Protection (NJDEP) sampled potentially impacted private wells in the area and detected a suite of contaminants above the New Jersey Drinking Water Maximum Contaminant Level (MCL) for trichloroethene (TCE), vinyl chloride, cis-1,2-dichloroethene, cis-1,2-dichloropropane, benzene, mercury and perchlorate. The extent of contamination is still being assessed but analytical results thus far have confirmed 31 impacted wells. Of these 31, the majority of impacted wells are located to the south and southwest and down gradient of the Buena Township DPW Yard. As an interim measure, affected homes are being provided with point of entry treatment systems (POETS) through the Environmental Claims Administration (Spill Fund).

On April 9, 2014, four monitor wells on site at the Buena Township DPW Yard, installed in 1987 and associated with the closed landfill, were sampled and results showed vinyl chloride at levels as high as 102.3 ppb and TCE at levels as high as 82.5 ppb in two of the wells. These levels are well above the MCL set at 1 ppb.

PURPOSE OF WORKPLAN:

The purpose of the sampling is to determine if operations on site, past or present, have impacted ground water with any combination of volatile organic compounds, mercury, and perchlorate on and around the 430 Union Street property and to define the TCE/DCE/vinyl chloride plume down gradient of the property.

Ground water samples are proposed to be collected at 10 different locations. Four borings will be advanced on site. Samples will be collected from these at six proposed depths starting at 17-20 feet (i.e., the water table) and going down at 8-foot increments. One of these onsite borings is associated with the former municipal landfill and is located in the southwest corner of the property, with two of the remaining borings providing up-gradient and side-gradient background samples from the north and east sides of the property. The remaining sample is located in the down-gradient southern area of the DPW Yard's work area (where the former fueling station was located) and will help determine if that area of concern is a possible contributor to groundwater contamination on site. These samples will be analyzed for volatile organic compounds, mercury, and perchlorate. During sample collection a GPS unit will be used to record the location of each boring.

One boring is planned northeast of the DPW yard along Union Road. This boring will establish up-gradient background groundwater chemical constituents. This sample will be analyzed for VOCs, mercury, and perchlorate. During sample collection a GPS unit will be used to record the location of this boring.

The remaining five borings are to be taken off site and are primarily positioned linearly and run perpendicular to expected groundwater flow from the site (flow is toward the southwest, toward the Panther Branch Stream). Samples will be collected from these at six proposed depths starting at the water table and going down at 8-12 foot increments. One of these borings is located in Lot 29 of block 7101 on the western side of Union Road and south of the DPW's western property boundary. Two samples are located in lots 26 and 27 (combined lots) of block 7101 and are positioned to be southwest of the DPW's southwestern corner, with one located immediately adjacent to the property and the other approximately 300 to the southwest. The final two samples are planned for lot 24 of block 7101, which lies west of the DPW's western property boundary. One of these samples in the southwest corner of lot 24 and the other is along its western edge and is intended to provide an off-site background sample. These samples will be analyzed for VOCs. During sample collection a GPS unit will be used to record the location of each boring.

AREA OF CONCERN	SAMPLE ID	AREA/VOLUME OF AOC	NUMBER OF SAMPLES	SAMPLE JUSTIFICATION
Off Site Background	GW1		6	Offsite up-gradient background. Bore to 6 depths or refusal.
DPW Work Area	GW3		6	Down-gradient edge of the DPW Work area and former location of onsite USTs. Up-gradient of suspected contaminated area of former landfill. Potential to isolate former landfill as a contributing source. Bore to 6 depths or refusal.
Onsite Background	GW2, GW4		12	Onsite up and side-gradient background . Bore to 6 depths or refusal for each.
Former Municipal Landfill	GW5		6	DPW-installed monitoring wells indicate VOC contamination. Potential to confirm. Bore to 6 depths or refusal.
Block 7101, Lot 26/27	GW6, GW 10		12	Down-gradient off the south west corner property boundary of the DPW. Potential to help define plume. Bore to 6 depths or refusal for each
Block 7101, Lot 29	GW 7		6	Down-gradient off the southwest corner of the site, located between GW1 and GW2. Potential to help define plume. Bore to 6 depths or refusal.
Block 7101, Lot 24	GW 8, GW9		12	Located off the western edge of the DPW property. Potential to define western edge of the plume. Bore to 6 depths or refusal for each.

POTABLE WELLS/INDOOR AIR

OWNERS NAME	ADDRESS	OWNER NOTIFIED

AQUEOUS			
SAMPLE TYPE	NUMBER OF SAMPLES	TYPE OF ANALYSIS	LABORATORY
MONITORING WELL			
GROUND WATER	60 samples	VOCs, perchlorate, mercury	EPA CLP
SURFACE WATER			
POTABLE WELL			
DUPLICATE	3	VOCs, perchlorate, mercury	EPA CLP
FIELD BLANK	9	VOCs, perchlorate, mercury	EPA CLP
TRIP BLANK	9	VOCs, perchlorate, mercury	EPA CLP
MS/MSD			
TOTAL	81	VOCs, perchlorate, mercury	EPA CLP

NON-AQUEOUS			
SAMPLE TYPE	NUMBER OF SAMPLES	TYPE OF ANALYSIS	LABORATORY
SOIL			
SEDIMENT			
DUPLICATE			
MS/MSD			
TOTAL			

INDOOR AIR			
SAMPLE TYPE	NUMBER OF SAMPLES	TYPE OF ANALYSIS	LABORATORY
6 LITER			
1 LITER			
AMBIENT			
TOTAL			

EPA	ADLY MICHAEL	732-906-6161
EPA DESA LAB	JOHN BIRRI	732-906-6886/321-6707
TEST AMERICA	KIRK YOUNG	802-660-1990
COMMUNITY RELATIONS	MARC HERZBERG	609-633-1369
HANDEX	MIKE RUMEN	609-336-2590 ext. 1208


STAFF DESK PHONE AND CELL NUMBERS

STAFF MEMBER	DESK PHONE/CELL
CYR	530-8703
DUNHAM	530-4393
HOKE	530-8704
MCEVOY	530-8705
HANRAHAN	530-3956
RAPP	530-3944
SORCE	530-2457
DEP ENVIRONMENTAL LAB	530-2007/2071
WAREHOUSE	530-2144
WAREHOUSE (FAX)	530-2217
INSTRUMENT ROOM (CHUCK)	530-2082
MUMFORD	530-3347/306-2317
LOWRY	530-2461/306-7342
PUTNAM	984-3074

DIRECTIONS TO SITE FROM 380 SCOTCH ROAD:

According to Google Maps:

Driving directions to 430 S Union Rd, Vineland, NJ 08360

 380 Scotch Rd
Ewing Township, NJ 08628

1. Head west on Scotch Rd toward Sam Weinroth Rd 472 ft
2. Turn left onto Sam Weinroth Rd 0.2 mi
3. Turn right onto Scotch Rd 0.2 mi
4. Take the ramp onto I-95 N 6.6 mi
5. Continue onto I-295 S 10.2 mi
6. Take exit 57A-57B for US-130 toward Bordentown/
Burlington 0.2 mi
7. Take exit 57A on the left for US-130 N toward Bordentown 0.2 mi
8. Keep right at the fork to stay on Exit 57A 0.3 mi
9. Keep left at the fork and merge onto US-130 N 0.5 mi
10. Turn right onto Farnsworth Ave 0.3 mi
11. Slight right onto US-206 S 17.5 mi
12. At the traffic circle, continue straight to stay on US-206 S 17.7 mi
13. Continue onto Bellevue Ave 1.2 mi

14. Continue onto **NJ-54 S/12th St**
Continue to follow NJ-54 S

10.7 mi

15. Turn left onto **US-40 E**

0.1 mi

16. Take the 1st right onto **Cumberland Rd**


0.1 mi

17. Slight left onto **Tuckahoe Rd**

0.4 mi

18. Slight right onto **Union Rd**
Destination will be on the right

0.9 mi

 430 S Union Rd
Vineland, NJ
08360

INJURIES WHILE ON THE JOB

For billing purposes the treating facility should be given the following information:

1. The injury/illness is occupationally related
2. The person requiring treatment is a NJDEP employee
3. Bill to: Horizon Casualty Services
 33 Washington Street
 Newark, New Jersey 07102
 800-985-7777

NOTE: DO NOT RELEASE ANY PERSONAL INSURANCE OR ANY OTHER PERSONAL INFORMATION TO THE TREATING FACILITY.

1. EMERGENCY CARE

- a. Should emergency medical assistance/treatment be necessary make a reasonable effort to go to the Horizon Healthcare Network Services Treatment Facility selected, however if the emergency is life threatening, then proceed directly to the nearest emergency hospital.
- b. Report your injury to your supervisor
- c. Your supervisor should contact the Employee Services Unit immediately.
- d. A case number and compensation ID card will be issued to you.

NOTE: If the injury occurs after 5:00 pm and until 8:00 am call the DEP Environmental Hotline at 877-WARNDEP (877-927-6337).

2. NON-EMERGENCY CARE

- a. Should non-emergency medical assistance/treatment be necessary go to the Horizon Healthcare Network Services Treatment Facility selected.
- b. Report your injury to your supervisor
- c. Your supervisor should contact the Employee Services Unit immediately
- d. A case number and compensation ID card will be issued to you.

Employee Services Unit (Maria Diem)609-984-3412

Environmental Equipment Service Center 609-530-2144

WORK PLAN APPROVAL SIGNATURES	DATE
CASE COORDINATOR <u><i>[Signature]</i></u>	<u>10/16/14</u>
SUPERVISOR <u><i>[Signature]</i></u>	<u>10/16/14</u>
SECTION CHIEF <u><i>[Signature]</i></u>	<u>10/30/14</u>

CC BUREAU CHIEF

Reporting Sample Shipment

Faxing the Regional copy of TR/COC daily to the Region Office, is still required.

1. On the last step of the FORMS II Lite wizard (Print/View a specific TR) is the "Export TR" button. This button allows the user to export all the TR/COCs for that site in .xml format.

Note: Please make sure to select the "Include Site and Field QC Information" checkbox.

2. With regard to the new procedure of reporting the shipping information by uploading the electronic files extracted from FORMS II Lite, OR **Scribe software**, please use the following URL to register/sign up to the **new** SMO portal website, to be able to upload your shipping information as extracted from either software you're using:

<http://epasmoweb.fedcsc.com/smoportal>

Please **register** as a New User, and follow the instruction. You will be notified of the approval by the website management, then you can proceed with uploading the shipping information electronically.

3. Select the "Browse" button and locate the XML file you wish to upload.

Once you login you will need to browse to your XML file location using the *browse* button. Once located, click the *upload* button. A list of all the XML files you upload will appear with your created name and the FormsII lite COC name. Click on any applicable boxes, add comments and your email address and click the *upload* button. Please review the instruction sheet provided for more information.

A message will be displayed saying your file has been submitted. You will also receive a confirmation email.

Safe Operating Instructions
For Direct Push Sampling Systems (Geoprobe)

This document establishes a set of safe operating instructions for the operation of hydraulically powered soil boring and ground water push point units. It represents the minimum safety requirements to be followed by Site Remediation Program staff and its contractors, when using such equipment in the field.

DEFINITIONS:

GeoProbe - "GeoProbe" is the brand name of a hydraulically powered machine that utilizes static force and percussion to advance sampling and logging tools into the subsurface. Geoprobe tools are used to perform soil core and gas sampling, groundwater sampling, soil conductivity and contaminant logging, grouting and materials injection. For the purpose of these instructions, Geoprobe will include the truck mounted units which are the type that are currently most frequently used by the Site Remediation Program. However, these instructions will also apply to other (including tractor and ATV mounted) units manufactured and marketed under other names that are designed for similar purposes.

SAFE OPERATING REQUIREMENTS:

1. **PRE-TRANSPORT CHECK:**

Before the Geoprobe is driven to the site, the sampling coordinator, or designated person, (usually the Certified Borer that will be transporting the unit and operating it at the site) will be responsible for ensuring that the unit will have readily available the following safety items:

Fire Extinguisher
Hearing Protection
Safety Goggles
Hard Hat
Outer Protective Gloves

Inspect hydraulic hoses and fittings for signs of wear, cracks or looseness. Have replaced or repair as needed before using.

The pre-transport check will also include inspecting the unit to insure that all equipment within the truck (rods, tools screen points etc..) is properly stored/secured.

For the trailer pulled units, the trailer will be inspected to insure it is free of damage and is in safe operating condition. (correct tire pressure, tread wear etc.) Check to make sure trailer is properly hitched, that safety chains are properly attached and that trailer stop/turn signal lights are connected and working.

2. **TRANSPORTING UNIT:**

OBEY ALL TRAFFIC LAWS including speed postings, especially on off ramps and around turns.

Use extra caution when backing up. When possible have someone outside assist in giving directions when backing into position.

Use extra caution when moving over rough terrain or uneven and slippery surfaces.

These vehicles are heavy. At site, walk/survey area that will be driven on first to make sure ground is not too soft or muddy to support vehicle.

3. SETUP:

Position vehicle on as level an area as possible.

If on, or near street, or in parking area where traffic is anticipated, wear safety vest and place traffic safety cones and warning signs as per DOT requirements. Utilize a flag person when in traffic lanes.

Do not park support vehicles along street in such a way that restrict/obstruct traffic.

Always take vehicle out of gear and set emergency brake before engaging remote ignition.

4. USAGE:

The following safety precautions/procedures must be followed:

OBEY MANUFACTURE'S INSTRUCTIONS FOR USE

Under Ground Utilities: (gas, water, sewer, cable, phone and electric or process related) No ground intrusive work is to commence without a **current** underground utility mark out **and** an inspection/check of the area by OSSH.

Untrained personnel should not operate machine unless an experience borer is present.

Operators and assistants must wear appropriate, OSHA approved eye, hand and foot protection

Operators and assistants must wear hearing protection.

Do not wear loose fitting clothing while operating unit.

Only one person should operate Geoprobe at one time.

Operator must stand to control side of machine, clear of the probe foot and derrick, while operating unit.

Turn off the hydraulic system at the control panel while changing rods, inserting hammer anvil, or attaching accessories.

Shut down hydraulic system and turn unit off before attempting to clean or service equipment.

Use caution when vehicle is parked on a loose, soft or slippery surface. Do not apply enough force to cause the vehicle to lighten the load on its suspension as the reduced weight on the vehicle's tires may allow it to shift or slide.

Do not exert more downward force on the probe so as to lift the probe foot more than 6 inches off the ground.

Hydraulic fluids are under high pressure. Be careful to watch for and avoid leaks.

If problem occurs, release all control levers. The controls are spring loaded and automatically return to neutral position and machine operation will cease. **Do not rig control levers to continue operating unit while it is unattended. This over rides the automatic shut off.**

Warning decals on unit to be obeyed, are not to be removed and must be replaced if removed or damaged.

Geoprobe unit is not to be modified or serviced using un-approved parts.

Safe Operating Instructions
For Hot Water Pressure Washer

This document establishes a set of safe operating instructions for the operation of pressure washing/steaming cleaning equipment. It represents the minimum requirements to be followed by Site Remediation Program staff, when using such equipment in the field.

DEFINITIONS:

Pressure washer - For the purpose of these instructions, a power washer will be defined as any power driven machine, piece of equipment, or devise, that generates pressurized stream, or spray of water, whether heated or unheated, for the purpose of cleaning/removing dirt, contaminants or other foreign matter from equipment. This definition will include machines/equipment commonly known as power washers and steam cleaners which develop sufficient pressure and, or heat, that have the potential to cause injury to its user, other nearby personnel and property.

SAFE OPERATING REQUIREMENTS:

NOTE: These instructions refer to the trailer mounted pressure washer which, is the type that is currently most frequently used by the Site Remediation Program. However, these instructions also will apply to any self-contained/portable, non-trailerred units that may be used.

5. PRE-TRANSPORT CHECK:

Before the pressure washer is transported to the site, the site sampling coordinator, or designated person, (usually the person that will be transporting the unit to the site) will be responsible for ensuring that the unit will have readily available the following safety items:

Fire Extinguisher
Hearing Protection
Safety Goggles
Outer Protective Gloves

Inspect hoses, gun, fittings and fuel connections for signs of wear, cracks or looseness. Replace/repair as needed.

The pre-transport check will also include inspecting the unit to insure that all equipment, including other items being transported with it, is properly secured.

Gasoline is to be transported only in DOT approved metal containers having self-closing fill spout openings.

For the trailer mounted unit, the trailer will be inspected to insure it is free of damage and is in safe operating condition. (correct tire pressure, tread wear etc.) Check to make sure trailer is properly hitched, that safety chains are properly attached and that trailer stop/turn signal lights are connected and working.

6. TRANSPORTING UNIT:

OBEY ALL TRAFFIC LAWS.

Use extra caution when turning and especially when backing up. When possible have someone outside of assist in giving directions.

Use extra caution when moving over rough terrain or uneven surfaces.

7. SETUP:

Park towing vehicle and trailer on as level an area as possible.

If on street, or in parking area where traffic is anticipated, set out traffic safety cones.

If trailer is to be separated from tow vehicle, block trailer wheels to prevent rolling. Disconnect safety chains and light wires. Install stand, crank to lower jack into stand until hitch is free.

Set up decon/equipment cleaning area in well drained area where water will not accumulate causing slippery conditions (winter use).

Make sure that spray direction will not be aimed at fellow workers, passing pedestrians, and traffic or at property that may be damaged.

Do not use near any unprotected/exposed electrical outlets or equipment.

When possible avoid use in dry wooded or grassy areas or near other flammable materials. If not possible, with unit in spray/wash mode (burner off), wet down surrounding dry materials before turning in burner.

Keep fire extinguisher nearby and available.

8. USAGE:

The following safety precautions/procedures must be followed:

OBEY MANUFACTURE'S INSTRUCTIONS FOR USE

Check hoses, gun, fittings and fuel connections for signs of wear/damage.

Wear appropriate eye, ear, hand, foot and skin protection. Eye protection will consist of a minimum of safety goggles. A full-face shield/hardhat combination worn over safety glasses is the preferred method of protection. All those working with power washer performing decontamination/cleaning activities (not just gun operator) will wear appropriate personal protection.

Do not point wand or trigger gun at yourself or at anyone else.

Do not place hands or fingers in front of high-pressure spray.

Do not allow machine to run unattended.

Do not run machine indoors or in an enclosed area or where flammable vapors may be present.

Pressure washer may produce kickback. To prevent fall, use a bracing posture and make sure footing is good. Do not block trigger so that gun is in open/on position.

Avoid touching un-insulated, potentially hot parts of unit.

Warning decals on machine are to be obeyed, are not to be removed and must be replaced if removed or damaged.

Machine is not to be modified or serviced using un-approved parts.

ATTACHMENT I

Underground Storage Tank Registration Summary

BUENA VISTA TWP PUBLIC WORKS YARD

430 UNION RD , East Vineland NJ 08360

PI Number	PI Name	Municipality	County
032698	BUENA VISTA TWP PUBLIC WORKS YARD	Buena Vista Twp	Atlantic

X Coord. Number	Y Coord. Number
373533	240536

ACTIVITY INFORMATION :

Activity Number (CF)	Registration Status	Status Date
UST000001	Terminated	8/31/1998

FACILITY INFORMATION :

Registration Period : 08/31/1998-09/30/2001

Contact Information :

Type	First Name	Last Name	Organization	Address	City	State	Zip Code
Facility Operator	Not Identified	Not Identified	Not Identified				
Tank Owner	RONALD	TREDING	BUENA VISTA TWP	PO BOX 605RT 40	Buena	NJ	08310

Facility Type : County/Municipal

Financial Responsibility :

Financial Type	Financial Carrier	Financial Effective Date (UST Reg)	Financial Policy Amount (UST Reg)	Financial Expiration

TANK SUMMARY :

Profile Name	UST Profile Status	Expiration Date (CF)
BUENA VISTA TWP PUBLIC WORKS YARD	Inactive	9/30/2001

Tank No.	Tank Size/Units	Tank Contents	Tank Status	Tank Status Date
E001	550.00	Unleaded Gasoline	Removed	10/17/1998
E002	550.00	Unleaded Gasoline	Removed	10/17/1998
		Medium Diesel Fuel		

E003 | 1,000.00(No. 2-D) | Removed | 10/17/1998

TANK DETAILED INFORMATION :

Tank No.	Tank Status	Closure No.
E001	Removed	

Construction :

Tank Install Date	1/1/1944
Tank Size/Units	550
Tank Contents	Unleaded Gasoline
Piping Operation	
Tank Structure	Single Wall
Pipe Structure	Single Wall

Compliance Monitoring ?	No
Compliance?	No
Compliance Upgrade?	No

Tank/Pipe Construction	Type
Pipe	Bare steel
Tank	Bare steel

Monitoring Detection :

Tank/Pipe Monitoring	Type
Pipe	None
Tank	Manual Tank Gauging

Spill Cont. Fill Pipe (Tank UST)	No
Tank Overfill Prot.	No

Tank No.	Tank Status	Closure No.
E002	Removed	

Construction :

Tank Install Date	1/1/1944
Tank Size/Units	550
Tank Contents	Unleaded Gasoline
Piping Operation	
Tank Structure	Single Wall
Pipe Structure	Single Wall

Compliance Monitoring ?	No
Compliance?	No
Compliance Upgrade?	No

Tank/Pipe Construction	Type
Pipe	Bare steel
Tank	Bare steel

Monitoring Detection :

Tank/Pipe Monitoring	Type
Pipe	None
Tank	Manual Tank Gauging

Spill Cont. Fill Pipe (Tank UST)	No
Tank Overfill Prot.	No

Tank No.	Tank Status	Closure No.
E003	Removed	

Construction :

Tank Install Date	1/1/1944
Tank Size/Units	1000
Tank Contents	Medium Diesel Fuel (No. 2-D)
Piping Operation	
Tank Structure	Single Wall
Pipe Structure	Single Wall

Compliance Monitoring ?	No
Compliance?	No
Compliance Upgrade?	No

Tank/Pipe Construction	Type
Pipe	Bare steel

Tank Bare steel

Monitoring Detection :

Tank/Pipe Monitoring	Type
Pipe	None
Tank	Manual Tank Gauging

Spill Cont. Fill Pipe (Tank UST)	No
Tank Overfill Prot.	No

[contact dep](#) | [privacy notice](#) | [legal statement](#) | [accessibility statement](#) 

department: [njdep home](#) | [about dep](#) | [index by topic](#) | [programs/units](#) | [dep online](#)
statewide: [njhome](#) | [citizen](#) | [business](#) | [government](#) | [services A to Z](#) | [departments](#) | [search](#)

Copyright © State of New Jersey, 1996-2004
Department of Environmental Protection
P. O. Box 402
Trenton, NJ 08625-0402

Last Updated: December 13, 2005

ATTACHMENT J

SCHAEFFER & SCHEIDEGG

CONSULTING ENGINEERS, LLC

ENGINEERING AND PLANNING

5-B London Square Mall
201 Tilton Road
Northfield, New Jersey 08225
Phone: (609) 272-1166
Fax: (609) 272-8411

Andrew F. Schaeffer, PE, PP
David S. Scheidegg, PE, CME

February 17, 2000

Mr. Gary Sanderson, Supervisor
NJ Department of Environmental Protection
Bureau of Underground Storage Tanks
P.O. Box 433
401 East State Street
Trenton, New Jersey 08625

Re: **REMEDIAL INVESTIGATION REPORT**
Buena Vista Public Works Yard
Block 7101, Lot 25
430 Union Road
Buena Vista Twp., Atlantic County, NJ
Case #98-10-17-1344-17
Closure#N98-1924
UST # 0326982
Our File: 6058

Dear Mr. Sanderson:

In accordance with your correspondence regarding the above, the following items and explanations are provided toward satisfying your request for additional information:

1. Scaled site diagrams were previously submitted with the RIR as figures 3, 7 and 8. Enclosed are additional copies of these revised site diagrams. These figures have been updated to indicate all other information as requested.
2. Our office, on behalf of the Township of Buena Vista, is currently reviewing bid proposals from several well drilling companies. Upon award of contracts, we will be conducting a remedial investigation of the groundwater at the location of the former gasoline tank location. All RI will be in accordance with NJAC 7:26E-4.4. If groundwater contamination is confirmed, we will then conduct an appropriate receptor evaluation and associated ecological evaluation.
3. Attached is a disk containing all sampling results to date. This data has been repackaged in accordance with the current NJDEP electronic deliverable format. Also attached is Page 16 (Table 1) of the original report which has been revised and is attached for inclusion.
4. The contaminated soil generated by the previous tank removal is scheduled to be removed in conjunction with the pending well installation process.
5. Casie Protank, Franklinville, NJ was the organization contracted to remove and backfill the UST's. As such, enclosed please find documentation certifying that the material utilized as backfill was free of contaminants and meets the requirements of NJAC 7:26E-6.4(b).

6. Enclosed please find an updated UST Site/Remedial Investigation Report Certification Form. This form is submitted in place of the UST Site/Remedial Investigation Report Certification Form that was previously submitted.
7. Pursuant to NJAC 7:14B, attached please find a check in the amount of \$1000.00 payable to the "Treasure, State of New Jersey" as a fee for the Department's review of the RI Report.

Should you have any questions or require any additional information, please do not hesitate to contact our office.

Sincerely,
Schaeffer & Scheidegg
Consulting Engineers, LLO



David S. Scheidegg, PE, CME

Attachments

cc: Mayor and Township Committee, Buena Vista Township
G. Todd Hill, Environmental Design Services Corp.

TABLE 1
ANALYTICAL/FIELD RESULTS OF SOILS SAMPLED ON OCTOBER 17, 1998

SAMPLE	G1-A	G1-B	G1-C	G1-D	G1-E	P-1	P-2	D-1	D-2	D-3	SOIL CLEANUP CRITERIA mg/kg
DEPTH (ft.)	97"	96"	97"	97"	103"	21"	21"	86"	87"	87"	
ANALYTE	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	
PID	7ppm	8 ppm	5ppm	2 ppm	4 ppm	nd	4ppm	22ppm	4 ppm	3 ppm	-
Toluene	.395 (.647)	nd (.682)	nd (.695)	nd (.757)	nd (.642)	nd (.690)	.155 (.692)	nd (.671)			500
Ethylbenzene	.513 (.647)	nd (.682)	nd (.695)	nd (.757)	nd (.642)	nd (.690)	.244 (.692)	.204 (.671)			100
Xylenes	3.16 (.259)	nd (.273)	0.544 (.278)	.368 (.303)	nd (.257)	.16 (.276)	1.466 (.277)	.983 (.269)			10
TPH								2820 (131)	444 (10.6)	16.6 (1.0)	10,000
Methylene chloride	.273 ^b (.259)	.198 ^b (.273)	.163 ^b (.278)	.214 ^b (.303)	nd (.257)	nd (.276)	nd (.277)	.303 ^b (.269)			1.0
Total TICs	3.3	nd	nd	nd	nd	nd	nd	65.92			1,000
Lead	3.88	2.91	11.5	6.97	nd	87.8	12.5	-	-	-	400

Only analytes detected are included on table (see Appendix C for complete laboratory reports).

nd = Not detected at the detection limits of the analytical method.

^b = Also found in blank sample.

(MDL) = Minimum detection limit of analytical method.

(Note: For results detected, but less than the MDL, results are not quantitatively accurate.)

1 = Soil cleanup criteria as listed are Impact to Ground Water Soil Cleanup Criteria established by the State of New Jersey, except lead, which is listed as the Residential Direct Contact Soil Cleanup Criteria.

TIC = Tentatively Identified (volatile organic) Compounds.

UST Site/Remedial Investigation Report Certification Form

A. Facility Name: Buena Vista Township Public Works Yard
 Facility Street Address: 430 Union Road
 Municipality: Buena Vista Township County: Atlantic
 Block: 7101 Lot(s): 25 Telephone Number: (609) 697-2100

B. Owner (RP)'s Name: BUENA VISTA TOWNSHIP
 Street Address: 890 HARDING HIGHWAY City: TOWNSHIP
 State: NJ Zip: 08310 Telephone Number: (856) 697-2100

C. (Check as appropriate)

- Site Investigation Report (SIR) \$500 Fee
- Remedial Investigation Report (RIR) \$1000 Fee

D. (Complete all that apply)

- Assigned Case Manager: STEPHEN J. TATAR
- UST Registration Number: 0326982 (7 digits)
- Incident Report Number 98-10-17-1344-17 (10 or 12 digits)
- Tank Closure Number C(N) 8-1924 C9 - C9 - (7 characters)

E. Certification by the Subsurface Evaluator:

The attached report conforms to the specific reporting requirements of N.J.A.C. 7:26E Yes No

Name: G. Todd Hill Signature: [Signature] UST Cert. No.: 10905
 Firm: Environmental Design Services Corporation Firm's UST Cert. Number: 01068
 Firm Address: Po Box 405 City: Pitman
 State: NJ Zip: 08071 Telephone Number: (609) 272-1166 or (404) 307-3736

(NOTE: Certification numbers required only if work was conducted on USTs regulated per N.J.S.A. 58:10A-21 et seq.)

F. Certification by the Responsible Party(ies) of the Facility:

The following certification shall be signed [according to the requirements of N.J.A.C. 7:14B-1.7(b)] as follows:


1. For a Corporation by a person authorized by a resolution of the board of directors to sign the document. A copy of the resolution, certified as a true copy by the secretary of the corporation, shall be submitted along with the certification; or
2. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
3. For a municipality, State, federal or other public agency by either a principal executive officer or ranking elected Official.

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attached documents, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate, or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Name (Print or Type): CHUCK CHIARELLA Title: MAYOR
 Signature: [Signature]
 Company Name: BUENA VISTA TOWNSHIP Date: 4/2/00

Casie Protank

3209 North Mill Road
Vineland, NJ 08360
P: (856) 696-4401
F: (856) 696-7065



Waste Management and Recycling

To: Dave Scheidgg From: Cliff
Fax: 1-609-272-8400 Pages:
Phone: Date: 2-22-2000
Re: CC:

- Urgent For Review Please Comment Please Reply Please Recycle

• Comments:

Clean Fill Cert.

Phone: 697-4444

PAT GAROPPO
TRUCKING

218 Tuckahoe Road • Newfield, N. J. 08344

August 6, 1999

Casie Pro-Tank
P. O. Box 92
Franklinville, NJ 08322

Attn: Brian Fallucca

As per our conversation on the telephone on September 20, 1994, this letter is in reference to our fill dirt material. Our fill dirt is free and clean of any contaminants and is of a virgin source. The fill has never come in contact with any petroleum products. If you have any questions, please feel free to call me.

Thank you,

Pat Garoppo

Pat Garoppo

PB/clr

0218

No.

BUENA VISTA TOWNSHIP, BUENA, NJ 08310


REFERENCE/DESCRIPTION	NET AMOUNT
PO# 00-0117 Desc TREASURER - REMDL INVEST REPOT Vn T0055	1,000.00

DETACH BEFORE DEPOSITING \$*****1,000.00

CURRENT ACCOUNT	No. 8278
BUENA VISTA TOWNSHIP P.O. BOX 605 RT. 40 BUENA, NJ 08310	55-471/312
DATE 02/15/00	CHECK NO. 008278
AMOUNT \$*****1,000.00	
One Thousand And 00/100 Dollars	
TO THE ORDER OF	TREASURER, STATE OF NEW JERSEY P.O. BOX 433 401 E. STATE STREET TRENTON NJ 08625-0433
	MAYOR - CLERK - CHIEF FINANCIAL OFFICER <i>Ronald P. Fickel</i>
	<i>Ronald P. Fickel</i>
MINOTOLA NATIONAL BANK	MINOTOLA NATIONAL BANK
⑆008278⑆ ⑆031204710⑆ 56400014⑆	

Security Features Included. Details on back.

FIGURE 4



USGS Quad Map - Site Location
Buena Vista Township, Atlantic County, N.J.
Scale: 1"=2,000'



Environmental
design



State of New Jersey

Department of Environmental Protection

Christine Todd Whitman
Governor

Robert C. Shinn, Jr.
Commissioner

Bureau of Underground Storage Tanks
P.O. Box 433
401 East State Street
Trenton, N.J. 08625-0433
Fax: (609) 633-1454

Buena Vista Township
Route 40
P.O. Box 605
Buena, NJ 08310
The Honorable Charles Chiarello Mayor

JUN 08 2000

Re: Buena Vista Township - **Public Works Yard** -
430 Union Road
Buena Vista Township, Atlantic County
Block 7101; Lot 25
Case #98-10-17-1344-17
Closure #N98-1924
UST #0326982

Dear Mayor Chiarello:

On **August 6, 1999**, the New Jersey Department of Environmental Protection (Department) sent a letter to Buena Vista Township requiring the submission of a **Remedial Investigation Report (RIR)** pursuant to the Underground Storage of Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq. and implementing regulations, N.J.A.C. 7:14B et seq. Submittal of this report was required on or before **April 1, 2000**.

The Department acknowledges the receipt of the correspondence of Buena Vista Township dated **February 17, 2000**, however, this correspondence fails to fulfill all of the Department's technical requirements as detailed in the Department's letter dated **August 6, 1999**. Therefore, Buena Vista Township is in violation of the Underground Storage of Hazardous Substances Act and implementing regulations.

The **required report** shall be submitted to the Department at the above address, within **thirty (30) calendar days** of the date of this letter.

If Buena Vista Township fails to submit the required report within 30 days, the Bureau of Underground Storage Tanks (BUST) may initiate enforcement action, or alternatively, this case may be referred to the Bureau of Field Operations, Case Assignment Section (BFO/CAS) to determine the site's priority on the Comprehensive Site List (CSL).

If this case remains with BUST, the Department may initiate enforcement action, including but not limited to, the assessment of penalties and/or revocation of tank operating registrations pursuant to N.J.S.A. 58:10A-21 et seq. and N.J.A.C. 7:14B-12. Buena Vista Township may be subject to penalties of up to \$50,000.00 per day, denial or revocation of the registration or permit to operate the UST, and the initiation of a criminal action pursuant to N.J.S.A. 58:10A-10. Penalties may continue to accrue until all the actions and information required by N.J.S.A. 58:10A-21 et seq. and N.J.A.C. 7:14B are received by this office.


If this case is forwarded to BFO/CAS, the site will be ranked for the CSL. The CSL is a listing of all contaminated sites within the State of New Jersey. Each site is ranked based upon available data and exposure pathways by which contamination may migrate and impact human health or the environment. Those sites which have the greatest impact or potential for impact are prioritized to be remediated under an Administrative Consent Order (ACO) pursuant to the Spill Compensation and Control Act authorities noted in N.J.A.C. 7:26C. Should the addressed party refuse to enter into an ACO with the Department, the Department may utilize public funds to

remediate the site. The Department may then seek to recover *three times* its costs associated with the remediation.

This letter does not represent an extension or a modification of the time frames for compliance previously set forth. The Department reserves the right to implement all applicable enforcement measures.

If you should have any questions regarding this matter, please contact Stephen D. Tatar, Senior Environmental Specialist, of the Bureau of Underground Storage Tanks (BUST) at (609) 633-0580.

Sincerely,

A handwritten signature in black ink, appearing to read "G Sanderson" with a stylized flourish at the end.

Gary Sanderson, Supervisor
Bureau of Underground Storage Tanks

cc: Randi DeMartini, Atlantic County Department of Human Services
Municipal Clerk, Buena Vista Township
Stephen D. Tatar, Bureau of Underground Storage Tanks

New Jersey Department of Environmental Protection and Energy

REPORT OF: PHONE CALL

VISIT

DATE 19 APR 00

REFERRED TO _____

TIME 1445

BUREAU OR OFFICE BUST

FILE 981017134417

PERSON CONTACTED DAVID SCHEIDEGG PHONE # 609 272 1166

AFFILIATION/ADDRESS CONSULTANT

SUBJECT OF CALL/VISIT ADDRESS THE DEF. THAT REMAIN
AND PIN DOWN A TIME FRAME FOR WHEN
WORK WILL BE COMPLETED.


WITHIN A MONTH TOWN WILL HAVE
FUNDS AVAILABLE.

WORK WILL START WITHIN A MONTH AFTER
FUNDING

REPORT WILL BE ON MY DESK WITHIN
45 DAYS AFTER WORK.

ACTION RECOMMENDED 120 DAY EXTENTION

SIGNATURE





State of New Jersey

Department of Environmental Protection

Christine Todd Whitman
Governor

Robert C. Shinn, Jr.
Commissioner

Bureau of Underground Storage Tanks
P.O. Box 433
401 East State Street
Trenton, N.J. 08625-0433
Fax (609)633-1454

Buena Vista Township
Route 40
P.O. Box 605
Buena, NJ 08310
The Honorable Charles Chiarello Mayor

JUN 29 2000

Re: Extension for Submittal of a Report
Buena Vista Township - Public Works Yard -
430 Union Road
Buena Vista Township, Atlantic County
Block 7101; Lot 25
Case #98-10-17-1344-17
Closure #N98-1924
UST #0326982

Dear Mayor Chiarello:

This letter is in response to Buena Vista Township's letter dated **June 19, 2000** requesting an extension for the submission of a report pursuant to N.J.A.C. 7:14B et seq. and the New Jersey Department of Environmental Protection's (Department) letter, dated **June 8, 2000**. The report was due on **April 1, 2000**. The extension request has been approved and the new deadline for submission is **October 19, 2000**.

This letter is only an extension and does not relieve Buena Vista Township of any obligation and/or responsibilities set forth in the regulations promulgated pursuant to the Underground Storage of Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq. No further extensions will be granted for the submission of the required report.

Please note, pursuant to N.J.S.A. 58:10A-21 et seq. and N.J.A.C. 7:14B et seq., the owner and operator of the regulated underground storage tanks are strictly liable for compliance with these requirements. In addition, all state regulated USTs, except for heating oil USTs for on-site consumption, are regulated under 40 CFR Part 280. Non-compliance with these federal and state regulations exposes the tank owner and operator to the penalty and liability specified in 40 CFR Part 280, N.J.S.A. 58:10A-21 et seq. and N.J.A.C. 7:14B et seq.

If you should have any questions regarding this matter, please contact Stephen D. Tatar, Senior Environmental Specialist, of the Bureau of Underground Storage Tanks (BUST) at **(609) 633-0580**.

Sincerely,

Gary Sanderson, Supervisor
Bureau of Underground Storage Tanks

cc: Randi DeMartini, Atlantic County Department of Human Services
Municipal Clerk, Buena Vista Township
Stephen D. Tatar, Bureau of Underground Storage Tanks
David S. Scheidegg, Schaeffer & Scheidegg

SCHAEFFER & SCHEIDEGG

CONSULTING ENGINEERS, LLC

ENGINEERING AND PLANNING


5-B London Square Mall
201 Tilton Road
Northfield, New Jersey 08225
Phone: (609) 272-1166
Fax: (609) 272-8411

Andrew F. Schaeffer, PE, PP
David S. Scheidegg, PE, CME

June 19, 2000

Mr. Stephen D. Tatar, Sr. Environmental Specialist
State of New Jersey
Department of Environmental Protection
Bureau of Underground Storage Tanks
PO Box 433
301 East State Street
Trenton, New Jersey 08625-0433

Re: Buena Vista Township Public Works Yard
430 Union Road
Buena Vista Township
Atlantic County, New Jersey
Block 7101, Lot 25
Case # 98-10-17-1344-17
Closure # N98-1929
UST # 0326982
Our File: 6058




Dear Mr. Tatar:

This letter is written as a follow up to our conversation of this afternoon and the NJDEP correspondence dated June 8, 2000. On April 19, 2000 we discussed the above referenced project and spoke of a 120 day extension in order to complete the information as required by the NJDEP for the remedial investigation report. It is our request to have verification of this 120 day extension in writing.

As the municipal engineer for Buena Vista Township, we are actively following up on the completion of this phase of this project. It is anticipated that the remaining work will be completed and the remedial investigation report submitted for review and approval to your department before the end of August.

Should you have any question or require any additional information, please do not hesitate to contact our office.

Sincerely,
Schaeffer & Scheidegg
Consulting Engineers, LLC


David S. Scheidegg, PE, CME

SCHAEFFER & SCHEIDEGG CONSULTING ENGINEERS, LLC ENGINEERING AND PLANNING


5-B London Square Mall
201 Tilton Road
Northfield, New Jersey 08225
Phone: (609) 272-1166
Fax: (609) 272-8411

Andrew F. Schaeffer, PE, PP
David S. Scheidegg, PE, CME

March 27, 2001

Mr. Stephen D. Tatar, Sr. Env. Specialist
State of New Jersey
Department of Environmental Protection
Bureau of Underground Storage Tanks
PO Box 433, 301 East State Street
Trenton, New Jersey 08625-0433

Re: Buena Vista Township Public Works Yard
430 Union Road
Buena Vista Township
Atlantic County, New Jersey
Block 7101, Lot 25
Case # 98-10-17-1344-17
Closure # N98-1929
UST # 0326982
Our File: 6058



Dear Mr. Tatar:

Enclosed please find one copy of the Ground Water Remedial Investigation at the Buena Vista Public Works Yard as prepared by *The Property Evaluation Group, Inc.* Also attached is a Baseline Ecological Evaluation of the site as prepared by *Junetta E. Nowell Consulting, Ltd.* The municipality is currently working with Aqua-Tex Inc. and Aqua-tex Transport to perform a confirmatory groundwater sampling event and for the removal of petroleum contaminated soils from the project location. Copies of their proposals are attached. Also attached is a copy of check #8278 from the Township of Buena Vista to the NJDEP dated 2/15/00 as previous payment for the review of the RI report.

Upon receipt of the results of our confirmatory sampling results, we will immediately forward them to your attention.

Should you have any question or require any additional information, please do not hesitate to contact our office.

Sincerely,
Schaeffer & Scheidegg
Consulting Engineers, LLC

David S. Scheidegg, PE, CME

Cc: Mayor and Township Committee

CURRENT ACCOUNT

BUENA VISTA TOWNSHIP

No.

8278

P.O. BOX 605 RT. 40
BUENA, NJ 08310

DATE

CHECK NO.

55-471/312

02/15/00

008278

AMOUNT

\$*****1,000.00

One Thousand And 00/100 Dollars

TO THE
ORDER
OF

TREASURER, STATE OF NEW JERSEY
P.O. BOX 433
401 E. STATE STREET
TRENTON

NJ 08625-0433

MAYOR - CLERK - CHIEF FINANCIAL OFFICER

Clude Perullo

Ronald P. Taylor

MINOTOLA NATIONAL BANK

⑈008278⑈ ⑆031204710⑆

56 400014⑈

⑈0000100000⑈

96-178

FOR DEPOSIT ONLY
STAFF (IF NEW JERSEY)
GENERAL TREASURY
BUREAU OF REVENUE

1733 70086

DIV OF REVENUE
STATE OF NEW JERSEY
FIRST UNION BANK
PHILA PA

MAR - 6 00

40310000114
RUB-16
3/07/00
103722

Security Features:
Optical Protection
Security Markings
Security Screen
The security features listed below are the minimum those that should be used, except industry guidelines.
Familiarity of document and
Stains or spots appear with
distorted reflections
Water marks appear when pressed
Absence of Original Document
Verifac on back of check

ATTACHMENT K

BASELINE ECOLOGICAL EVALUATION

FOR

Buena Vista Public Works Yard

430 Union Road

Buena Vista, New Jersey

NJDEP Case #98-10-17-1344-17

UST Facility Registration No. 0326982

Prepared by:

Junetta E. Nowell Consulting, Ltd.

ENVIRONMENTAL AND REGULATORY COMPLIANCE CONSULTING

213 East Seaview Avenue

Linwood, New Jersey 08221

Telephone/Facsimile: 609-927-5580

February 2001

TABLE OF CONTENTS

	PAGE
1.0 INTRODUCTION	1
2.0 EXISTING CONDITIONS AND ENVIRONMENTALLY SENSITIVE AREAS	2
2.1 Hydrology	2
2.2 Topography	3
2.3 Geology	3
2.4 Wetlands	4
2.4 Vegetation	4
3.0 CONTAMINANTS OF POTENTIAL ECOLOGICAL CONCERN AND CONTAMINANT MIGRATION PATHWAYS TO ENVIRONMENTALLY SENSITIVE AREAS	5
4.0 RESULTS AND DISCUSSION.....	6
5.0 REFERENCES	7
EXHIBITS	
1. Copy of Preparer's resume	

1.0 INTRODUCTION

The Buena Vista Public Works Yard (BVPWY) is located at 430 Union Road in Buena Vista Township, Atlantic County, New Jersey and is the subject location of regulated underground storage tank (UST) closure and removal activities. The property is identified on tax maps as Block 7101, Lot 25 and consists of approximately 9.5 acres (refer to Figures 1 and 2).

In October 1998, Environmental Design Services Corporation removed two 550-gallone gasoline USTs, one 1,000-gallon diesel UST, dispensers and associated piping from the site. Excavation of petroleum-contaminated soils occurred in proximity to one of the gasoline tank systems. Post excavation soil samples and a subsequent ground water investigation were conducted at the site.

The New Jersey Department of Environmental Protection (NJDEP) has requested that, as part of the requirements of the UST closure review, a Baseline Ecological Evaluation (BEE) be completed. This BEE has been prepared in accordance with the Technical Requirements for Site Remediation (Chapter 26E) of Title 7 of the New Jersey Administrative Code as well as in accordance with guidance on conducting a baseline ecological evaluation, provided in the Site Remediation News (January 1997).

The BEE was prepared by Ms. Junetta Nowell Dix, an environmental specialist with significant experience in threatened and endangered species studies, environmental impact assessment, wetlands science, natural resource inventories, and impact mitigation techniques, in the State of New Jersey. Ms. Dix is able to recognize the evidence of the presence of a species of flora or fauna by sight, sound, sign, and habitat. A copy of Ms. Dix's resume is included herein as Exhibit I.

2.0 EXISTING CONDITIONS AND ENVIRONMENTALLY SENSITIVE AREAS

The site consists of approximately 9.5 acres of land in Buena Vista Township, Atlantic County, New Jersey. The site is primarily developed with a maintenance building, bituminous paving, a subsurface sewage disposal system, and the formerly present tanks and associated dispensers. There is also a closed municipal landfill located on the subject property, which is located approximately 100 feet to the west of the former tank area (refer to Figure 3).

Ground surface cover surrounding the paved and developed portions of the site as well as that covering the closed landfill is generally herbaceous vegetation.

The following describes the existing environmental conditions of the site as well as any environmentally sensitive areas. In accordance with the NJDEP guidelines for preparing a BEE, Environmentally Sensitive Areas are defined at N.J.A.C. 7:1E-4.10 and include surface water areas, wetlands and wetland transition areas, bay islands and barrier island corridors, dunes, areas designated as wild, scenic, or recreational river corridors, water supply intakes and wells, beaches, breeding and migratory stopover areas.

2.1 Hydrology

The nearest surface water body is Panther Branch and its associated freshwater wetland areas, located approximately 2,500 feet to the west of the former tank locations. This stream flows southwest into Menantico Creek and ultimately into the Delaware Bay drainage basin.

Based on information provided in the Ground Water Remedial Investigation Report (The Property Evaluation Group, Inc., January 18, 2001), ground water was encountered at

approximately 21 feet below grade. Furthermore, The Property Evaluation Group, Inc. concluded that groundwater is expected to flow in a generally westerly direction.

No wetlands and/or surface water bodies are present on the subject property.

2.2 Topography

Based on information obtained from the USGS Topographic Maps, the subject site is at an elevation of approximately 100-feet above mean sea level. Topography in proximity to the site is relatively level; however, the localized area slopes slightly to the west toward Panther Branch.

2.3 Geology

The site is mapped by the New Jersey Geologic Survey as within the Atlantic Coastal Plain Physiographic Province. The area is underlain by the unconsolidated Cohansey Formation. These marine deposits are either tertiary or Cretaceous in age and consist of predominantly silty sand and uniform sand. About 5% of the project site geology consists of stratified alluvial deposits referred to on a map of New Jersey as the Bridgeton Formation. These alluvial deposits are Quaternary in age and consist predominantly of a silty and clayey mixture of sand and gravel (the ratio of sand to gravel is extremely variable throughout profile). The depth of bedrock in the project area is well in excess of 100 feet.

The Atlantic County Soil Survey maps the site as underlain by Aura (ArB) type soils. Classification of onsite soils by Environmental Design Services Corporation and The Property Evaluation Group, Inc. identified mostly loamy sand textured soils with some lenses of sandy loam. Additional soils data is provided under separate cover in the previously referenced Ground Water Remedial Investigation Report and the Site Investigation Report for Underground Storage Tank Closure (Schaeffer & Scheidegg

Consulting Engineers, LLC and Environmental Design Services Corporation, February 1999).

2.4 Wetlands

A site inspection was performed as part of this BEE, to assess the presence and/or extent of jurisdictional freshwater wetlands located onsite.

Wetlands are defined as, "those areas that are inundated or saturated by surface water or groundwater at a frequency and duration to sufficiently support and that under normal conditions do support, a prevalence of vegetation typically adapted for life in saturated soil conditions, commonly known as hydrophilic vegetation".

Environmental maps and literature were reviewed prior to field reconnaissance of the site. Preliminary review included the compilation of U.S.G.S. Topographic Maps, USFWS National wetlands Inventory Maps, USDA Soil Survey Maps, existing wetland documentation, aerial photographs, and vegetation maps. The initial review provided information to target areas of onsite investigation.

Based on a site inspection and utilizing the above methodology, it is opined that the subject site does not contain any freshwater or tidal wetlands.

2.5 Vegetation

The majority of the site is cleared, developed land with surrounding areas dominated by herbaceous/landscaped and *Phragmites australis* (fox tail or common reed) vegetation. A minimal wooded buffer exists along the property boundaries; however, no areas of significant forested vegetation or other unique vegetative species are present.

3.0 CONTAMINANTS OF POTENTIAL ECOLOGICAL CONCERN AND CONTAMINANT MIGRATION PATHWAYS TO ENVIRONMENTALLY SENSITIVE AREAS

The underground storage tanks and associated appurtenances were removed from the site in October 1998. The Site Remediation Report was prepared in February 1999 and subsequently submitted to the NJDEP. Although all of the post-excavation soil samples reported concentrations below their respective NJDEP Soil Cleanup Criteria, mottling of the soils within the excavation was documented. Based on this observation, the NJDEP requested a Ground Water Remedial Investigation which was completed and documented in a report dated January 18, 2001.

The ground water investigation included installation of one monitoring well (MW-1) on November 20, 2000. The well was sampled on December 7, 2000, for VOC+10, MTBE, TBA, B/N+15 and Lead. As documented in the Ground Water Remedial Investigation Report, no sheens or appreciable odors were observed or encountered during sampling. In addition, no PID readings above background levels were noted within the well.

The laboratory results of the well samples reported that the only target VOC or B/N parameter reported was Methyl Tertiary Butyl Ether (MTBE) at a concentration of 390.0 PPB. This concentration exceeds its respective NJDEP cleanup criteria of 70.0 PPB. Property Evaluation Group, Inc. recommends in their remedial report that an additional confirmatory ground water sample be collected and analyzed and, should elevated concentrations of MTBE persist, additional investigative activities shall be proposed.

No special areas are present onsite and thus, the site is not considered a migration pathway or vector of contamination to any special areas.

4.0 RESULTS AND DISCUSSION

In accordance with the NJDEP guidelines for preparing a BEE, Environmentally Sensitive Areas are defined at N.J.A.C. 7:1E-4.10 and include surface water areas, wetlands and wetland transition areas, bay islands and barrier island corridors, dunes, areas designated as wild, scenic, or recreational river corridors, water supply intakes and wells, beaches, breeding and migratory stopover areas.

No special areas, as defined above, are present onsite and thus, the site is not considered a migration pathway or vector of contamination to any special areas.


No evidence of soil contamination was observed nor did the soil samples analyzed exceed NJDEP cleanup criteria. The NJDEP did, however, request a ground water remedial investigation.

The laboratory results of the well samples reported that the only target VOC or B/N parameter reported was Methyl Tertiary Butyl Ether (MTBE) at a concentration of 390.0 PPB. This concentration exceeds its respective NJDEP cleanup criteria of 70.0 PPB. Property Evaluation Group, Inc. recommends in their remedial report that an additional confirmatory ground water sample be collected and analyzed and, should elevated concentrations of MTBE persist, additional investigative activities shall be proposed.

Additional conclusions regarding adverse impacts to ground water are pending collection and analysis of an additional sample from MW-1.

5.0 REFERENCES

- Department of the Army, "Corps of Engineers Wetland Delineation Manual", Technical Report. Y - 86-US Army Engineer Waterways Experiment Station.
- Property Evaluation Group, Inc. January 18, 2001. Ground Water Remedial Investigation at the Buena Vista Public Works Yard, prepared for Buena Vista Township.
- Schaeffer & Scheidegg Consulting Engineers and Environmental Design Services Corporation. February, 1999. Site Investigation Report for Underground Storage Tank Closure, the Buena Vista Public Works Yard.
- Endangered and Threatened Wildlife in New Jersey. New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife Endangered and Nongame Species Program and USDA Soil Conservation Service.
- Munsell, Munsell Soil Color Chart, Baltimore, MD, 1975.
- "New Jersey's Record Trees", New Jersey Outdoors, September/October 1984.
- Sipple, W.S., April 1987. U.S. Environmental Protection Agency, Wetland Identification and Delineation Manual, Vol. I and II, April 1987 Interim final. Washington, DC
- Tiner, R. W., Jr., 1985. U.S. Fish and Wildlife Service, Wetlands of New Jersey, Newton Corner, MA. July 1985, 117 pp.
- United States Department of Agriculture, Soil Conservation Service, Soil Survey of Atlantic County, New Jersey 1980.



Junetta E. Nowell Consulting, Ltd.

213 EAST SEAVIEW AVENUE
LINWOOD, NEW JERSEY 08221
TELEPHONE/FAX: (609)927-5580

JUNETTA NOWELL DIX

Ms. Dix has over ten years of experience as an environmental manager in the environmental consulting field. Her responsibilities as an environmental manager have included oversight and conduct of field studies; wetlands delineations, impact assessment and mitigation; threatened and endangered species' surveys and habitat assessments; environmental site audits; environmental impact assessment; land use planning; and preparation of compliance statements in support of various local, State, federal, and Pinelands Commission permit applications.

Proficient in wetlands science, Ms. Dix is a certified Professional Wetland Scientist experienced in both New Jersey Department of Environmental Protection and U.S. Army Corps of Engineers field methodology. Ms. Dix has considerable field experience in threatened and endangered species surveys and habitat assessments, sampling and analysis of aquatic population dynamics, pollution impact assessment, site Remediation, and groundwater and soil sampling procedures.

EDUCATION

Master of Environmental Management (M.E.M) Natural Resource Ecology	1989	Duke University
Bachelor of Science (B.S.) Marine Biology	1987	University of North Carolina at Wilmington

REPRESENTATIVE PROJECTS

Public Service Electric & Gas Company, Estuary Enhancement Program, Salem Generating Station, NJ: As "Lead Permitting Engineer", Ms. Dix is currently responsible for oversight of all regulatory and permitting issues for the PSE&G Estuary Enhancement Program (EEP). The EEP was created as a result of NJPDES special conditions mandating the creation/enhancement of over 20,000 acres of tidal wetlands; installation of numerous fish ladders; modifications to the generating station design intake system; and wetlands restoration via *Phragmites australis* eradication and control. Responsibilities included regulatory applicability assessment; application preparation; management of over 200 NJDEP, U.S. Army Corps of Engineers, Delaware River Basin Commission, and local applications and permits; preparation of mitigation proposals; threatened

and endangered species assessments; Phase I Environmental Site Assessments for property acquisition; oversight and quality control/assurance review of Master Contractors and other consultants; and assistance/guidance in wetland restoration design strategies.

Rutgers University Institute of Marine and Coastal Sciences: As a result of considerable New Jersey regulatory compliance experience and a background in marine biology, Ms. Dix has been retained by Rutgers University as a general environmental consultant for the proposed Multispecies Aquaculture Demonstration Facility in Cape May, New Jersey. Responsibilities include providing regulatory assessment oversight, quality control/quality assurance review of all project documents and permit applications, and design consultation for regulatory compliance and minimization of adverse environmental impacts for the proposed aquaculture facility.

Parkside Commons, Howell Township, Monmouth County, NJ: Delineated onsite wetlands and prepared/submitted permit applications to the NJDEP for a 600 unit single family home subdivision. Numerous roadway crossings of jurisdictional freshwater wetlands required a freshwater wetlands Individual Permit, pursuant to the Freshwater Wetlands Protection Act. The permit application included the proposal and design of a mitigation area, monitoring for success, and compliance documentation. Responsibilities also included oversight of construction of the mitigation area and preparation/submittal of annual monitoring reports to demonstrate plant survivability and wetland functioning success.

Smiths Run, Jackson Township, Ocean County, NJ: Delineated onsite wetlands on the 600 acre tract and prepared/submitted permit applications to the NJDEP for a 400 unit single family home subdivision. Proposed activities included wetland crossings for roadways, stormwater discharges, and other regulated activities in freshwater wetlands.

Realty Ownership Ventures, Sea Grit, NJ: Delineated, assessed resource classification and transition area width requirement, and submitted wetlands applications to the NJDEP. Conducted a field survey for the federally listed endangered species, *Helonias bullata* (Swamp Pink), in a successful appeal for a resource classification reduction from exceptional to intermediate.

New Jersey Turnpike Authority: Ms. Dix previously served as the project manager under the General Environmental Consultant (GEC) for three proposed NJTA projects: Interchange 1 Toll Plaza Relocation; Interchange 1-4 Widening; and, 1S/1N Service Area Sewer Extension. As GEC project manager, Ms. Dix was responsible for providing technical, environmental, quality control, and regulatory oversight services to numerous NJTA consultants. Responsibilities included regulatory assessments for applicable permits/approvals, including Executive Order No. 215; preparation and review of numerous permit

applications; and assistance with design strategies relative to regulatory constraints. Ms. Dix also worked on the NJTA/GAF hazardous waste incinerator project, providing technical and environmental services associated with the proposed ramps to local roads for access from the Turnpike to the proposed incinerator site. Responsibilities on the GAF project included the field wetlands delineation, impact assessment, analyses of alternatives, and preparation of the draft E.O.#215 Environmental Impact Statement.

Atlantic City Brigantine Connector Roadway (South Jersey Transportation Authority): As a subconsultant to the transportation design engineer, Ms. Dix provided environmental and planning services for the proposed 2½ mile connector road linking the Atlantic City Expressway to the Brigantine Bridge. Responsibilities included oversight/review of all technical study scopes of work; regulatory assessment; and, preparation of the draft Environmental Impact Statement for submittal to the NJDEP and U.S. Army Corps of Engineers. Ms. Dix was continually involved in the design phase of the project and provided guidance regarding design modifications to minimize adverse environmental impacts, comply with applicable regulations, and thus, facilitate receipt of required permits/approvals.


Ocean County Department of Engineering, New Hampshire Avenue Widening, Dover Township, NJ: Conducted an alternative alignment analysis with regard to environmental constraints including the crossing of an exceptional resource value wetland; completed the field wetland delineation and mitigation proposal; and, prepared and submitted a comprehensive environmental impact assessment in application for numerous NJDEP and local permits.

U.S. Environmental Protection Agency, Region II, New York, NY: Conducted a wetland trend analysis for 1977 to 1990, for cranberry agriculture of 500,000 acre study area in the New Jersey Pinelands, through aerial interpretation, stereoscopically delineating cranberry bogs, defining successional vegetation status and field verification utilizing the U.S. Army Corps of Engineers' methodology.

Confidential Client: Completed Phase I Environmental Site Assessments in Illinois, Kentucky, Louisiana, New Jersey and Texas for an industrial/manufacturing corporation. Assessments included the review and interpretation of database records, agency contacts and file reviews, aerial photograph interpretation, report preparation and recommendations for additional sampling. A sampling plan was prepared for numerous sites and implemented as a Phase II investigation.


Ciba-Geigy Corporation, Toms River, NJ: Conducted field studies and prepared wetland report for 1,200 acre National Priority List site. The wetlands delineation and assessment were completed under the supervision of the USEPA Record of

FIGURE 1



Township Tax Map - Site Location
Buena Vista Township, Atlantic County, N.J.
Not To Scale






Project:
Buena Vista Public Works Yard
 430 Union Road
 Buena Vista, New Jersey

PROPERTY LOCATION MAP
 Buena Vista, New Jersey

Date: December 7, 2000	
---------------------------	--



SCALE	1:50
DATE	DECEMBER. 7, 2000

PROPERTY EVALUATION GROUP
 CHESTER AVENUE SUITE 306
 MOORSETOWN, NEW JERSEY 08057

SITE MAP
 TOWNSHIP PUBLIC WORKS YARD
 BLOCK 7101 LOT 25
 BUENA VISTA TOWNSHIP, NEW JERSEY

ATTACHMENT L

Project Number BV0011.1

January 18, 2001

**Ground Water
Remedial Investigation**

At the

**Buena Vista Public Works Yard
430 Union Road
Buena Vista, New Jersey**

NJDEP Case #98-10-17-1344-17
UST Facility Registration No. 0326982

Prepared For:

**Buena Vista Township
Route 40
P.O. Box 605
Buena, New Jersey 08310**

Prepared By:

The Property Evaluation Group, Inc.
205 Chester Avenue – Suite 306
Moorestown, New Jersey

TABLE OF CONTENTS

1.0 BACKGROUND1

 1.1 Background Information.....1

2.0 PHYSICAL SETTING1

 2.1 Topography1

 2.2 Ground Water.....1

 2.3 Soils2

3.0 REMEDIAL INVESTIGATION.....2

 3.1 Monitoring Well Installation.....2

 3.2 Ground Water Sampling2

4.0 FINDINGS3

 4.1 Discussion of Results.....4

5.0 PROJECT QUALITY ASSURANCE/QUALITY CONTROL.....5

6.0 CONCLUSIONS/RECOMMENDATIONS6

TABLE

Table 01 – Summary of Ground Water Data – December 7, 2000

APPENDICES

APPENDIX I Maps

Section A. Property Location Map

Section B. Site Map

Section C. Detail 01

APPENDIX II Monitoring Well Construction Records/ Certifications/Sampling Notes

APPENDIX III Laboratory Analytical Data Package

Volume I Ground Water Data – December 7, 2000

APPENDIX IV UST Site/Remedial Investigation Report Certification Form

APPENDIX V Electronic Laboratory Deliverables Package (Rear Cover Pocket)

1.0 INTRODUCTION

This report provides the findings of a preliminary ground water investigation performed at the Buena Vista Public Works Garage, located at 430 Union Road, Block 7101, Lot 25, in Buena Vista, Atlantic County, New Jersey. The remedial investigative activities were performed at the former gasoline underground storage tank (UST) system located in the rear of the Public Works building. The Property Location Map and Site Map are included in Appendix I, Sections A and B, respectively.

1.1 Background Information

In October 1998, Environmental Design Services Corporation removed two 550-gallon gasoline USTs, one 1,000-gallon diesel UST, dispensers and associated piping from the site. Excavation of petroleum-contaminated soils occurred in proximity to one of the gasoline tank systems. Although all post-excavation samples reported concentration below their respective New Jersey Department of Environmental Protection (NJDEP) Soil Cleanup Criteria, mottling of the soils within the excavation was documented. Based on this observation, the NJDEP required an evaluation of ground water quality at the site.

Subsequent remedial investigations and the accompanying report were prepared in response to August 6, 1999 and June 8, 2000 letters from the NJDEP. This document addresses the initial evaluation of the ground water quality below the former gasoline tank system.

2.0 PHYSICAL SETTING

2.1 Topography

According to a review of the Buena New Jersey 7.5-minute United States Geologic Survey (USGS) Topographic Map, the subject property is at an elevation of approximately 100-ft. above mean sea level. Topography in proximity to the site is relatively level however the localized area slopes slightly to the west toward the Panther Branch, which is located approximately 2,000-ft from the site.

2.2 Ground Water

Ground water in the area is typically influenced by geology (aquifers/aquifers), surface topography (streams/wetlands) and by changes in local water use (pumping/withdrawal points, etc.). During the well installation and sampling, ground water was encountered at approximately 21 ft. below grade. From

observations at the time of the property reconnaissance and from a review of the USGS Buena New Jersey Topographic Map, ground water, in the immediate area, is expected to flow generally in a westerly direction. Site specific investigations would be required to better evaluate groundwater flow patterns. The deeper ground water aquifers can sometimes have a completely different direction of flow than the shallower unconfined aquifers.

2.3 Soils

During the installation of Monitoring Well MW-1, the subsurface stratigraphy was logged. The following is a typical description of the soils/materials encountered:

0 - 60 inches	Orange/Brown f-m silty Sand, tr. clay (Fill)
61 - 84 inches	Brown f silty Sand (Fill?)
85 - 108 inches	Tan/gray f Sand
109 - 132 inches	Lt.-Dk. Gray/Tan f-m Sand, mottling
133 - 156 inches	Gray f-c gravelly Sand
157 - 216 inches	Med.-Dk. Gray Sand w/ 3" +/- gravel layer
217 - 228 inches	Gray f-m Sand grading to f-m Gray silty Sand w/ thin Brown f-m silty Sand strata.
229 - 257 inches	Gray f Sand - GW @ 252" +/-
258 - 324 inches	White/Lt. Gray f-c Sand, tr. silt

End of Boring @ 27'

3.0 REMEDIAL INVESTIGATION

3.1 Monitoring Well Installation

On November 20, 2000, one ground water monitoring well (MW-1) was installed within the former gasoline UST excavation using hollow-stem auger drilling techniques. The location is depicted on Detail 01 in Appendix I, Section C. The well was installed to a depth of 27 feet and was constructed of 4" diameter, schedule 40 polyvinyl chloride (PVC). The flush joint threaded well was installed with 10 feet of 0.020" slotted PVC screen and 17 feet of solid PVC riser. A sand filter pack was placed around the screen. A bentonite seal was installed immediately above this. The well was subsequently developed to remove fines and to maximize the flow of ground water into the well. The Monitoring Well Permit and Construction Records are included Appendix II.

3.2 Ground Water Sampling

On December 7, 2000, an initial ground water sampling event was implemented. The well was evacuated to remove any stagnant water within the casing. After approximately three casing volumes were purged, the sample was collected using a dedicated, pre-cleaned, disposable Teflon® bailer and Teflon® leader. The Ground Water Well Purging/Sampling Record is included in Appendix II – Monitoring Well Construction Records/Certifications/Sampling Notes. Although the former UST discharge was from with the gasoline tank system, the analyses also included parameters associated with diesel UST system due to the close proximity of the dispenser and tank system. The ground water sample was subsequently analyzed for Volatile Organic Compounds plus a Forward Library Search (VOC+10), Methyl Tertiary Ether (MTBE), Tertiary Butyl Alcohol (TBA), Base Neutral Compounds plus a Forward Library Search (B/N+15) and the compound Lead. All samples were cooled to 4°C and submitted under Chain of Custody to EMSL Analytical, Inc. (NJDEP Laboratory Certification No. 04653) for analyses.

The sampling program during this most recent phase of the investigation was implemented per the requirements of the NJDEP as addressed in their previous correspondence, the “Field Sampling Procedures Manual” and in the “Technical Requirements for Site Remediation”.

4.0 FINDINGS

During this phase of the remedial investigation, one ground water monitoring well was installed and subsequently sampled on December 7, 2000. In addition to the sample, a Trip and Field Blank were also collected. TABLE 01 summarizes the analytical data from the sampling episode. The NJDEP standards reflect the most recent Ground Water Quality Criteria-IIA and Practical Quantitation Levels of September 25, 1998. The Laboratory Analytical Data Package is included as Appendix III - Volume 1. The Electronic Laboratory Deliverables Package is included as Appendix V, located in the Rear Cover Pocket.

TABLE 01

“Summary of Ground Water Data”
(Sample Collected December 7, 2000)

Sample Number	Analytical Parameter	Constituents Detected	Results (ug/L)	Ground Water Standards
#MW-01	Target VOCs	MTBE	390.0	70.0
	TIC VOCs	Unknown	25.0 J	NP
		Unknown Hydrocarbon	15.0 J	NP
	Target B/Ns	ND	--	NA
	TIC B/Ns	Unknown Hydrocarbon (2)	16.0 J	NP
	Lead	ND	--	NA
#TB	Target VOCs	Methylene Chloride	0.8	2.0
	TIC VOCs	ND	--	--
#FB	Target VOCs	Methylene Chloride	0.8	2.0
	TIC VOCs	ND	--	--
	Target B/N	ND	--	--
	TIC B/N	ND	--	--
	Lead	ND	--	--

Notes:

- J - Indicates an estimated concentration. Compound detected but at a concentration below the laboratory's reportable detection limit.
- ND - Not Detected.
- NA - Not Applicable
- NP - Cleanup Standard not published in the NJDEP's "Specific Ground Water Quality Criteria"(09/25/98).
- ug/L - Micrograms per Liter (Parts Per Billion)
- 390.0 - Indicates parameter/concentration exceeds its respective NJDEP Cleanup Criteria.

4.1 Discussion of Results

December 7, 2000 Ground Water Sampling Event

During this phase of the investigation, the ground water quality below the former gasoline UST system was evaluated. The one sample collected on December 7, 2000 was analyzed for VOC+10, MTBE, TBA, B/N+15 and Lead.

In evaluation of the Target VOC data for MW-1, Methyl Tertiary Butyl Ether (MTBE) was the only constituent detected. It was reported at a concentration of 390.0 Parts Per Billion (PPB). This concentration exceeds its respective NJDEP

Class IIA Groundwater Cleanup Criteria of 70.0 PPB. Within the VOC TIC scan, an Unknown (25.0 J PPB) and an Unknown Hydrocarbon (15.0 J PPB) were reported. In the Target VOC scan for the Trip and Field Blanks, Methylene Chloride was reported in both samples. Concentrations were below their respective Cleanup Criteria, however. In the VOC TIC scan for the Trip and Field Blanks, both samples reported non-detectable concentrations.

Within the Target B/N scan, MW-01 as well as the Field Blank reported non-detectable concentrations for all parameters. Within the TIC B/N scan, two Unknown Hydrocarbons were identified within MW-1. Their cumulative concentration was reported at 16.0 J PPB. In the TIC B/N scan for the Field Blank, all parameters were reported as non-detectable.

The parameter Lead was reported as non-detectable in both MW-1 and in the Field Blank.

5.0 PROJECT QUALITY ASSURANCE/QUALITY CONTROL

A Quality Assurance/Quality Control (QA/QC) program was performed as part of the site investigation at the subject property. The purpose of the QA/QC plan is to ensure the samples collected in the field and the analytical data generated are of the highest quality and truly representative of the sampling matrix.

The QA/QC plan typically includes trip and field blanks for the ground water samples (when collected); trip blanks for VOCs collected using the NJDEP Methanol Field Extraction/Preservation Procedure and field blanks for the soil samples. The purpose of the blanks are to provide an analytical check on sample handling, transport and storage as well as a check on the sample collection process, sampling equipment decontamination, container cleaning procedure and the ambient sampling atmosphere.

Field blanks are typically included with the samples and are analyzed for parameters collected. The field blanks consist of two (2) sets of laboratory cleaned sample containers. One (1) set of containers is empty and serves as the sample containers that are analyzed by the laboratory. The second set of containers contained laboratory demonstrated analyte-free water. The water is passed through and/or over the sampling equipment used that day and placed in the empty set of containers for analysis.

During the sampling episodes, one Trip Blank and one Field Blank were submitted for analyses.

6.0 CONCLUSIONS AND RECOMMENDATIONS

A Remedial Investigation of the ground water was performed at the Buena Vista Public Works Garage, located at 430 Union Road, Block 7101, Lot 25, in Buena Vista, Atlantic County, New Jersey.

In October 1998, Environmental Design Services Corporation removed two 550-gallon gasoline USTs, one 1,000-gallon diesel UST, dispensers and associated piping from the site. Excavation of petroleum-contaminated soils occurred in proximity to one of the gasoline tank systems. Although post-excavation samples reported concentrations below their respective New Jersey Department of Environmental Protection Soil Cleanup Criteria, mottling of the soils within the excavation was documented. Due to the presence of soil mottling within the excavation, an evaluation of the ground water quality below the tank area was subsequently required by the NJDEP.

To accomplish this, one ground water monitoring well (MW-1) was installed using hollow-stem auger drilling techniques on November 20, 2000. The flush-joint threaded PVC well was installed within the former gasoline UST excavation to a depth of 27 feet. It was sampled on December 7, 2000 for VOC+10, MTBE, TBA, B/N+15 and Lead. No sheens or appreciable odors were observed or encountered during sampling activities. In addition, no PID readings above background levels were noted within the well.

In evaluation of the laboratory data, all results were compared to the most recent NJDEP Ground Water Quality Criteria-IIA and Practical Quantitation Levels. Within the sample collected from MW-1, the only Target VOC or B/N parameter reported was Methyl Tertiary Butyl Ether (MTBE) at a concentration of 390.0 PPB. This concentration exceeds its respective NJDEP Groundwater Cleanup Criteria of 70.0 PPB. Within the VOC and B/N TIC scans, one Unknown and three Unknown Hydrocarbons were reported. The parameter Lead was reported as non-detectable in MW-1.

Based on the data, it is proposed that one additional confirmatory ground water sample be collected from #MW-1. Should an elevated concentration of MTBE still exist, additional investigative activities shall be proposed in order to delineate the full nature and extent of the contamination. The Underground Storage Tank Remedial Investigation Report Certification Form associated with this preliminary investigation of ground water quality is included in Appendix IV.

This report details the most recent phase of site investigative activities, which were implemented at the Buena Vista Public Works Yard. It is our hope that the preceding information adequately responds to the requirements of the NJDEP in regard to the initial investigation of ground water quality at the site.

predominately of sands, with lenses of clay and gravel. The soils at the site, as mapped by the USDA Soil Conservation Survey for Atlantic County, consist of Aura (ArB) type soils. Classification of on-site soils identified mostly loamy sand textured soils with some lenses of sandy loam.

2.3 Underground Storage Tank Closure

2.3.1 UST System Description

The site contained a total of three regulated USTs. Two of the tanks (E001 & E002) each stored gasoline with capacities of 550 gallons each. The remaining tank (E003) stored diesel No. 2 with a 1,000 gallon capacity. All of the tanks were constructed of single-wall steel, and the piping from the USTs to the dispensers was also constructed of steel. The USTs were located approximately 40 feet from the rear center of the building. The 550 gal. Tanks are 6' long with a 4' diameter, while the 1,000 gal. Tank was 10'8" long with a 4' diameter.

2.3.2 Closure Implementation

Prior to removal operations on October 17, 1998, underground utilities were marked out at the request of the contractor. Once the area was cleared, the cover soils were excavated to expose the tanks and piping to provide access for proper cleaning of the tanks. There was approximately 140 gallons of diesel remaining in tank E003 and 160 gallons of gasoline in the two remaining tanks. The piping was drained back into the tanks and removed. All liquids and tank bottoms were removed from the tanks by vac-truck and disposed of by Casie Protank. The tanks were then properly purged of explosive gases. The atmosphere within the tank was evaluated as the tank was purged, after which an access hole was cut in the top of the tank. The inside of the tank was cleaned with squeegees and absorbent rags and the residual fluid was sucked out and disposed of by Casie Protank (Appendix B). The Contractor then excavated soils from the sides of the tanks in preparation for removal. Once each tank was exposed on both sides, it was then removed from the excavation. There was no cradle assembly associated with any of the tanks (Figure 5).

Groundwater was not encountered during the removal process. During inspection of the tanks following removal and cleaning of the outer surface, only two small holes were identified in one of the gasoline tanks, and no severe pitting was found. No holes or severe pitting was observed on the two remaining tanks (Figure 6). Other than the holes in the one tank, there was no visual evidence of a release. However, strong odors of organic vapors were noted during removal of the gas tanks. PID readings of 350-470 were recorded in the soils immediately beneath the removed gasoline tanks. In addition it appeared that an overfill had occurred at the diesel tank due to odors and higher PID readings (200-300) found near the fill port of the diesel tank. All soils which were excavated in order to remove the tank system were screened with a photoionization device (PID) for organic compounds. Some elevated readings were recorded in the gas tank excavation, especially beneath the tank with the holes as noted above. The side walls and floor of the diesel tank excavation, and the over excavation of the gas tank area were also screened with the PID, which revealed no elevated readings.

After removal of the tank system, post-excavation soil samples were collected. As with the tank removal, all soil samples from the excavation were field screened using the PID. There were a total of three (3) usts to be removed at the site, however, the two (2) 550 gallon gasoline tanks were located in the same excavation (Figure 7). Therefore, this closure only involved two excavations and are identified as excavation "G" for gas and excavation "D" for diesel.



2.4 Soil Sample Collection

After removal of the tank systems, post excavation soil samples were collected as follows:

Excavation "G"- Since there was evidence of a discharge from one of the gasoline tanks, obviously contaminated soils were removed from the excavation prior to completing post excavation sampling. Soil sampling was completed following the standards described in NJAC 7:26E 6.4 2.ii.(2). The excavation which was approximately (11'x8') was sampled along each sidewall and also at the excavation invert. The piping from each tank to the individual dispensers were each less than 15' in length, therefore, one sample per piping run was completed. Each sample was biased near a joint


FIGURE 6

Small hole found in gasoline tank



Pulled diesel tank

Gasoline tank being removed from excavation



between the excavation and the dispenser. Each sample collected from this excavation and piping was sampled for lead, and volatile organic compounds. Sample locations are indicated on (Figure 8).

Excavation "D"- Although there was evidence of a discharge from the diesel tank, it appears that it was from an overfill since only soils around the fill port above the tank had elevated PID readings (25-100). There was no evidence of a release, or groundwater noted in the excavation during the removal process. Soil sampling was completed following the standards described in NJAC 7:26E6.3(b)6.i.(3)(A). Based on a tank length of just under 11', a total of (3) three centerline samples were taken. Since the fuel dispenser was located directly on top of the tank, it was not feasible or necessary to complete sampling for the piping. Each sample collected from this excavation was tested for total petroleum hydrocarbons. Samples were also designated for volatile organic compound (VOC) analysis should any of the TPH samples report results greater than 1,000 ppm. The soil sample locations are depicted on (Figure 8).

2.5 Sampling Methodology

The samples for TPH and lead were collected directly into laboratory provided sample containers. The sampling methodology for VOC utilized a laboratory provided plastic syringe to core the soils and obtain approximately 10 grams of sample. The weighed sample was then extruded into a laboratory prepared sampling container containing methanol. This method, known as field extraction/methanol preservation, was utilized for all VOC samples in accordance with the NJDEP guidelines. All samples were cooled and submitted under chain-of-custody (COC) to QC Laboratory, Inc. for analysis. Clean latex gloves were used to handle each sample and prevent contamination/cross contamination. A copy of the fully executed COC document is provided in Appendix C, as part of the complete laboratory analytical report.

3.0 SUMMARY OF FINDINGS

3.1 Field Observations

During removal of the USTs, the excavations were monitored visually and with a PID for evidence of organic vapors, visual staining, or other evidence of a release. Organic vapors were found in the "G" excavation and slight organic vapors were identified around the fill port of the diesel tank, but not in the excavation after removal of the tank.

3.2 Soil Sample Collection Results

As noted previously, three (3) post-excavation soil samples were collected along the center line of the diesel tank invert, and five (5) post excavation soil samples were collected from the "G" excavation and one sample below each of the two (2) piping runs. The soil sample locations are shown on Figure 8. Clean latex gloves were used to handle each sample and prevent contamination/cross contamination. The sample containers were cooled and submitted under Chain-of-Custody (COC) to QC Laboratory, Inc.

3.3 Soil Sampling Results

All samples in the "G" excavation were analyzed for lead and volatile organic compounds (VOCs). The analytical results are summarized in Table 1. Lead concentrations ranged from 3.08 ppm to 148 ppm. The VOCs analysis had detectable levels of methylene chloride, toluene, ethyl benzene, and xylenes. Methylene chloride is a common laboratory contaminant and since the concentrations are so minimal, we believe that there is no impact to the soil. The other volatiles detected are common petroleum constituents, however, all of these were found in concentrations below the impact to ground water, cleanup criteria for soils. There were no other VOCs detected in any of the soil samples above the Practical Quantitative Limits (PQLs). Since the PQLs were below the applicable remediation standards, it appears that no further soils remediation is necessary.

The analytical results were compared to the NJDEP's "Cleanup Standards for Contaminated Sites," Proposed New Rules: N.J.A.C. 7:26D, dated February 3, 1992, as amended. There were no compounds detected above the proposed subsurface soil cleanup standards in any of the post excavation samples.

Table 1 provides a summary of the analytical results. The analytical data package for the soils is included in Appendix C.

TABLE 1

ANALYTICAL/FIELD RESULTS OF SOILS SAMPLED ON OCTOBER 17, 1998

SAMPLE	G1-A	G1-B	G1-C	G1-D	G1-E	P-1	P-2	D-1	D-2	D-3	SOIL
DEPTH (ft.)	97"	96"	97"	97"	103"	21"	21"	86"	87"	87"	CLEANUP
ANALYTE	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	mg/kg (MDL)	CRITERIA mg/kg
PID	7ppm	8 ppm	5ppm	2 ppm	4 ppm	nd	4ppm	22ppm	4 ppm	3 ppm	-
Toluene	nd (0.01)	nd (0.01)	0.003 (0.01)	nd (0.01)	nd (0.01)	0.15 (1.0)	nd (0.01)	nd (0.01)	nd (0.01)	0.27 (1.0)	500
Ethylbenzene	nd (0.01)	nd (0.01)	0.005 (0.01)	nd (0.01)	nd (0.01)	nd (1.0)	nd (0.01)	nd (0.01)	nd (0.01)	0.18 (1.0)	100
Xylenes	0.003 (0.02)	0.003 (0.02)	0.044 (0.02)	0.003 (0.02)	0.003 (0.02)	1.5 (2.0)	nd (0.02)	0.003 (0.02)	0.003 (0.02)	4.5 (2.0)	10
TPH	nd (0.01)	nd (0.01)	0.011 ^b (0.01)	nd (0.01)	nd (0.01)	nd (1.0)	0.008 (0.01)	nd (0.01)	nd (0.01)	nd (1.0)	10,000
Methylene chloride	0.001 ^b (0.01)	0.001 ^b (0.01)	0.001 ^b (0.01)	0.001 ^b (0.01)	0.001 ^b (0.01)	nd (1.0)	0.002 ^b (0.01)	0.001 ^b (0.01)	0.001 ^b (0.01)	nd (1.0)	1.0
Total TICs	0.29	0.29	0.888	0.29	0.29	9.3	0.53	0.29	0.29	19.6	1,000
Lead	3.88	2.91	11.5	6.97	nd	87.8	12.5	-	-	-	400

Only analytes detected are included on table (see Appendix C for complete laboratory reports).

nd = Not detected at the detection limits of the analytical method.

^b = Also found in blank sample.

(MDL) = Minimum detection limit of analytical method.

(Note: For results detected, but less than the MDL, results are not quantitatively accurate.)

† = Soil cleanup criteria as listed are Impact to Ground Water Soil Cleanup Criteria established by the State of New Jersey, except lead, which is listed as the Residential Direct Contact Soil Cleanup Criteria.

TIC = Tentatively Identified (volatile organic) Compounds.

Analytical results for all of the samples collected on October 17, 1998 indicated no concentrations of volatile aromatic hydrocarbons above the Impact to Ground Water Soil Cleanup Criteria established by the State of New Jersey. Furthermore, none of the samples had lead concentrations above the soil cleanup criteria. As a consequence of the field and laboratory evidence suggesting that no hydrocarbons had been released to the subsurface, additional investigative activities are not planned for the site.

4.0 CONCLUSIONS AND /RECOMMENDATIONS

The tank system was located to the rear of the Main Building. During the closure activities, the presence of a limited amount of petroleum contaminants were identified. This was determined by initial field screening of all soils which were excavated in conjunction with the physical removal of the tanks and piping. Based on PID readings in the gas excavation and some slight readings near the diesel tank fill port, a minimal amount of impacted soils were removed. There was no visual evidence of a release in the diesel excavation, and no compounds were detected above the NJDEP Standards. It appears that a surface spill or overfill at the diesel tank may have caused the limited impact to the soils. The NJDEP's proposed soil cleanup standards Soil Cleanup Criteria.

Two (2) small holes were identified in one of the gasoline tanks. Based on the PID readings from this excavation a release was evident. Obviously contaminated soils from the gas tank excavation were removed, and will be properly disposed of by the owner. Based on post excavation samples it appears that have been adequately remediated. During the excavation no ground water was encountered, and seasonal high water table was noted by mottling within the soils at a depth of 103". Based on these results, no further investigations are proposed for the site. Environmental Design requests, on behalf of Buena Vista Township, a No Further Action (NFA) letter for the Buena Vista Township public Works Yard UST system closure project.

5.0 REFERENCES

USDA Soil Survey, Atlantic County NJ, 1978


USGS 7.5 minute series Topographic Quadrangle, Buena, NJ Quad

APPENDICES

APPENDIX I

MAPS

Section A - Property Location Map




Project:
Buena Vista Public Works Yard
 430 Union Road
 Buena Vista, New Jersey

PROPERTY LOCATION MAP
 Buena Vista, New Jersey

Date:
 December 7, 2000


Project No.:
 BV0011.1

Section B - Site Map



DRAWING NO. 01 OF 02	SCALE: 1:50	PROPERTY EVALUATION GROUP CHESTER AVENUE SUITE 306 MOORSETOWN, NEW JERSEY 08057	SITE MAP TOWNSHIP PUBLIC WORKS YARD BLOCK 7101 LOT 25 BUENA VISTA TOWNSHIP, NEW JERSEY
PROJECT NO.: BV0011.1	DATE: DECEMBER 7, 2000		

Section C – Detail 01



DRAWING NO. 02 OF 02
 PROJECT NO. BV0011.1

SCALE: 1:30
 DATE: DECEMBER 7, 2000

PROPERTY EVALUATION GROUP
 205 CHESTER AVENUE SUITE 306
 MOORESTOWN, NEW JERSEY 08057

DETAIL A
 TOWNSHIP PUBLIC WORKS YARD
 BLOCK 7101 LOT 25
 BUENA VISTA TOWNSHIP, NEW JERSEY

APPENDIX II
**MONITORING WELL CONSTRUCTION RECORDS/
CERTIFICATIONS/SAMPLING NOTES**

MONITORING WELL CERTIFICATION - FORM A - AS-BUILT CERTIFICATION
(One form must be completed for each well)

Name of Permittee: BUENA VISTA TWP
Name of Facility: BUENA VISTA GORGE
Location: 430 UNION RD BUENA VISTA
NJDES Permit No: _____

CERTIFICATION

Well Permit Number (As assigned by NJDEP's Well Drilling Permits Section (609)984-6831): 35-2123G
Owner's Well Number (As Shown on the application or plans): MW 2
Well Completion Date: 11/20/00
Distance from Top of Casing (cap off) to ground surface (one-hundredth of a foot): 00.5
Total Depth of Well (one-hundredth of a foot): 26.5
Depth to Top of Screen From Top of Casing (one-hundredth of a foot): 16.5
Screen Length (feet): 10
Screen or Slot Size: 20 810T
Screen or Slot Material: PVC
Casing Material: (PVC, Steel or other-specify): PVC
Casing Diameter (inches): ~~2.75~~ 4"
Static Water Level From Top of Casing at the Time of Installation (one-hundredth of a foot): 21.5
Yield (gallons per minute): 2
Length of Time Well Pumped or Bailed: 1 Hours 0 Mins
Lithologic Log: _____

Attach

Authentication

I certify under penalty of law that, where applicable, I meet the requirements as specified on the reverse of this page, that I have personally examined and am familiar with the information submitted in this document and all attachments, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

WM MICHAEL'S
Name (Type or Print)

1079
Certification/License No

B & F ERO Drilling INC
Certification by Executive Officer or Duly Authorized Representative

WM MICHAEL'S
Name (Type or Print)

Pres.
Title

William Michael's
Signature

SEAL

William Michael's
Signature

1/12/01
Date

MONITORING WELL CERTIFICATION FORM B - LOCATION CERTIFICATION

Name of Owner: BUENA VISTA TOWNSHIP

Name of Facility: PUBLIC WORKS YARD

Location: 430 UNION ROAD, BUENA, NJ

UST Registration Number: 0326982 SRP Case No.: 98-10-17-1344-17

LAND SURVEYOR'S CERTIFICATION

Well Permit Number: _____
(This number must be permanently affixed to the well casing.)

Owners Well Number (As shown on application or plans): MW-1

Geographic Coordinate NAD 83 (to nearest 1/10 of second):

Longitude: West 74°55'12.9" Latitude: North 39°29'36.8"

New Jersey State Plane Coordinates NAD 83 to nearest 10 feet:

North 240728 East 373533

Elevation of Top of Inner Casing (cap off) at reference mark (nearest 0.01'): 107.18'

Source of elevation datum (benchmark, number/description and elevation/datum. If an on-site datum is used, identify here, assume datum of 100', and give approximated actual elevation. Please note that, if information from the well is to be submitted electronically, the EDSA manual specifies the well elevation to be reported according to NAVD 1988 to an accuracy of 0.2'.)

NJGCS MON. 4895 EL. = 100.572 (NAVD 1929) converted

Significant observations and notes: to NAVD 1988.

AUTHENTICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for knowingly submitting false, inaccurate, and complete information and that I am committing a crime in the fourth degree if I make a false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties.

SEAL

Wayne W. Burgett
PROFESSIONAL LAND SURVEYOR'S SIGNATURE

1/10/01
DATE

WAYNE W. BURGETT 31654
PROFESSIONAL LAND SURVEYOR'S NAME AND LICENSE NUMBER
(Please print or type)

132 E. CLINTON ST. CLAYTON, NJ 08312 (856) 881-8677
PROFESSIONAL LAND SURVEYOR'S ADDRESS AND PHONE NUMBER

New Jersey Department of Environmental Protection
Bureau of Water Allocation
MONITORING WELL RECORD

Well Permit No. 35 . 21230

Atlas Sheet Coordinates 35 . 03 . 627

OWNER IDENTIFICATION - Owner BUENA VISTA TOWNSHIP
Address 430 UNION ROAD
City BUENA VISTA State NJ Zip Code _____

WELL LOCATION - If not the same as owner please give address, Owner's Well No. _____
County ATLANTIC Municipality BUENA VISTA TWP Lot No. 25 Block No. 7101
Address 430 UNION ROAD

TYPE OF WELL (as per Well Permit Categories) MONITORING DATE WELL STARTED 11/20/00
Regulatory Program Requiring Well _____ DATE WELL COMPLETED 11/20/00
Case I.D.# _____

CONSULTING FIRM/FIELD SUPERVISOR (if applicable) _____ Tele. # _____

WELL CONSTRUCTION

Total depth drilled 27 ft.
Well finished to 27 ft.

Borehole diameter: 8 in.
Top 8 in.
Bottom 8 in.

Well was finished: above grade
 flush mounted

If finished above grade, casing height (stick up) above land surface _____ ft.

Was steel protective casing installed?
 Yes No

Static water level after drilling 21.5 ft.

Water level was measured using mscope

Well was developed for 1 hours
at 2 gpm

Method of development: Bailer

Was permanent pumping equipment installed? Yes No

Pump capacity _____ gpm

Pump type: _____

Drilling Fluid _____ Type of Rig B57

Health and Safety Plan submitted? Yes No

Level of Protection used on site (circle one) None (D) C B A

I certify that I have constructed the above referenced well in accordance with all well permit requirements and applicable State rules and regulations.

Drilling Company B & F WELL DRILLING INC.

Well Driller (Print) William Michaelis Jr.

Driller's Signature William Michaelis Jr.

Registration No. 1513 Date 12/13/00


Note: Measure all depths from land surface	Depth to Top (ft.)	Depth to Bottom (ft.)	Diameter (inches)	Material	Wgt./Rating (lbs/sch no.)
Single/Inner Casing	<u>5</u>	<u>17</u>	<u>4</u>	<u>PVC</u>	<u>40</u>
Middle Casing (for triple cased wells only)					
Outer Casing (largest diameter)					
Open Hole or Screen (No. Used)	<u>17</u>	<u>27</u>	<u>4</u>	<u>PVC</u>	<u>40</u> ^{20 slot}
Blank Casings (No. Used)					
Tail Piece					
Gravel Pack	<u>15</u>	<u>27</u>	<u>8</u>	<u>#2 sand</u>	<u>600</u>
Grout	<u>0</u>	<u>15</u>	<u>8</u>	<u>Neat Cement Bentonite</u>	<u>40</u> lbs.

Grouting Method Pressure
Drilling Method HSA

GEOLOGIC LOG


Note each depth where water was encountered in consolidated formations.

0-10' Fill Dirt
10-15' Gray F to M sand with stones
15-20' Gray F to C sand with stones
20-25' Gray & white m. sand
25-27' White M sand



MW-1
 ○ T.O.C. EL.=107.18'
 T.O.W. EL.=107.68'
 N 240728
 E 373533
 LAT.=39-29-36.8
 LONG.=74-55-12.9

UNION ROAD



NOTE:
 ELEVATIONS ARE NAVD 1988,
 LOCATIONS ARE NAD1983.

WAYNE W. BURGETT
 PROFESSIONAL LAND SURVEYOR
 NEW JERSEY LICENSE #31654

Wayne W. Burgett
 _____ 1/10/01

PLAN OF SURVEY

**BUENA VISTA TOWNSHIP
 PUBLIC WORKS YARD
 430 UNION ROAD
 BUENA, NEW JERSEY**

DATE: 1/08/01	DRAWN BY: CLB	JOB NO.:
SCALE: 1"=30'	CHECKED BY: WWB	

ZENITH / NADIR SURVEY

132 E. CLINTON STREET
 CLAYTON, NEW JERSEY 08312
 (856) 881-8677 FAX (856) 863-0844

GROUNDWATER WELL PURGING/SAMPLING RECORD

PROJECT INFORMATION:


Client: Buena Vista. Public Works Yard Date: 12/07/00 Well Construction: PVC
 Project Location: 430 Union Road Well No.: MW-1 Screened Interval: 17' - 27'
Buena Vista, NJ Well Depth: 27' B.G. Sampling Method: Bailer
 Sampled By: F. Hunsberger Depth to Water: 20.99' Pump Intake Depth: N/A
 Notes: Sampled Collected @ 11:30

Time (Min.)	Flow Rate (L/min.)	D.T.W. (Ft.)	Temp. (°C)	pH	DO (mg/L)	Sp. Cond.	ORP (mV)	Comments
10:40	.34+/-	20.99	15.6	5.71	2.48	4.63	N/A	
10:55	"	22.36	15.1	5.81	2.25	4.61	N/A	
11:15	"	23.91	15.0	5.80	2.24	4.59	N/A	
11:30	N/A	21.90	15.1	5.82	2.34	4.47	N/A	

APPENDIX III

LABORATORY ANALYTICAL DATA PACKAGE

Volume I – Ground Water Data – December 7, 2000



ANALYTICAL, INC.

http://www.emsl.com



Asbestos • Lead • Environmental • Materials & Indoor Air Analysis

Corporate Office & Lab
107 Haddon Avenue
Westmont, NJ 08108
1-800-220-3675

ANALYTICAL DATA REPORT
FOR
PROPERTY EVALUATION GROUP, INC.
205 Chester Avenue
Suite 306
Moorestown, NJ 08057

PROJECT : Buena Vista Public Works

EMSL Project: 010011051

Field Sample No. & Location	Laboratory Sample ID	Matrix	Date & Time of Collection	Date Received
MW01	010011051-0001	Aqueous	12/7/00 @ 1130	12/7/00
Field Blank	010011051-0002	Aqueous	12/7/00 @ 1140	12/7/00
Trip Blank	010011051-0003	Aqueous	12/7/00 @ -----	12/7/00


Laboratory Name

EMSL ANALYTICAL, INC.

Certification No.

NJDEPE No. 04653

Laboratory Manager


Gerold J. Miller, Ph.D.

Date

01-02-01

- Ann Arbor, MI
- Atlanta, GA
- Baton Rouge, LA
- Beltsville MD
- Buffalo, NY
- Carlstadt, NJ
- Chicago IL
- Dallas, TX
- Elmsford, NY
- Fairfax, VA
- Greensboro NC
- Houston, TX
- Indianapolis, IN
- Long Island, NY
- Miami FL
- Minneapolis, MN
- New York, NY
- Orlando, FL
- Picataway NJ
- San Francisco, CA
- Seattle, WA
- Warwick, RI
- Paris France




TABLE OF CONTENTS

Page

Sample Data Summary Package _____	3-21
Laboratory Deliverables _____	22
QA/QC Checklist _____	23
Chain of Custody Documentation _____	24-29
Methodology Summary _____	30-32
Laboratory Chronicle _____	33
Analysis Conformance/Non-Conformance Summary Format _____	34-38
GC/MS Volatile Organic Data Package _____	39-86

- . Initial Calibration BFB Tune
- . Initial Calibration Data
- . Continuing Calibration BFB Tune
- . Continuing Calibration Data
- . Internal Standards Area Summary
- . Sample Results
- . Surrogate Recovery Form
- . Method Blank Data
- . Matrix Spike/Matrix Spike Duplicate Data

The required items listed are contained in this subsection. The order of presentation of the data is by "Daily Run" (date analyzed order).

GC/MS Semivolatile Organic Data Package

87-157

- . Initial Calibration DFTPP Tune
- . Initial Calibration Data
- . Continuing Calibration DFTPP Tune
- . Continuing Calibration Data
- . Internal Standards Area Summary
- . Sample Results
- . Surrogate Recovery Form
- . Method Blank Data
- . Matrix Spike/Matrix Spike Duplicate Data

The required items listed are contained in this subsection. The order of presentation of the data is by "Daily Run" (date analyzed order).

Metals Analysis Data Package


158-164

- . Sample Results
- . Calibrations
- . Blanks
- . Spike Recovery
- . Duplicates
- . Laboratory Control Sample

The required items listed are contained in this subsection. The order of presentation of the data is by Matrix (and date analyzed).


Statement of Authentication _____

165






SAMPLE DATA SUMMARY PACKAGE



EMSL Analytical

3 Cooper St., Westmont, NJ 08108



Attn: Frank Hunsberger
THE PROPERTY EVALUATION GROUP, INC.
205 CHESTER AVENUE
SUITE 306
MOORESTOWN, NJ 08057

Customer ID: TPEG50
Customer PO:
Received: 12/07/00 2:41 PM


Fax: (856) 232-9681 Phone: 856-232-9682

EMSL Order: 010011051
EMSL Project ID: Buena Vista Public Works

Client Sample Description MW01 Grab

Lab ID: 0001

Test	Method	Parameter	Concentration Units	Notes
Lead, Total	200.7	Lead	<0.010 mg/L	
VOA	624 + 15	See Attached		
SVOA	625 BN + 25	See Attached		



1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5

Lab Name: EMSL ANALYTICAL

Contract: _____

11051-1

MW01 Grab

Project No.: _____ Site: _____ Location: _____ Group _____

Matrix: (soil/water) WATER Lab Sample ID: 11051-1

Sample wt/vol: 1.0 (g/mL) ML Lab File ID: c3325.d

Level: (low/med) _____ Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 12/13/00

GC Column: RTX-624 X 75 ID: 0.53 (mm) Dilution Factor: 5.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____

Concentration Units:

(ug/L or ug/Kg) ug/L Q

CAS No.	Compound	Concentration Units: (ug/L or ug/Kg)	ug/L	Q
74-87-3	Chloromethane		1.4	U
75-01-4	Vinyl Chloride		4.3	U
74-83-9	Bromomethane		7.9	U
75-00-3	Chloroethane		3.3	U
75-69-4	Trichlorofluoromethane		1.5	U
75-35-4	1,1-Dichloroethene		2.5	U
75-09-2	Methylene Chloride		2.0	U
156-60-5	trans-1,2-Dichloroethene		1.5	U
75-34-3	1,1-Dichloroethane		0.8	U
156-59-4	cis-1,2-Dichloroethene		1.0	U
67-66-3	Chloroform		1.0	U
71-55-6	1,1,1-Trichloroethane		0.7	U
56-23-5	Carbon tetrachloride		1.3	U
71-43-2	Benzene		1.4	U
107-06-2	1,2-Dichloroethane		1.2	U
79-01-6	Trichloroethene		6.8	U
78-87-5	1,2-Dichloropropane		1.1	U
75-27-4	Bromodichloromethane		0.8	U
10061-01-5	cis-1,3-Dichloropropene		0.8	U
108-88-3	Toluene		1.8	U
10061-02-6	trans-1,3-Dichloropropene		1.3	U
79-00-5	1,1,2-Trichloroethane		1.7	U
127-18-4	Tetrachloroethene		1.2	U
124-48-1	Dibromochloromethane		1.4	U
108-90-7	Chlorobenzene		1.5	U
100-41-4	Ethylbenzene		1.3	U
108-38-9	Xylene (para & meta)		3.2	U
95-47-6	Xylene (ortho)		1.1	U
75-25-2	Bromoform		2.8	U
79-34-5	1,1,2,2-Tetrachloroethane		6.2	U
110-75-8	2-Chloroethyl vinyl ether		1.1	U

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

11051-1
MW01 Grab

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No.: _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-1
 Sample wt/vol: 1.0 (g/mL) ML Lab File ID: c3325.d
 Level: (low/med) _____ Date Received: _____
 % Moisture: not dec. _____ Date Analyzed: 12/13/00
 GC Column: RTX-624 X 75 ID: 0.53 (mm) Dilution Factor: 5.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____

CAS No.	Compound	Concentration Units:	
		(ug/L or ug/Kg)	ug/L Q
541-73-1	1,3-Dichlorobenzene	1.4	U
106-46-7	1,4-Dichlorobenzene	1.7	U
95-50-1	1,2-Dichlorobenzene	1.8	U
107-02-8	Acrolein	69	U
107-13-1	Acrylonitrile	2.3	U
1634-04-4	Methyl-tert butyl ether	390	
75-65-0	tert-Butyl Alcohol	33	U

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO. 7
11051-1
MWO1 Grab

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No. _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-1
 Sample wt/vol: 1.0 (g/mL) ML Lab File ID: C3325.D
 Level: (low/med) _____ Date Received: _____
 % Moisture: not dec. _____ Date Analyzed: 12/13/00
 GC Column: RTX-624 X 75M ID: 0.53 (mm) Dilution Factor: 5.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

Number TICs found: 2 Concentration Units: _____
 (ug/L or ug/Kg) ug/L

CAS Number	Compound Name	RT	Est. Conc.	Q
1.	Unknown	22.62	25	J
2.	Unknown Hydrocarbon	25.12	15	J
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

11051-1
MW 01 Grab

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No.: _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-1
 Sample wt/vol: 900.0 (g/mL ML) Lab File ID: E9169.D
 Level: (low/med) _____ Date Received: _____
 % Moisture: _____ decanted: (Y/N): N Date Extracted: 12/8/00
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/12/00
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: _____

Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg)	ug/L	Q
62-75-9	N-nitrosodimethylamine		5	U
111-44-4	bis(2-Chloroethyl)ether		3	U
541-73-1	1,3-Dichlorobenzene		2	U
106-46-7	1,4-Dichlorobenzene		3	U
95-50-1	1,2-Dichlorobenzene		3	U
108-60-1	bis(2-chloroisopropyl)ether		3	U
621-64-7	N-Nitroso-Di-n-propylamine		2	U
67-72-1	Hexachloroethane		2	U
98-95-3	Nitrobenzene		3	U
78-59-1	Isophorone		3	U
111-91-1	bis(2-Chloroethoxy)methane		2	U
120-82-1	1,2,4-Trichlorobenzene		3	U
91-20-3	Naphthalene		2	U
87-68-3	Hexachlorobutadiene		2	U
77-47-4	Hexachlorocyclopentadiene		5	U
91-58-7	2-Chloronaphthalene		2	U
131-11-3	Dimethylphthalate		2	U
208-96-8	Acenaphthylene		2	U
606-20-2	2,6-Dinitrotoluene		2	U
83-32-9	Acenaphthene		2	U
121-14-2	2,4-Dinitrotoluene		3	U
84-66-2	Diethylphthalate		2	U
86-73-7	Fluorene		2	U
7005-72-3	4-Chlorophenyl-phenylether		2	U
86-30-6	n-Nitrosodiphenylamine		3	U
122-66-7	1,2-Diphenylhydrazine(as azo)		2	U
101-55-3	4-Bromophenyl-phenylether		1	U
118-74-1	Hexachlorobenzene		1	U
85-01-08	Phenanthrene		2	U
120-12-7	Anthracene		1	U
84-74-2	Di-n-butylphthalate		2	U
206-44-0	Fluoranthene		1	U
92-87-5	Benzidine		11	U

IB
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

9

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No.: _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-1
 Sample wt/vol: 900.0 (g/mL ML) Lab File ID: E9169.D
 Level: (low/med) _____ Date Received: _____
 % Moisture: _____ decanted: (Y/N): N Date Extracted: 12/8/00
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/12/00
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: _____

11051-1
 MW01 Grab

CAS No.	Compound	Concentration Units:		Q
		(ug/L or ug/Kg)	ug/L	
129-00-0	Pyrene		2	U
85-68-7	Butylbenzylphthalate		2	U
56-55-3	Benzo[a]anthracene		1	U
91-94-1	3,3'-Dichlorobenzidine		6	U
218-01-9	Chrysene		2	U
117-81-7	bis(2-Ethylhexyl)phthalate		3	U
117-84-0	Di-n-octylphthalate		6	U
205-99-2	Benzo[b]fluoranthene		3	U
207-08-9	Benzo[k]fluoranthene		5	U
50-32-8	Benzo[a]pyrene		2	U
193-39-5	Indeno[1,2,3-cd]pyrene		7	U
53-70-3	Dibenz[a,h]anthracene		4	U
191-24-2	Benzo[g,h,i]perylene		6	U

IF
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO. **10**

11051-1
MWOL Grab

Lab Name: EMSL ANALYTICAL Contract: _____

Project No.: _____ Site: _____ Location: _____ Group: _____

Matrix: (soil/water) WATER Lab Sample ID: 11051-1

Sample wt/vol: 900.0 (g/mL) ML Lab File ID: E9169.D

Level: (low/med) _____ Date Received: _____

% Moisture: _____ decanted: (Y/N) N Date Extracted: 12/8/00

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/12/00

Injection Volume: 1.0 (uL) Dilution Factor: 1.0


GPC Cleanup: (Y/N) N pH: _____

Number TICs found: 2 Concentration Units: (ug/L or ug/Kg) ug/L

CAS Number	Compound Name	RT	Est. Conc	Q
1.	Unknown Hydrocarbon	9.03	10	J
2.	Unknown Hydrocarbon	11.06	6	J
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

EMSL Analytical

3 Cooper St., Westmont, NJ 08108



attn: Frank Hunsberger
 THE PROPERTY EVALUATION GROUP, INC.
 205 CHESTER AVENUE
 SUITE 306
 MOORESTOWN, NJ 08057

Customer ID: TPEG50
 Customer PO:
 Received: 12/07/00 2:41 PM

Fax: (856) 232-9681 Phone: 856-232-9682

EMSL Order: 010011051
 EMSL Project ID: Buena Vista Public Works

Client Sample Description FB Grab

Lab ID: 0002

<i>Test</i>	<i>Method</i>	<i>Parameter</i>	<i>Concentration Units</i>	<i>Notes</i>
Lead, Total	200.7	Lead	<0.010 mg/L	
VOA	624 + 15	See Attached		
SVOA	625 BN + 25	See Attached		

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12

Lab Name: EMSL ANALYTICAL

Contract: _____

11051-2 FB

FB Gmb

Project No.: _____ Site: _____ Location: _____ Group _____

Matrix: (soil/water) WATER Lab Sample ID: 11051-2 FB

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: c3319.d

Level: (low/med) _____ Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 12/12/00

GC Column: RTX-624 X 75 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____

CAS No.	Compound	Concentration Units:	
		(ug/L or ug/Kg)	ug/L Q
74-87-3	Chloromethane	0.3	U
75-01-4	Vinyl Chloride	0.9	U
74-83-9	Bromomethane	1.6	U
75-00-3	Chloroethane	0.7	U
75-69-4	Trichlorofluoromethane	0.3	U
75-35-4	1,1-Dichloroethene	0.5	U
75-09-2	Methylene Chloride	0.8	
156-60-5	trans-1,2-Dichloroethene	0.3	U
75-34-3	1,1-Dichloroethane	0.2	U
156-59-4	cis-1,2-Dichloroethene	0.2	U
67-66-3	Chloroform	0.2	U
71-55-6	1,1,1-Trichloroethane	0.1	U
56-23-5	Carbon tetrachloride	0.3	U
71-43-2	Benzene	0.3	U
107-06-2	1,2-Dichloroethane	0.2	U
79-01-6	Trichloroethene	1.4	U
78-87-5	1,2-Dichloropropane	0.2	U
75-27-4	Bromodichloromethane	0.2	U
10061-01-5	cis-1,3-Dichloropropene	0.2	U
108-88-3	Toluene	0.4	U
10061-02-6	trans-1,3-Dichloropropene	0.3	U
79-00-5	1,1,2-Trichloroethane	0.3	U
127-18-4	Tetrachloroethene	0.2	U
124-48-1	Dibromochloromethane	0.3	U
108-90-7	Chlorobenzene	0.3	U
100-41-4	Ethylbenzene	0.3	U
108-38-9	Xylene (para & meta)	0.6	U
95-47-6	Xylene (ortho)	0.2	U
75-25-2	Bromoform	0.6	U
79-34-5	1,1,2,2-Tetrachloroethane	1.2	U
110-75-8	2-Chloroethyl vinyl ether	0.2	U

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: EMSL ANALYTICAL Contract: _____
11051-2 FB
FB Gmb

Project No.: _____ Site: _____ Location: _____ Group _____

Matrix: (soil/water) WATER Lab Sample ID: 11051-2 FB

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: c3319.d

Level: (low/med) _____ Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 12/12/00

GC Column: RTX-624 X 75 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____

CAS No.	Compound	Concentration Units:	
		(ug/L or ug/Kg)	ug/L Q
541-73-1	1,3-Dichlorobenzene	0.3	U
106-46-7	1,4-Dichlorobenzene	0.3	U
95-50-1	1,2-Dichlorobenzene	0.4	U
107-02-8	Acrolein	14	U
107-13-1	Acrylonitrile	0.5	U
1634-04-4	Methyl-tert butyl ether	0.2	U
75-65-0	tert-Butyl Alcohol	6.5	U

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO.

14

11051-2
FB Grab

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No. _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-2
 Sample wt/vol: 5.0 (g/mL) ML Lab File ID: C3319.D
 Level: (low/med) _____ Date Received: _____
 % Moisture: not dec. _____ Date Analyzed: 12/12/00
 GC Column: RTX-624 X 75M ID: 0.53 (mm) Dilution Factor: 1.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

Number TICs found: 0 Concentration Units: (ug/L or ug/Kg) ug/L

CAS Number	Compound Name	RT	Est. Conc.	Q
1.	NONE FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: <u>EMSL ANALYTICAL</u>	Contract: _____	11051-2 <i>FB Grab</i>
Project No.: _____	Site: _____	Location: _____
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID: <u>11051-2</u>	
Sample wt/vol: <u>850.0</u> (g/mL <u>ML</u>)	Lab File ID: <u>E9170.D</u>	
Level: (low/med) _____	Date Received: _____	
% Moisture: _____	decanted: (Y/N): <u>N</u>	Date Extracted: <u>12/8/00</u>
Concentrated Extract Volume: <u>1000</u> (uL)	Date Analyzed: <u>12/12/00</u>	
Injection Volume: <u>1.0</u> (uL)	Dilution Factor: <u>1.0</u>	
GPC Cleanup: (Y/N) <u>N</u>	pH: _____	

Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg)	ug/L	Q
62-75-9	N-nitrosodimethylamine		5	U
111-44-4	bis(2-Chloroethyl)ether		3	U
541-73-1	1,3-Dichlorobenzene		3	U
106-46-7	1,4-Dichlorobenzene		3	U
95-50-1	1,2-Dichlorobenzene		3	U
108-60-1	bis(2-chloroisopropyl)ether		3	U
621-64-7	N-Nitroso-Di-n-propylamine		2	U
67-72-1	Hexachloroethane		2	U
98-95-3	Nitrobenzene		3	U
78-59-1	Isophorone		3	U
111-91-1	bis(2-Chloroethoxy)methane		2	U
120-82-1	1,2,4-Trichlorobenzene		3	U
91-20-3	Naphthalene		2	U
87-68-3	Hexachlorobutadiene		2	U
77-47-4	Hexachlorocyclopentadiene		6	U
91-58-7	2-Chloronaphthalene		2	U
131-11-3	Dimethylphthalate		2	U
208-96-8	Acenaphthylene		2	U
606-20-2	2,6-Dinitrotoluene		2	U
83-32-9	Acenaphthene		2	U
121-14-2	2,4-Dinitrotoluene		3	U
84-66-2	Diethylphthalate		2	U
86-73-7	Fluorene		2	U
7005-72-3	4-Chlorophenyl-phenylether		2	U
86-30-6	n-Nitrosodiphenylamine		3	U
122-66-7	1,2-Diphenylhydrazine(as azo)		2	U
101-55-3	4-Bromophenyl-phenylether		1	U
118-74-1	Hexachlorobenzene		2	U
85-01-08	Phenanthrene		2	U
120-12-7	Anthracene		2	U
84-74-2	Di-n-butylphthalate		2	U
206-44-0	Fluoranthene		2	U
92-87-5	Benzidine		12	U

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO.

17

11051-2
FB Grab

Lab Name: EMSL ANALYTICAL Contract: _____

Project No.: _____ Site: _____ Location: _____ Group: _____

Matrix: (soil/water) WATER Lab Sample ID: 11051-2

Sample wt/vol: 850.0 (g/mL) ML Lab File ID: E9170.D

Level: (low/med) _____ Date Received: _____

% Moisture: _____ decanted: (Y/N) N Date Extracted: 12/8/00

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/12/00

Injection Volume: 1.0 (uL) Dilution Factor: 1.0


GPC Cleanup: (Y/N) N pH: _____

Number TICs found: 0 Concentration Units: (ug/L or ug/Kg) ug/L

CAS Number	Compound Name	RT	Est. Conc	Q
1.	NONE FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

EMSL Analytical

3 Cooper St., Westmont, NJ 08108



Attn: Frank Hunsberger
THE PROPERTY EVALUATION GROUP, INC.
205 CHESTER AVENUE
SUITE 306
MOORESTOWN, NJ 08057

Customer ID: TPEG50
Customer PO:
Received: 12/07/00 2:41 PM


Fax: (856) 232-9681 Phone: 856-232-9682

EMSL Order: 010011051
EMSL Project ID: Buena Vista Public Works

Client Sample Description Trip Blank

Lab ID: 0003

<i>Test</i>	<i>Method</i>	<i>Parameter</i>	<i>Concentration</i>	<i>Units</i>	<i>Notes</i>
VOA	624 + 15	See Attached			



1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

19

Lab Name: EMSL ANALYTICAL Contract: 11051-3 TB
Trip BLANK

Project No.: _____ Site: _____ Location: _____ Group _____

Matrix: (soil/water) WATER Lab Sample ID: 11051-3 TB

Sample wt/vol: 5.0 (g/mL) ML Lab File ID: c3318.d

Level: (low/med) _____ Date Received: _____

% Moisture: not dec. _____ Date Analyzed: 12/12/00

GC Column: RTX-624 X 75 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____

CAS No. Compound Concentration Units:
(ug/L or ug/Kg) ug/L Q

74-87-3	Chloromethane	0.3	U
75-01-4	Vinyl Chloride	0.9	U
74-83-9	Bromomethane	1.6	U
75-00-3	Chloroethane	0.7	U
75-69-4	Trichlorofluoromethane	0.3	U
75-35-4	1,1-Dichloroethene	0.5	U
75-09-2	Methylene Chloride	0.8	
156-60-5	trans-1,2-Dichloroethene	0.3	U
75-34-3	1,1-Dichloroethane	0.2	U
156-59-4	cis-1,2-Dichloroethene	0.2	U
67-66-3	Chloroform	0.2	U
71-55-6	1,1,1-Trichloroethane	0.1	U
56-23-5	Carbon tetrachloride	0.3	U
71-43-2	Benzene	0.3	U
107-06-2	1,2-Dichloroethane	0.2	U
79-01-6	Trichloroethene	1.4	U
78-87-5	1,2-Dichloropropane	0.2	U
75-27-4	Bromodichloromethane	0.2	U
10061-01-5	cis-1,3-Dichloropropene	0.2	U
108-88-3	Toluene	0.4	U
10061-02-6	trans-1,3-Dichloropropene	0.3	U
79-00-5	1,1,2-Trichloroethane	0.3	U
127-18-4	Tetrachloroethene	0.2	U
124-48-1	Dibromochloromethane	0.3	U
108-90-7	Chlorobenzene	0.3	U
100-41-4	Ethylbenzene	0.3	U
108-38-9	Xylene (para & meta)	0.6	U
95-47-6	Xylene (ortho)	0.2	U
75-25-2	Bromoform	0.6	U
79-34-5	1,1,2,2-Tetrachloroethane	1.2	U
110-75-8	2-Chloroethyl vinyl ether	0.2	U

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No.: _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-3 TB
 Sample wt/vol: 5.0 (g/mL) ML Lab File ID: c3318.d
 Level: (low/med) _____ Date Received: _____
 % Moisture: not dec. _____ Date Analyzed: 12/12/00
 GC Column: RTX-624 X 75 ID: 0.53 (mm) Dilution Factor: 1.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____

11051-3 TB
Trip BLANK

CAS No.	Compound	Concentration Units:	
		(ug/L or ug/Kg)	ug/L Q
541-73-1	1,3-Dichlorobenzene	0.3	U
106-46-7	1,4-Dichlorobenzene	0.3	U
95-50-1	1,2-Dichlorobenzene	0.4	U
107-02-8	Acrolein	14	U
107-13-1	Acrylonitrile	0.5	U
1634-04-4	Methyl-tert butyl ether	0.2	U
75-65-0	tert-Butyl Alcohol	6.5	U

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO.

21

11051-3
Trip BLANK

Lab Name: EMSL ANALYTICAL Contract: _____
 Project No. _____ Site: _____ Location: _____ Group: _____
 Matrix: (soil/water) WATER Lab Sample ID: 11051-3
 Sample wt/vol: 5.0 (g/mL) ML Lab File ID: C3318.D
 Level: (low/med) _____ Date Received: _____
 % Moisture: not dec. _____ Date Analyzed: 12/12/00
 GC Column: RTX-624 X 75M ID: 0.53 (mm) Dilution Factor: 1.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

Number TICs found: 0 Concentration Units: (ug/L or ug/Kg) ug/L

CAS Number	Compound Name	RT	Est. Conc.	Q
1.	NONE FOUND			
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

ATTACHMENT M

EF - 4747

August 26, 2005

Mr. Gary A. Slater
New Jersey Department of Environmental Protection
Bureau of Southern Case Management
401 East State Street
P.O. Box 433
Trenton, NJ 08625-0433

**Re: Project 04-306
Well Search Results
Buena Vista Township Public Works Yard
430 Union Road
Block 7101, Lot 25
Buena Vista Township, NJ 08310
Case # 98-10-17-1344-17
UST 0326982
TMS# N98-1924**

AUG 29 2005


NJDEP
INDUSTRIAL SITE EVALUATION ELEMENT
BUREAU OF UNDERGROUND STORAGE TANKS
CV - 028
TRENTON, NJ 08625

Dear Mr. Slater:

On behalf of our client, Buena Vista Township, Calmar Associates, LLC (CMA) is submitting this well search for your review regarding the above referenced site. CMA requested a NJDEP manual well search identifying all monitoring and domestic wells within a 1/2 mile radius and a one (1) mile radius well search identifying all irrigation, industrial, public supply wells and wells with water allocation permits for the property identified above. Please find enclosed a Site Location Map (Figure 1), a Well Search Map (Figure 2) indicating the location of each well, a well search table describing the location and construction of each well and well permits and well records for each well.


If you have any questions or concerns regarding this request, please contact the undersigned at (609) 476-4500.

Sincerely,



John F. Callaghan
Principal

Enclosures

FIGURES



USGS 7.5 MINUTE TOPOGRAPHIC MAP
 FIVE POINTS QUADRANGLE - 1977




**BUENA VISTA TOWNSHIP
 PUBLIC WORKS YARD**
 430 UNION ROAD
 BLOCK 7101, LOT 25

BUENA VISTA TOWNSHIP
 ATLANTIC COUNTY, NJ


SITE LOCATION MAP

CALMAR ASSOCIATES, LLC
 1415 13th Avenue
 Dorothy, New Jersey 08317

DRWN: MT	SCALE: 1" = 2,000'
CHK'D: JM	
APPD:	FIGURE 1



USGS 7.5 MINUTE TOPOGRAPHIC MAP
FIVE POINTS QUADRANGLE - 1977



**BUENA VISTA TOWNSHIP
PUBLIC WORKS YARD
430 UNION ROAD
BLOCK 7101, LOT 25**

BUENA VISTA TOWNSHIP
ATLANTIC COUNTY, NJ

WELL SEARCH

CALMAR ASSOCIATES, LLC
1415 13th Avenue
Dorothy, NJ 08317

DRWN: MT
CHK'D: JM
APPD:

SCALE: 1" = 2,000'
FIGURE 2

TABLES

WELL-SEARCH RESULTS
AS PER N.J.A.C. 7:26E-3.7, e3i
BUENA VISTA TOWNSHIP

DEPARTMENT OF PUBLIC WORKS
BUENA VISTA TOWNSHIP, ATLANTIC COUNTY, NEW JERSEY

Map ID #	Well Owner	Well Address	Block	Lot	Permit #	Well Diameter (in.)	Well Construction	Total Depth (ft.)	Length of Casing (ft.)	Length of Screen (ft.)	Static Water Level bgs. (ft.)	Date Completed	Well Use	Source of Information
1,000 Foot Radius														
1	Buena Vista Township Landfill	430 Union Road, E. Vineland, NJ	7101	35	35-06403-0	4	PVC	42.5	22.5	20	22	04/05/1988	Monitoring (Well #4)	Well Record/Well Permit
2	Buena Vista Township Landfill	430 Union Road, E. Vineland, NJ	7101	35	35-06404-8	4	PVC	42.5	22.5	20	25	04/05/1988	Monitoring (Well #3)	Well Record/Well Permit
3	Buena Vista Township Landfill	430 Union Road, E. Vineland, NJ	7101	35	35-06405-6	4	PVC	42.5	22.5	20	22.5	04/05/1988	Monitoring (Well #2)	Well Record/Well Permit
4	Buena Vista Township Landfill	430 Union Road, E. Vineland, NJ	7101	35	35-06406-4	4	PVC	41	21	20	21.5	04/05/1988	Monitoring (Well #1)	Well Record/Well Permit
5	Buena Vista Township	430 Union Road, Buena Vista, NJ	7101	25	35-21230	4	PVC	27	17	10	21.5	11/20/2000	Monitoring (MW-1)	Well Record/Well Permit
6	A. Alimenti	435 North Union Road, Vineland, NJ	5801	1	35-14379	4	PVC	180	170	10	28	10/19/1993	Domestic	Well Record/Well Permit
7	Alfred Alimenti	435 Union Road	5801	1	35-21369	4	PVC	120	110	10	26	12/18/2000	Non-Public	Well Record
1/2 Mile Radius														
8	Angelo Bylone	Post Road, Vineland, NJ	N/A	N/A	35-347	5	N/A	100	N/A	N/A	N/A	8/4/54 (approved)	Irrigation	Well Permit
9	Lou Amico	3940 Oak Road, Buena Vista Township, NJ	5701	14	35-14959	4	PVC	152	146	5	10	06/06/1994	Domestic	Well Record/Well Permit
10	Michael Iacovelli	3946 Oak Road	5701	13	35-24210	4	PVC	90	80	10	9	07/21/2003	Domestic Replacement	Well Record
11	Rose Yegla	377 Union Road, Vineland, NJ	5701	19	35-18121	4	PVC	115	105	10	10	11/06/1997	Domestic Replacement	Well Record/Well Permit
12	Peter Levari Jr.	350 Union Road, Vineland, NJ	5601	11	35-1127	4	PVC	98	38	60	6	05/11/1971	Irrigation	Well Record/Well Permit
13	Gloria Levari	350 Union Road, E. Vineland, NJ	5601	11	35-16790	4	N/A	80	N/A	N/A	N/A	4/2/96 (approved)	Domestic Replacement	Well Permit
14	Gloria Levari	350 Union Road, E. Vineland, NJ	5601	11	35-18085	4	N/A	100	N/A	N/A	N/A	10/8/97 (approved)	Domestic Replacement	Well Permit
15	Gloria Levari	North Union Road	5701	10	35-22206	4	PVC	65	55	10	10	10/11/2001	Non-Public	Well Record
16	Nicholas Levari	372 Union Road, Vineland, NJ	5601	13	35-17895	4	N/A	120	N/A	N/A	N/A	7/15/97 (approved)	Domestic	Well Permit
17	Nicholas Levari	372 Union Road, Buena, NJ	5601	13	35-18142	4	N/A	120	N/A	N/A	N/A	10/28/1997	Domestic	Well Permit

WELL SEARCH RESULTS
AS PER N.J.A.C. 7:26E-3.7, e3i
BUENA VISTA TOWNSHIP
DEPARTMENT OF PUBLIC WORKS
BUENA VISTA TOWNSHIP, ATLANTIC COUNTY, NEW JERSEY

Map ID #	Well Owner	Well Address	Block	Lot	Permit #	Well Diameter (in.)	Well Construction	Total Depth (ft.)	Length of Casing (ft.)	Length of Screen (ft.)	Static Water Level bgs. (ft.)	Date Completed	Well Use	Source of Information
18	Nicholas Levari	372 Union Road, Buena, NJ	5601	13B	35-18485	4	PVC	105	95	10	10	09/01/1998	Domestic	Well Record/Well Permit
19	Nicholas Levari	372 Union Road, Buena, NJ	5601	13	35-18979	4	PVC	105	95	10	8	09/22/1998	Domestic	Well Record/Well Permit
20	Nicholas Levari	372 Union Road, Buena, NJ	5601	13B	35-19174	4	PVC	105	95	10	10	11/24/1998	Domestic	Well Record/Well Permit
21	Mellessia Zitkus	135 Cumberland Road	7201	10	35-21283	4	PVC	70	60	10	12	11/10/2000	Domestic Replacement	Well Record
22	Tom Zitkus	129 Cumberland Road	7201	11	35-21284	4	PVC	70	60	10	11	11/10/2000	Domestic Replacement	Well Record
23	Latona Country Club	3806 Oak Road, Buena, NJ	5601	1	55-14861	4	PVC	50	25	25	4	10/20/1994	Domestic	Well Record/Well Permit
24	Latona Country Club	3806 Oak Road, Buena, NJ	5601	1	35-15970	4	PVC	135	115	20	8	06/15/1995	Domestic	Well Record/Well Permit
25	Adeline Turche	4324 Post Road	7101	32	35-21124	4	PVC	80	70	10	15	09/28/2000	Domestic Replacement	Well Record
26	Andrew Marcznski Vineland Development Center	Post Road, E. Vineland, NJ	426	15	35-07057	2	PVC	70	65	5	3	05/03/1988	Domestic	Well Record/Well Permit
27		4328 Post Road, E. Vineland, NJ	7101	31	35-5557	2	PVC	110	100	10	16	10/15/1986	Domestic	Well Record/Well Permit
28	Ronald Capriotti	4332 Post Road, Buena Vista Township, NJ	7101	30	35-06603	4	PVC	90	80	10	12	06/08/1988	Domestic	Well Record/Well Permit
29	Alfred Alimenti	N/A	N/A	N/A	3503769	N/A	N/A	160	N/A	N/A	N/A	N/A	Fire	Computer Database
30	Mark Panco	North Union Road	7101	29	35-19935	4	PVC	125	115	10	13	09/17/1999	Irrigation	Well Record
31	Herbert Bylone	N/A	N/A	N/A	3501501	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Non-Public	Computer Database
32	Peter Fury	157 Lejean Terrace 4409 Post Road, E. Vineland, NJ	7001	9	35-21494	4	PVC	158	108	50	6	04/20/2001	Irrigation	Well Record
33	Mick Hintzer		7002	20	35-07362	2	Steel	95	90	4	12	03/25/1988	Domestic	Well Record/Well Permit
34	Beatrice Bergonzi	469 North Union Road	5801	40	35-23889	4	PVC	100	90	10	14	05/19/2003	Domestic Replacement	Well Record
35	Dan McNeill	4508 Post Road, Vineland, NJ	5801	39	35-14548	4	PVC	84	74	84	12	02/01/1994	Domestic	Well Record/Well Permit
36	Alfred Alimenti	N/A	N/A	N/A	3501228	N/A	N/A	154	N/A	N/A	N/A	N/A	Fire	Computer Database

WELL SEARCH RESULTS
AS PER N.J.A.C. 7:26E-3.7, e3i
BUENA VISTA TOWNSHIP

DEPARTMENT OF PUBLIC WORKS
BUENA VISTA TOWNSHIP, ATLANTIC COUNTY, NEW JERSEY

Map ID #	Well Owner	Well Address	Block	Lot	Permit #	Well Diameter (in.)	Well Construction	Total Depth (ft.)	Length of Casing (ft.)	Length of Screen (ft.)	Static Water Level bgs. (ft.)	Date Completed	Well Use	Source of Information
37	Daniel Cragnato	4532 Post Road, Vineland, NJ	5801	36&37	35-1484	4	PVC	75	35	40	13	7/76	Irrigation	Well Record/Well Permit
38	Dan Caregnato	4532 Post Road, Buena Vista Township, NJ	5801	36	35-10666	4	PVC	95	85	10	14	07/12/1990	Domestic Replacement	Well Record/Well Permit
39	Florence Konrad	4540 East Post Road, E. Vineland, NJ	5801	35	35-06040	2	PVC	120	115	5	12	11/03/1986	Domestic	Well Record/Well Permit
40	Leonard Konrad	4540 Post Road, E. Vineland, NJ	5801	35	35-2064	2	Galv Steel	116	111	5	10	08/13/1979	Domestic	Well Record/Well Permit
41	Carlo DeThomasi	4546 Post Road, Vineland, NJ	5801	34	35-13653	4	PVC	125	115	10	15	07/12/1993	Domestic	Well Record/Well Permit
42	Wanda Corsiglia	3955 Oak Road, Vineland, NJ	5801	3	35-14768	4	PVC	150	140	10	20	09/20/1994	Domestic	Well Record/Well Permit
43	George Lenko	Oak Road, Buena Vista Township, NJ	5801	5	35-08919	4	PVC	100	90	10	14	05/27/1989	Irrigation	Well Record/Well Permit
44	James Marandino	3960 Oak Road, Vineland, NJ	5701	11	35-5325	4	PVC	80	70	10	14	07/28/1986	Domestic	Well Record/Well Permit
1 Mile Radius														
45	George Ruggeri	N/A	N/A	N/A	5500243	N/A	N/A	46	N/A	N/A	N/A	N/A	Test	Computer Database
46	George Ruggeri	N/A	N/A	N/A	5500242	N/A	N/A	50	N/A	N/A	N/A	N/A	Test	Computer Database
47	George Ruggeri	N/A	N/A	N/A	5500244	N/A	N/A	50	N/A	N/A	N/A	N/A	Test	Computer Database
48	Latona Country Club	3806 Oak Road, Buena, NJ	5601	2	55-14862	4	PVC	50	22	25	3	5/8/94 (approved)	Irrigation	Well Record/Well Permit
49	Latona Country Club	3806 Oak Road, Buena, NJ	5601	2	55-14863	4	PVC	50	22	25	3	5/94 (approved)	Irrigation	Well Record/Well Permit
50	Latona Country Club	3806 Oak Road, Buena, NJ	5601	2	55-14864	4	PVC	50	22	25	3	5/94 (approved)	Irrigation	Well Record/Well Permit
51	John Vannini	N/A	N/A	N/A	3502874	N/A	N/A	140	N/A	N/A	N/A	N/A	Fire	Computer Database
52	Erman Manzoni	N/A	N/A	N/A	5514562	N/A	N/A	180	N/A	N/A	N/A	N/A	Test	Computer Database
53	James Marandino	159 Cumberland Road	7201	9	35-19906	4	PVC	135	125	10	10	10/29/1999	Irrigation	Well Record/Well Permit
54	Sparky Breman	3702 Oak Road, Vineland NJ	7201	15	35-4678	2	PVC	120	120	10	12	03/20/1985	Domestic Replacement	Well Record/Well Permit

WELL SEARCH RESULTS
AS PER N.J.A.C. 7:26E-3.7, e3j
BUENA VISTA TOWNSHIP

DEPARTMENT OF PUBLIC WORKS
BUENA VISTA TOWNSHIP, ATLANTIC COUNTY, NEW JERSEY

Map ID #	Well Owner	Well Address	Block	Lot	Permit #	Well Diameter (in.)	Well Construction	Total Depth (ft.)	Length of Casing (ft.)	Length of Screen (ft.)	Static Water Level hgs. (ft.)	Date Completed	Well Use	Source of Information
55	Henry Coia	3650 Oak Road, Vineland NJ	7201	24	35-146	4	Steel Pipe	54	10	10	N/A	04/10/1953	Irrigation	Well Record/Well Permit
56	Herb Bylone	4254 Post Road	7101	39	35-21160	4	PVC	90	80	10	13	10/16/2000	Domestic Replacement	Well Record
57	Ralph Laielli	N/A	N/A	N/A	3503265	N/A	N/A	75	N/A	N/A	N/A	N/A	Non-Public	Computer Database
58	Herbert Bylone	N/A	N/A	N/A	Panther Branch	N/A	N/A	100	N/A	N/A	N/A	N/A	Fire	Computer Database
59	Joseph Mish and Sons	N/A	N/A	N/A	3500960	N/A	N/A	180	N/A	N/A	N/A	N/A	Fire	Computer Database
60	Five Points Realty	Post Road and N. Union Road, Vineland, NJ	7002	3	35-14835	4	PVC	90	40	50	2	05/06/1994	Irrigation	Well Record/Well Permit
61	Five Points Realty	Post Road and N. Union Road, Vineland, NJ	7002	3	35-14859	4	PVC	90	40	50	2	05/06/1994	Irrigation	Well Record/Well Permit
62	East Vineland Fire Company	4934 Landis Avenue	7002	5	35-21303	4	PVC	110	100	10	24	11/15/2000	Non-Public	Well Record
63	Badaracco Farms	N/A	N/A	N/A	5517498	N/A	N/A	120	N/A	N/A	N/A	N/A	N/A	Computer Database
64	Ralph Laielli	N/A	N/A	N/A	5500241	N/A	N/A	65	N/A	N/A	N/A	N/A	Fire	Computer Database
65	Robert P. Levari	N/A	N/A	N/A	3512084	N/A	N/A	110	N/A	N/A	N/A	N/A	Fire	Computer Database
66	Robert P. Levari	N/A	N/A	N/A	3500929	N/A	N/A	76	N/A	N/A	N/A	N/A	Fire	Computer Database
67	Karl Molinelli	N/A	N/A	N/A	3500967	N/A	N/A	87	N/A	N/A	N/A	N/A	Fire	Computer Database
68	Herbet Bylone	N/A	N/A	N/A	5500226	N/A	N/A	48	N/A	N/A	N/A	N/A	Fire	Computer Database
69	Patrick Construction/Carroll	4621 Post Road, Buena Vista Township, NJ	5901	5	35-17202	4	PVC	95	85	10	30	11/27/1996	Domestic	Well Record/Well Permit
70	Mario DeAcetis	4552 Post Road, Vineland, NJ	5801	33	35-4239	4	PVC	125	100	25	N/A	07/04/1984	Irrigation	Well Record/Well Permit
71	Victoria Reale	4572 Post Road, Buena Vista Township, NJ	5801	30	35-12771	4	PVC	80	70	10	21	03/04/1992	Domestic Replacement	Well Record/Well Permit
72	Edward Bachinski	N/A	N/A	N/A	5500237	N/A	N/A	65	N/A	N/A	N/A	N/A	Fire	Computer Database
73	Herbert Bylone	4579 Post Road	5901	1	35-22510	4	PVC	80	70	10	22	01/28/2002	Domestic Replacement	Well Record

WELL SEARCH RESULTS
AS PER N.J.A.C. 7:26E-3.7, e3i
BUENA VISTA TOWNSHIP

DEPARTMENT OF PUBLIC WORKS
BUENA VISTA TOWNSHIP, ATLANTIC COUNTY, NEW JERSEY

Map ID #	Well Owner	Well Address	Block	Lot	Permit #	Well Diameter (in.)	Well Construction	Total Depth (ft.)	Length of Casing (ft.)	Length of Screen (ft.)	Static Water Level bgs. (ft.)	Date Completed	Well Use	Source of Information
74	Sam Brunozzi	201 DeRosa Drive, E. Vineland, NJ	5801	11	35-17674	4	PVC	95	85	10	10	04/30/1997	Domestic Replacement	Well Record/Well Permit
75	Marion Villa Libby	4630 Post Road	5801	24	35-18021	4	N/A	100	N/A	N/A	N/A	9/10/97 (approved)	Domestic	Well Permit
76	Jon Henson	Post Road	5801	24.01	35-24142	4	PVC	130	110	10	15	08/27/2003	Domestic	Well Record
77	Joseph Betty	418 Tuckahoe Road	5801	20	35-21431	4	PVC	115	105	10	22	01/25/2001	Domestic Replacement	Well Record
78	Pauline Phlimes	120 DeRosa Drive	5802	8	35-19634	4	PVC	65	55	10	12	04/27/1999	Domestic Replacement	Well Record
79	Rosalie Gunston	208 DeRosa Drive	5802	14	35-23896	4	PVC	100	90	10	14	04/10/2003	Domestic Replacement	Well Record
80	David W. Fresne	Tuckahoe Road	5201	1	35-22054	4	PVC	100	90	10	19	08/14/2001	Domestic Replacement	Well Record
81	Maria T. Roman	214 DeRosa Drive, Buena Vista Township, NJ	5802	1	35-08939	2	Steel	80	75	5	10	05/01/1989	Domestic	Well Record/Well Permit
82	Anthony Cerrato - Anthony Joseph's Barber	3973 Oak Road, Vineland, NJ	5801	6	35-3790	4	PVC	65	55	10	14	08/11/1983	Domestic - Replacement	Well Record/Well Permit
83	Paul Coia	N/A	N/A	N/A	5500210	N/A	N/A	90	N/A	N/A	N/A	N/A	Fire	Computer Database
84	Paul Coia	N/A	N/A	N/A	3500146	N/A	N/A	54	N/A	N/A	N/A	N/A	Fire	Computer Database
85	Paul Coia	N/A	N/A	N/A	5500211	N/A	N/A	90	N/A	N/A	N/A	N/A	Fire	Computer Database

ATTACHMENT N

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

Permit No. 3506403-0

Mail to
Water Allocation
CN 029
Trenton, N.J. 08625

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P. 35-03-624

Owner Buena Vista Twp.
Address Harding Hi-Way
Buena, N.J. 08310
Name of Facility Buena Vista Twp Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360

Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360



Diameter of Well	<u>4</u>	Inches	Proposed Depth of Well	<u>40</u>	Feet
Proposed Capacity of Pump	<u>2</u>	GPM	Method of Drilling	<u>(cable-tool, rotary, etc.) Rotary</u>	
Use of Well (See Reverse)	<u>Monitoring</u>				

LOCATION OF WELL

Lot #	Block #	Municipality	County
<u>2A</u>	<u>182</u>	<u>Buena Vista Twp</u>	<u>Atlantic</u>

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35



FOR MONITORING PURPOSES ONLY

SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
- _____

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 07 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White

Health Dept. - Yellow

Owner - Blue

WELPMT 011 0004

WELL RECORD

Well Permit No. 35-06403-0
Atlas Sheet Coordinates 35:03:024

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION Data well completed 4/15/88
BOREHOLE DIMENSIONS Depth: Total 42.5 ft. Finished 42.5 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface 24" ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL Screens: Note Blot Blue(s)
Casing 1		<u>22.5</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>22.5</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>22.5</u>	<u>20</u>		<u>41</u>
Grout	<u>0</u>	<u>22.5</u>		<u>Bennite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/15/88
Static water-level before pumping 25 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using level Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 10 gals. per min.
Well was pumped using air Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfr. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airlift _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88

COPIES: White - DEP Green - Driller Pink - Owner Goldenrod - Health Dept.

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

Permit No. 3506404-8

Mail to
Water Allocation
CN 029
Trenton, N.J. 08625

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P.

35.03.424

Owner Buena Vista Twp.
Address Harding- Hi-Way
Buena, N.J. 08310
Name of Facility Buena Vista Twp. Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360

Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360


Diameter of Well	4	Inches	Proposed Depth of Well	40	Feet
Proposed Capacity of Pump	2	GPM	Method of Drilling	Rotary	
Use of Well (See Reverse)			Monitoring		

LOCATION OF WELL


Lot #	Block #	Municipality	County
2A	182	Buena Vista Twp	Atlantic

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35



WELL #3



SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
- _____

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 24 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White

Health Dept. - Yellow
-129-

Owner - Blue

WELPMT 011 0005

WELL RECORD

Well Permit No. 35-06404-8
Atlas Sheet Coordinates 35 : 03 : 024

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION Date well completed 4/5/88
BOREHOLE DIMENSIONS Depths: Total 42.5 ft. Finished 42.5 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface _____ ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL Screens: Note Elot Blue(s)
Casing 1		<u>22.5</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>22.5</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>22.5</u>	<u>20</u>		<u>NI</u>
Grout	<u>0</u>	<u>22.5</u>		<u>Bennite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/5/88
Static water-level before pumping 25 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using cell Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 10+ gals. per min.
Well was pumped using _____ Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfrs. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airline _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88

COPIES: White - DEP Green - Driller Pink - Owner Goldenrod - Health Dept.

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

5

Permit No. 3506405-6

Mail to

Water Allocation
CN 029
Trenton, N.J. 08625

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P. 35.03.6 24


Owner <u>Buena Vista Twp.</u>	Driller <u>Jack Quinlan</u>																		
Address <u>Harding Hi-Way</u>	Address <u>E. Landis Ave.</u>																		
<u>Buena, N.J. 08310</u>	<u>E. Vineland, N.J. 08360</u>																		
Name of Facility <u>Buena Vista Twp. Landfill</u>	<table border="1"> <tr> <td>Diameter of Well</td> <td><u>4</u></td> <td>Inches</td> <td>Proposed Depth of Well</td> <td><u>40</u></td> <td>Feet</td> </tr> <tr> <td>Proposed Capacity of Pump</td> <td><u>2</u></td> <td>GPM</td> <td>Method of Drilling</td> <td colspan="2"><u>Rotary</u> <small>(cable-tool, rotary, etc.)</small></td> </tr> <tr> <td>Use of Well (See Reverse)</td> <td colspan="5"><u>Monitoring</u></td> </tr> </table>	Diameter of Well	<u>4</u>	Inches	Proposed Depth of Well	<u>40</u>	Feet	Proposed Capacity of Pump	<u>2</u>	GPM	Method of Drilling	<u>Rotary</u> <small>(cable-tool, rotary, etc.)</small>		Use of Well (See Reverse)	<u>Monitoring</u>				
Diameter of Well		<u>4</u>	Inches	Proposed Depth of Well	<u>40</u>	Feet													
Proposed Capacity of Pump		<u>2</u>	GPM	Method of Drilling	<u>Rotary</u> <small>(cable-tool, rotary, etc.)</small>														
Use of Well (See Reverse)	<u>Monitoring</u>																		
Address <u>N. Union Rd.</u>																			
<u>E. Vineland, N.J. 08360</u>																			

LOCATION OF WELL

Lot #	Block #	Municipality	County
<u>2A</u>	<u>182</u>	<u>Buena Vista Twp</u>	<u>Atlantic</u>

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35



SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
-

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 07 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White

Health Dept. - Yellow

Owner - Blue

WELPMT 011 0006

WELL RECORD

Well Permit No. 35-06405-6
Atlas Sheet Coordinates 35:03:604

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 3A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION Date well completed 4/15/88
BOREHOLE DIMENSIONS Depth: Total 42.5 ft. Finished 42.5 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface 18" ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL Screens: Note Slot Size(s)
Casing 1		<u>22.5</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>22.5</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>22.5</u>	<u>20</u>		<u>#1</u>
Grout	<u>0</u>	<u>22.5</u>		<u>Benotite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/15/88
Static water-level before pumping 22.5 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using phone Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 10 gals. per min.
Well was pumped using air Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfrs. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airlift _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88

COPIES: White - DEP Canary - Driller Pink - Owner Goldenrod - Health Dept.

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

5

Mail to

Water Allocation
CN 029
Trenton, N.J. 08625

Permit No. 3506406-4

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P.

24
35.03.6

Owner Buena Vista Twp.
Address Harding Hi-Way
Buena, N.J. 08310
Name of Facility Buena Vista Twp Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360

Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360

Diameter of Well	4	Inches	Proposed Depth of Well	40	Feet
Proposed Capacity of Pump	2	GPM	Method of Drilling (cable-tool, rotary, etc.) <u>Rotary</u>		
Use of Well (See Reverse) <u>Monitoring</u>					


LOCATION OF WELL

Lot #	Block #	Municipality	County
2A	182	Buena Vista Twp	Atlantic

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35

WELL #1



SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
-

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 07 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White

Health Dept. - Yellow

Owner - Blue

WELPMT 011 0007

WELL RECORD

Well Permit No. 35-06406-4
Atlas Sheet Coordinates 35:03:2624

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION Date well completed 4/15/88
BOREHOLE DIMENSIONS Depths: Total 41 ft. Finished 41 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface 18" ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL Screens: Note Slot Size(s)
Casing 1		<u>21</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>21</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>21</u>	<u>20</u>		<u>H/</u>
Grout	<u>0</u>	<u>21</u>		<u>benotite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/15/88
Static water-level before pumping 21.5 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using level Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 107 gals. per min.
Well was pumped using air Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____


PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfrs. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airline _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88

COPIES: White - DEP Canary - Driller Pink - Owner Goldenrod - Health Dept.

ATTACHMENT O




**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

Buena Township Landfill - Sampled on April 4, 2014

Depth to Water and Total Depth

Well ID	Depth to Water	Total Depth
MWA	23.85	43.00
MWB	13.14	40.50
MWC	18.42	33.00
MWD	24.44	42.50



**South Jersey
Water Test, LLC**
 4077 South Black Horse Pike
 Williamstown, NJ 08094
 856-875-3506 Phone
 856-875-3507 Fax

www.sjwatertest.com
 NJ DEP Certified Lab #08006
 Professional Septic Inspections

Tuesday, April 08, 2014

Mr. Rich Calareso
Buena Vista Township
 890 Harding Highway
 Buena, NJ 08310

Certificate of Analysis

Property Address: Buena Township, Monitoring Wells

Sample Location: MWA


Date/Time Sampled: 04/04/2014 14:15

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M44244					
Nitrate	04/04/2014 18:12	4,416	10,000	ug/L	1,000	SM4500NO3D
Mercury	04/07/2014 16:49	<0.5	2	ug/L	0.5	EPA 245.1

Sample Location: MWB

Date/Time Sampled: 04/04/2014 14:50

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M44245					
Nitrate	04/04/2014 18:14	3,672	10,000	ug/L	1,000	SM4500NO3D
Mercury	04/07/2014 16:51	<0.5	2	ug/L	0.5	EPA 245.1



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

Certificate of Analysis

Sample Location: MWC

Date/Time Sampled: 04/04/2014 15:55

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M44246					
Nitrate	04/04/2014 18:24	43,207	10,000	ug/L	1,000	SM4500NO3D
Mercury	04/07/2014 16:54	<0.5	2	ug/L	0.5	EPA 245.1

Sample Location: MWD


Date/Time Sampled: 04/04/2014 15:35

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M44247					
Nitrate	04/04/2014 18:30	56,177	10,000	ug/L	1,000	SM4500NO3D
Mercury	04/07/2014 17:06	<0.5	2	ug/L	0.5	EPA 245.1

This report relates only to the samples as received by the laboratory.

Mark J. Riether, Lab Director

4/8/14
Date



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwaterest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

4/8/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWA

Lab ID# M44244

Date sampled: 04/04/14 14:15

Date analyzed: 04/07/14 15:29

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	5.08	0.5	2
Bromomethane	ND	0.5	
Chloroethane	1.57	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	2.22	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	0.67	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	1.18	0.5	1
1,2-dichloroethane	0.75	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	0.52	0.5	**
Dibromomethane	0.85	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	0.5	0.5	
1,1,2-trichloroethane	0.91	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	0.77	0.5	**
1,2-dibromoethane	0.93	0.5	
Chlorobenzene	3.02	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	↓
Styrene	ND	0.5	100
Bromoform	1.04	0.5	**
1,1,2,2-tetrachloroethane	1.21	0.5	1
1,2,3-trichloropropane	1.11	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	0.57	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	2.06	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	0.96	0.5	600
1,2,4-trichlorobenzene	0.98	0.5	9
Hexachlorobutadiene	0.74	0.5	
Naphthalene	1.75	0.5	300
1,2,3-trichlorobenzene	1.51	0.5	
Units	(ug/L)	(ug/L)	(ug/L)

ND = Not Detected

*New Jersey or Federal Maximum Contaminant Level (MCL)


** The MCL for the sum of these 4 THMs is 80 ppb.

Mark J. Riether, Lab Director

Date

4/8/14

This report relates only to the samples as received by the laboratory.



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

4/8/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWB


Lab ID# M44245

Date sampled: 04/04/14 14:15
Date analyzed: 04/07/14 15:29

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	102.3	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	0.73	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	4.91	0.5	100
1,1-dichloroethane	1.32	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	410.8	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	0.81	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	82.5	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	1.45	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	ND	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	
Units	(ug/L)	(ug/L)	(ug/L)

ND = Not Detected




Mark J. Riether, Lab Director Date 4/8/14

*New Jersey or Federal Maximum Contaminant Level (MCL)

** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

4/8/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWC

Lab ID# M44246

Date sampled: 04/04/14 15:55
Date analyzed: 04/07/14 17:42

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	ND	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	ND	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	ND	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	

Units (ug/L) (ug/L) (ug/L)

ND = Not Detected

*New Jersey or Federal Maximum Contaminant Level (MCL)


** The MCL for the sum of these 4 THMs is 80 ppb.

Mark J. Riether, Lab Director

Date

4/8/14

This report relates only to the samples as received by the laboratory.



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

4/8/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWD

Lab ID# M44247

Date sampled: 04/04/14 15:35

Date analyzed: 04/07/14 16:58

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	ND	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	ND	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	↓
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	ND	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	

Units (ug/L) (ug/L) (ug/L)

ND = Not Detected

*New Jersey or Federal Maximum Contaminant Level (MCL)

** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.

Mark J. Riether, Lab Director

Date

4/8/14



South Jersey Water Test, LLC
 4077 South Black Horse Pike
 Williamstown, NJ 08094
 Phone: 856-875-3506 Fax: 856-875-3507
 www.sjwatertest.com
 NJ DEP Certification #08006

CHAIN OF CUSTODY RECORD

Customer: Buena Township Public Works Dept
 Contact: Rich Calareso
 Address: 890 Harding Highway
 Buena, NJ 08310
 Phone: 856-697-2100 Fax: 609-381-4677
 Cell: 609-381-4677

Lab ID#	Sample Location	Collection Date	Time	Matrix	Comp	Field Measurements	No. of Bottles	Pres.	Analysis Required
M44244	BUENA TWP, MWA	4/14/14	14:15	GW	X	Depth = 23.80	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Hg
				D	X		1 X 125	NA	Nitrates
M44245	BUENA TWP, MWB	7/4/10		GW	X	Depth = 13.01	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Hg
				D	X		1 X 125	NA	Nitrates
M44246	BUENA TWP, MWC	15:50		GW	X	Depth = 18.92	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Hg
				D	X		1 X 125	NA	Nitrates
M44247	BUENA TWP, MWD	15:35		GW	X	Depth = 24.44	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Hg
				D	X		1 X 125	NA	Nitrates

MATRIX ABBREVIATIONS: D: DRINKING WATER A: AQUEOUS S: SOIL SL: SLUDGE G: GROUND WATER SW: SURFACE WATER W: WASTE WATER

Turnaround Time: Standard NJ DEP Reduced Deliverables NJ DEP Full Deliverables Electronic Data Deliverables PWTA Format

Report Format: Standard NJ DEP Reduced Deliverables NJ DEP Full Deliverables Electronic Data Deliverables PWTA Format

Comments/Special Instructions: If this box is checked a VOC trip blank sample has been collected and will be analyzed if VOC hits are above the MCL. If this box is checked, duplicate pH, Bacteria, and Residual Chlorine samples have been collected. Res. Cl. =

pH = 7.0 Cooler Temp: 16.30 °C


Properly Preserved No

Sampled by: [Signature]

Relinquished by: [Signature] Date: 4/14/14 Time: 16:30

Relinquished by: [Signature] Date: 4/14/14 Time: 16:30

pH 3 Hour Check: pH Meter #: Lot #: Exp: pH 7 Reread: Time:



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

Tuesday, April 08, 2014

Mr. Rich Calareso
Buena Vista Township
890 Harding Highway
Buena, NJ 08310

Certificate of Analysis


Property Address: 890 Harding Highway

Sample Location: Men's Bathroom Sink

Date/Time Sampled: 04/03/2014 15:30

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M44221					
pH	04/03/2014 15:30	5.56	6.5 to 8.5	su	N.A.	SM4500HB
Nitrate	04/04/2014 08:56	<1,000	10,000	ug/L	1,000	SM4500NO3D
Total Coliform Bacteria	04/04/2014 09:30	Presence	Absence	Presence/ Absence	N.A.	SM9223BUV
E. coli	04/04/2014 09:30	Absence	Absence	Presence/ Absence	N.A.	SM9223BUV
Iron	04/07/2014 12:09	<0.10	0.3	mg/L	0.10	SM3111B
Lead	04/07/2014 15:14	5.83	5	ug/L	2.0	SM3113B
Manganese	04/07/2014 13:08	<0.025	0.05	mg/L	0.025	SM3111B
Mercury	04/07/2014 18:15	<0.5	2	ug/L	0.5	EPA 245.1
Gross Alpha ¹	04/04/2014 17:00	2.0±0.6	15	pCi/L	0.6	ECLS-R-GA
Volatile Organics	04/08/2014 13:45	see attached				EPA 524.2


¹ Parameters were analyzed by KNL Laboratory Services. NJDEP Cert # FL008.
This report relates only to the samples as received by the laboratory.



Mark J. Riether, Lab Director



Date



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwater.test.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

4/8/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: 890 Harding Highway
Buena, NJ 08310
Public Works Building

Lab ID# M44221

Date sampled: 04/03/14 15:30
Date analyzed: 04/08/14 13:45

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	ND	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	ND	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	↓
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	ND	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	
Units	(ug/L)	(ug/L)	(ug/L)

ND = Not Detected

*New Jersey or Federal Maximum Contaminant Level (MCL)

** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.

Mark J. Rietter, Lab Director

Date

4/8/14

CHAIN OF CUSTODY RECORD

Customer: _____
 Contact: _____
 Address: _____
 Phone: _____ Fax: _____
 Cell: _____

South Jersey Water Test, LLC
 4077 South Black Horse Pike
 Williamstown, NJ 08094
 Phone: 856-875-3506 Fax: 856-875-3507
 www.sjwatertest.com
 NJ DEP Certification #08006



Lab ID#	Sample Location	Collection Date	Time	Matrix	Field Measurements	No. of Bottles	Pres.	Analysis Required
M44221	Mens Bathroom Only	4/3/14	15:30	D	Res. Cl. = $e-05$	1 X 120	NaThio	Time Analyzed: 15:30 Meter # 3
	Public Works			D		1 X 125	NA	Total Coliform/E.coli
	Bldg. raw			D		1 X 250	HNO3	Nitrates
				D		2 X 40	HCL	Fe, Mn, Pb, Hg
				D		1 X 125	HNO3	VOC's
				D	pH = 5.56			Gross Alpha
				D		1 X 125	HNO3	Time Analyzed: 15:30 Meter # 3
				D				Fe, Mn
				D	pH =			Time Analyzed: Meter #

MATRIX ABBREVIATIONS: DIDRINKING WATER WAQUEOUS SISOIL SL/SLUDGE GW/GROUND WATER SWSURFACE WATER WWWASTE WATER

Turnaround Time: _____
 SJWT Standard is 10 work days
 Rush turnaround available upon request and lab approval _____
 Report Format: Standard
 NJ DEP Reduced Deliverables
 NJ DEP Full Deliverables
 Electronic Data Deliverables
 PWTA Format
 Comments/Special Instructions: If this box is checked a VOC trip blank sample has been collected and will be analyzed if VOC hits are above the MCL.
 If this box is checked, duplicate pH, Bacteria, and Residual Chlorine samples have been collected.
 pH = _____ Res. Cl. = _____
 Cooler Temp: *cool 2.8 °C*
 Properly Preserved: Yes No

pH 3 Hour Check
 pH Meter #: _____ Lot #: _____ pH 7 Reread: _____
 pH Buffer: _____ Exp: _____ Time: _____

Sampled by: *[Signature]*
 Relinquished by: *[Signature]* Date: 4/3/14 Time: 16:00
 Relinquished by: *[Signature]* Date: _____ Time: _____

ATTACHMENT P



South Jersey Water Test, LLC

4077 South Black Horse Pike

Williamstown, NJ 08094

856-875-3506 Phone

856-875-3507 Fax

www.sjwatertest.com

NJDEP Certified Lab # 08006
Professional Septic Inspections

Monday, October 27, 2014

Mr. Rich Calareso
Buena Vista Township
430 Union Rd.
East Vineland, NJ 08310

Reference: Buena Vista Township – Public Works Facility
Groundwater Sampling and Testing (10/23/14)

Dear Rich:


Enclosed find the a site plan, field measurements, and laboratory results for the monitoring well sampling at the Buena Vista Township – Public Works Facility.

Please call me if you have any questions.

Sincerely,

Mark J. Riether

Mark J. Riether
Laboratory Director



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax


www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections


Buena Township Landfill - Sampled on Oct. 23, 2014

Depth to Water and Total Depth

Well ID	Depth to Water	Total Depth
MWA	26.32	43.00
MWB	15.81	40.50
MWC	20.79	33.00
MWD	27.11	42.50

Buena Twp Public Works -- Site Map





**South Jersey
Water Test, LLC**
 4077 South Black Horse Pike
 Williamstown, NJ 08094
 856-875-3506 Phone
 856-875-3507 Fax

www.sjwatertest.com
 NJ DEP Certified Lab #08006
 Professional Septic Inspections

Monday, October 27, 2014

Mr. Rich Calareso
 Buena Vista Township
 430 Union Rd.
 East Vineland, NJ 08310

Certificate of Analysis

Property Address: Buena Township, Monitoring Wells

Sample Location: MWC

Date/Time Sampled: 10/23/2014 14:20

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M47347					
Mercury	10/27/2014 17:21	<0.5	2	ug/L	0.5	EPA 245.1

Sample Location: MWD

Date/Time Sampled: 10/23/2014 15:20

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M47348					
Mercury	10/27/2014 17:24	<0.5	2	ug/L	0.5	EPA 245.1

Sample Location: MWA

Date/Time Sampled: 10/23/2014 15:45


Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M47349					
Mercury	10/27/2014 17:26	<0.5	2	ug/L	0.5	EPA 245.1

Sample Location: MWB


Date/Time Sampled: 10/23/2014 15:30

Test/ Parameter	Date/Time Analyzed	Result	Allowable Limit	Units	Reporting Limit	Method
Sample ID	M47350					
Mercury	10/27/2014 17:29	<0.5	2	ug/L	0.5	EPA 245.1

This report relates only to the samples as received by the laboratory.


 Mark J. Riefler, Lab Director


 Date



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwatertest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

10/27/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWC


Lab ID# M47347

Date sampled: 10/23/14 14:20
Date analyzed: 10/24/14 16:27

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	ND	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	ND	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	↓
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	ND	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	
Units	(ug/L)	(ug/L)	(ug/L)


ND = Not Detected


Mark J. Rlether, Lab Director
Date 10/27/14

*New Jersey or Federal Maximum Contaminant Level (MCL)

** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwaterest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

10/27/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWD

Lab ID# M47348

Date sampled: 10/23/14 15:20
Date analyzed: 10/24/14 17:12

Volatile Organics (EPA Method 524.2)


Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	ND	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	ND	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	↓
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	ND	0.5	600
1,4-dichlorobenzene	ND	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	
Units	(ug/L)	(ug/L)	(ug/L)

ND = Not Detected

*New Jersey or Federal Maximum Contaminant Level (MCL)


** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.


Mark J. Riether, Lab Director

Date

10/27/14



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwaterest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

10/27/2014

Buena Vista Township

Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWA


Lab ID# M47349

Date sampled: 10/23/14 15:45
Date analyzed: 10/24/14 17:57

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	0.79	0.5	2
Bromomethane	ND	0.5	
Chloroethane	1.49	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	3.95	0.5	70
1,1-dichloroethene	ND	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	ND	0.5	100
1,1-dichloroethane	ND	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	ND	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	ND	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	3.36	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	ND	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	ND	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	3.91	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	2.24	0.5	600
1,4-dichlorobenzene	2.13	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	


ND = Not Detected



Mark J. Riether, Lab Director
Date: 10/27/14

*New Jersey or Federal Maximum Contaminant Level (MCL)
** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.



**South Jersey
Water Test, LLC**
4077 South Black Horse Pike
Williamstown, NJ 08094
856-875-3506 Phone
856-875-3507 Fax

www.sjwaterest.com
NJ DEP Certified Lab #08006
Professional Septic Inspections

10/27/2014

Buena Vista Township
Rich Calareso
890 Harding Highway
Buena, NJ 08310

Property Address: Buena Vista Twp - Monitoring Wells
MWB

Lab ID# M47350

Date sampled: 10/23/14 15:30
Date analyzed: 10/24/14 18:41

Volatile Organics (EPA Method 524.2)

Analyte	Results	Reporting Limit	MCL*
Dichlorodifluoromethane	ND	0.5	
Chloromethane	ND	0.5	
Vinyl chloride	195	0.5	2
Bromomethane	ND	0.5	
Chloroethane	ND	0.5	
Trichlorofluoromethane	ND	0.5	
Methyl-tert-butyl ether	ND	0.5	70
1,1-dichloroethene	5.16	0.5	2
Methylene chloride	ND	0.5	3
trans-1,2-dichloroethene	11.54	0.5	100
1,1-dichloroethane	4.76	0.5	50
2,2-dichloropropane	ND	0.5	
cis-1,2-dichloroethene	1284	0.5	70
Chloroform	ND	0.5	**
Bromochloromethane	ND	0.5	
1,1,1-trichloroethane	5.49	0.5	30
1,1-dichloropropene	ND	0.5	
Carbon tetrachloride	ND	0.5	2
Benzene	ND	0.5	1
1,2-dichloroethane	ND	0.5	2
Trichloroethene	936	0.5	1
1,2-dichloropropane	ND	0.5	5
Bromodichloromethane	ND	0.5	**
Dibromomethane	ND	0.5	
cis-1,3-dichloropropylene	ND	0.5	
Toluene	ND	0.5	1000
trans-1,3-dichloropropylene	ND	0.5	
1,1,2-trichloroethane	ND	0.5	3
Tetrachloroethene	1.29	0.5	1
1,3-dichloropropane	ND	0.5	
Dibromochloromethane	ND	0.5	**
1,2-dibromoethane	ND	0.5	
Chlorobenzene	2.29	0.5	50
Ethylbenzene	ND	0.5	700
1,1,1,2-tetrachloroethane	ND	0.5	
p-xylene	ND	0.5	1000
m-xylene	ND	0.5	
o-xylene	ND	0.5	↓
Styrene	ND	0.5	100
Bromoform	ND	0.5	**
1,1,2,2-tetrachloroethane	ND	0.5	1
1,2,3-trichloropropane	ND	0.5	
Propylbenzene	ND	0.5	
Bromobenzene	ND	0.5	
1,3,5-trimethylbenzene	ND	0.5	
2-chlorotoluene	ND	0.5	
4-chlorotoluene	ND	0.5	
tert-Butylbenzene	ND	0.5	
1,2,4-trimethylbenzene	ND	0.5	
sec-Butylbenzene	ND	0.5	
4-Isopropyltoluene	ND	0.5	
1,3-dichlorobenzene	0.61	0.5	600
1,4-dichlorobenzene	0.58	0.5	75
n-Butylbenzene	ND	0.5	
1,2-dichlorobenzene	ND	0.5	600
1,2,4-trichlorobenzene	ND	0.5	9
Hexachlorobutadiene	ND	0.5	
Naphthalene	ND	0.5	300
1,2,3-trichlorobenzene	ND	0.5	
Units	(ug/L)	(ug/L)	(ug/L)

ND = Not Detected

*New Jersey or Federal Maximum Contaminant Level (MCL)

** The MCL for the sum of these 4 THMs is 80 ppb.

This report relates only to the samples as received by the laboratory.

Mark J. Riether, Lab Director

Date

10/27/14



South Jersey Water Test, LLC

4077 South Black Horse Pike
 Williamstown, NJ 08094
 Phone: 856-875-3506 Fax: 856-875-3607
 www.sjwatertest.com
 NJ DEP Certification #08006

CHAIN OF CUSTODY RECORD

Customer: Buena Township Public Works Department
Contact: Rich Calareso
Address: 890 Harding Highway
 Buena, NJ 08310
Phone: 856-697-2100
E-mail: Fax:

Lab ID#	Sample Location	Collection Date	Time	Matrix	Comp	Field Measurements	No. of Bottles	Pres.	Analysis Required
N47347	Buena Twp, MWC	10/23/14	14:00	GW	X	Depth = 20.79	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Mercury
N47348	Buena Twp, MWD	10/23/14	15:20	GW	X	Depth = 27.11	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Mercury
N47349	Buena Twp, MWA	10/23/14	15:46	GW	X	Depth = 26.32	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Mercury
N47350	Buena Twp, MWS	10/23/14	18:30	GW	X	Depth = 15.81	2 X 40	HCL	VO + 10
				D	X		1 X 125	HNO3	Mercury

MATRIX ABBREVIATIONS: DIDRINKING WATER AIAQUEOUS SISOIL SL/SLUDGE GWGROUND WATER SWSURFACE WATER WWWASTE WATER

Turnaround Time
 Standard
 NJ DEP Reduced Deliverables
 NJ DEP Full Deliverables
 Electronic Data Deliverables
 PWTA Format

Report Format
 Report to Kluk Consultants for TAT consult Kluk

Comments/Special Instructions
 Cooler Temp: *Used 2.0 °C*
 Properly Preserved: *Yes*

Sampled by: *Mull*
 (Print)

Sampled by/Relinquished by: *Mull*
 (Signature) Date: 10/23/14 Time: 16:30

Relinquished by: _____
 (Signature) Date: _____ Time: _____

Relinquished by: _____
 (Signature) Date: _____ Time: _____

ATTACHMENT Q



New Jersey Department of Environmental Protection
Site Remediation Program

RECEPTOR EVALUATION (RE) FORM

JUL 7 0 2012
Date Stamp
(For Department use only)

SECTION A. SITE NAME AND LOCATION

Site Name: Bunes Vista Township Public Works Yard

List all AKAs: _____

Street Address: 430 Union Road

Municipality: Buena Vista Township (Township, Borough or City)

County: Atlantic Zip Code: 08310

Program Interest (PI) Number(s): PI 032698 Case Tracking Number(s): _____

Indicate the type of submission:

Initial RE Submission

Updated RE Submission

Indicate the reason for submission of an updated RE form

Submission of an Immediate Environmental Concern (IEC) source control report;

Submission of a Remedial Investigation Report;

Submission of a Remedial Action Report;

Check if included in updated RE

The known concentration or extent of contamination in any medium has increased;

A new AOC has been identified;

A new receptor is identified;

A new exposure pathway has been identified.

SECTION B. ON SITE AND SURROUNDING PROPERTY USE

1. Identify any sensitive populations/uses that are currently on-site or surrounding property usage within 200 feet of the site boundary (check all that apply):

	On-site	Off-site
None of the following	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Residences or residential property	<input type="checkbox"/>	<input type="checkbox"/>
Public or Private Schools grades K-12	<input type="checkbox"/>	<input type="checkbox"/>
Child care centers	<input type="checkbox"/>	<input type="checkbox"/>
Public parks, playgrounds or other recreation areas	<input type="checkbox"/>	<input type="checkbox"/>
Other sensitive population use(s) Explain _____	<input type="checkbox"/>	<input type="checkbox"/>

If any of the above applies, attach a list of addresses, facility names, type of use, and a map depicting each location relative to the site.

2. Current site uses (check all that apply):

- | | | | |
|---|--|---|---------------------------------------|
| <input type="checkbox"/> Industrial | <input type="checkbox"/> Residential | <input type="checkbox"/> Commercial | <input type="checkbox"/> Agricultural |
| <input type="checkbox"/> School or child care | <input checked="" type="checkbox"/> Government | <input type="checkbox"/> Park or recreational use | |
| <input type="checkbox"/> Vacant | <input type="checkbox"/> Other: _____ | | |

3. Planned future site uses and off-site use within 200 ft of site boundary (check all that apply):

- | | | | |
|---|--|---|---------------------------------------|
| <input type="checkbox"/> Industrial | <input type="checkbox"/> Residential | <input type="checkbox"/> Commercial | <input type="checkbox"/> Agricultural |
| <input type="checkbox"/> School or child care | <input checked="" type="checkbox"/> Government | <input type="checkbox"/> Park or recreational use | |
| <input type="checkbox"/> Vacant | <input type="checkbox"/> Other: _____ | | |

Provide a map depicting the location of the proposed changes in land use.

SECTION C. DESCRIPTION OF CONTAMINATION

1. Identify if any of the following exist at the site (check all that apply):
- Free product [N.J.A.C. 7:26E-1.8] identified is LNAPL* or DNAPL**. Date identified: _____
 - Residual product [N.J.A.C. 7:26E-1.8]
 - Other high concentration source materials not identified above (e.g., buried drums, containers, unsecured friable asbestos)
- Explain: _____
- * LNAPL – measured thickness of .01 feet or more
**DNAPL – See US EPA DNAPL Overview
2. Soil Migration Pathway
- Has soil contamination been delineated to the applicable Direct Contact Soil Remediation Standard? Yes No
- Are all soils either below the applicable Direct Contact Criteria or under an institutional control (i.e. deed notice)? Yes No
3. If this evaluation is submitted with a technical document that includes contaminant summary information, proceed to Section D. Otherwise attach a brief summary of all currently available data and information to be included in the site investigation or remedial investigation report.

SECTION D. GROUND WATER USE

1. Has the requirement for ground water sampling been triggered? Yes No Unknown
If "No," proceed to Section F. If "Unknown," explain: _____
2. Is Ground water contaminated above the Ground Water Remediation Standards [N.J.A.C.7:9C]? Yes No Unknown
Or Awaiting laboratory data with the expected due date: _____
If "Yes," provide the date that the laboratory data was available and confirmed contamination above the Ground Water Remediation Standards. Date: 01/18/2001
If "Unknown," explain: _____
If "No," or awaiting laboratory data proceed to Section F.
3. Has ground water contamination been delineated to the applicable Remediation Standard? Yes No
4. Has a well search been completed? Yes No
Date of most recent or updated well search: _____
Identify if any of the following conditions exist based on the well search [N.J.A.C.7:26E-1.14(a)] (check all that apply):
- Potable wells located within 500 feet from the downgradient edge of the currently known extent of contamination.
 - Potable well located 250 feet upgradient or 500 feet side gradient of the currently known extent of contamination.
 - Ground water contamination is located within a Tier 1 wellhead protection area (WHPA).
5. Is a completed Well Search Spreadsheet or historical well search table attached and has an electronic copy of the spreadsheet been submitted to srpgis_wrs@dep.state.nj.us Yes No
If "No," explain: Potable Well sampling has occurred
6. Are any private potable or irrigation wells located within 1/2 mile of the currently known extent of contamination? Yes No
If "Yes," was a door to door survey completed? Yes No
If survey was not completed explain: _____
7. Has sampling been conducted of potable well(s) and /or non-potable use well(s)? Yes No
If "No," provide justification then proceed to Section E.

8 Has contamination been identified in potable well(s) above Ground Water Remediation Standards that is not suspected to be from the site? (If "Yes," provide justification) Yes No

9 Has contamination been identified in potable well(s) that is above the Ground Water Remediation Standards or Federal Drinking Water Standards? Yes No

Provide date laboratory data was received: _____

Or awaiting laboratory data with the expected due date: _____

If "Yes" for potable well contamination **not attributable to background**, follow the IEC Guidance Document at <http://www.nj.gov/dep/srp/guidance/index.html#iec> for required actions and answer the following:

Has an engineered system response action been completed on all receptors? Yes No

Provide a brief narrative description:

Date completed: _____ NJDEP Case Manager: _____

10. Were Non-potable use well(s) sampled and results were above Class II Ground Water Remediation Standards? Yes No

Provide date laboratory data was received: _____

Or awaiting laboratory data with the expected due date: _____

11. Has the ground water use evaluation been completed? Yes No

SECTION E. VAPOR INTRUSION (VI)

1. Contaminants present in ground water exceed the Vapor Intrusion Ground Water Screening Levels that trigger a VI evaluation. (see NJDEP Vapor Intrusion Technical Guidance). ... Yes No Unknown

Or Awaiting laboratory data and the expected due date: _____

Provide the date that the laboratory data was available and confirmed contamination above the Vapor Intrusion Trigger Levels. Date: _____

2. Other existing conditions that trigger a VI evaluation. (see NJDEP Vapor Intrusion Technical Guidance)

Wet basement or sump containing free product or ground water containing volatile organics

Methane generating conditions causing oxygen deficient or explosion concern

Other human or safety concern from the VI pathway (i.e. elemental mercury, unsaturated contamination, elevated soil gas or indoor vapor (explain):

If you answered "No," or awaiting laboratory data to Question 1., and did not check any boxes in Question 2, proceed to Section F, "Ecological Receptors", otherwise complete the rest of this section.

3. Has ground water contamination been delineated to the applicable Ground Water Vapor Screening Level? Yes No

4. Was a site specific screening level, modeling or other alternative approach employed for the VI pathway? Yes No

5. Identify and locate on a scaled map any buildings/sensitive populations that exist within the following distances from ground water contamination with concentrations above the Vapor Intrusion Ground Water Screening Levels or specific threats (check all that apply):

30 feet of petroleum free product or dissolved petroleum hydrocarbon contamination in ground water

100 feet of any non-petroleum free product or any non-petroleum dissolved volatile organic ground water contamination

No buildings exist within the specified distances

6. The vapor intrusion pathway is a concern at or adjacent to the site (if "No," attach justification) Yes No

7. Has soil gas sampling of the building(s) been conducted? Yes No N/A
 If "No," or "N/A," proceed to #10
8. Has indoor air sampling been conducted at the identified building(s)? Yes No
 If "No," proceed to #10
9. Has indoor air contamination been identified but not suspected to be from the site?
 (if "Yes," attach justification) Yes No
10. Indoor air results were above the NJDEP's Rapid Action Levels. Yes No

Provide the date that the laboratory data was available and confirmed contamination above the Rapid Action Levels. Date: _____

Or Awaiting laboratory data with the expected due date: _____

If "Yes" to #8 above, follow the IEC Guidance Document at <http://www.nj.gov/dep/srp/guidance/index.html#iec> for required actions.

The IEC engineering system response for control was implemented for all identified structures Yes No

Date: _____ NJDEP Case Manager: _____

11. Indoor air sampling was conducted and results were above the NJDEP's Indoor Air Screening Levels but at or below the Rapid Action Levels..... Yes No

Provide the date that the laboratory data was available. Date: _____

Or Awaiting laboratory data with the expected due date: _____

If "Yes" to #10 above, answer the following:

Has the Vapor Concern (VC) Response Action Form notifying the NJDEP of the exceedances been submitted? Yes No

Date: _____

Has a plan to mitigate and monitor the exposure been submitted? Yes No

Date: _____

Has the Mitigation Response Action Report been submitted? Yes No

Date: _____

12. Has the vapor intrusion investigation been completed? Yes No

If "No", is the vapor intrusion investigation stepping out as part of the site investigation or remedial investigation. (If "No," attach justification) Yes No

SECTION F. ECOLOGICAL RECEPTORS

1. Has an Ecological Evaluation (EE) has been conducted? [N.J.A.C. 7:26E-1.16] Yes No

Date conducted: 05/17/2010

2. Do the results of an EE trigger a remedial investigation of ecological receptors? [N.J.A.C. 7:26E-4.8]. Yes No

3. Has a remedial investigation of ecological receptors been conducted? Yes No

Date conducted: _____

4. Provide the name(s) of any surface water body on or within 200 feet of the site:

5. Is free product or residual product located within 100 feet from an ecological receptor? Yes No

6. Available data indicate an impact on: Ecological receptor(s) Surface water Sediment

If this evaluation is submitted with a technical document that includes contaminant summary information, proceed to Section G. Otherwise attach a description of the type of contamination and provide a schedule and a description of all actions to be taken to mitigate exposure

SECTION G. PERSON RESPONSIBLE FOR CONDUCTING THE REMEDIATION INFORMATION AND CERTIFICATION

Full Legal Name of the Person Responsible for Conducting the Remediation: Buena Vista Township

Representative First Name: Dawn Representative Last Name: Gorman

Title: Administrator

Phone Number: (856) 697-2100 Ext: _____ Fax: _____


Mailing Address: 890 Harding Highway

City/Town: Buena Vista Township State: New Jersey Zip Code: 08310

Email Address: _____

This certification shall be signed by the person responsible for conducting the remediation who is submitting this notification in accordance with Administrative Requirements for the Remediation of Contaminated Sites rule at N.J.A.C. 7:26C-1.5(a).

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, including all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, to the best of my knowledge, I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties.

Signature:  Date: 4/5/12

Name/Title: Dawn Gorman - Administrator No Changes Since Last Submittal

SECTION H. LICENSED SITE REMEDIATION PROFESSIONAL INFORMATION AND STATEMENT

LSRP ID Number: 509042

First Name: John

Last Name: Callaghan

Phone Number: (609) 476-4500

Ext: _____

Fax: (609) 476-4300

Mailing Address: 1415 13th Avenue

City/Town: Dorothy

State: New Jersey

Zip Code: 08317

Email Address: calmarassociates@aol.com

This statement shall be signed by the LSRP who is submitting this notification in accordance with SRRA Section 16 d. and Section 30 b.2.

I certify that I am a Licensed Site Remediation Professional authorized pursuant to N.J.S.A. 58:10C to conduct business in New Jersey. As the Licensed Site Remediation Professional of record for this remediation, I:

[SELECT ONE OR BOTH OF THE FOLLOWING AS APPLICABLE]:

directly oversaw and supervised all of the referenced remediation, and/or

personally reviewed and accepted all of the referenced remediation presented herein.

I believe that the information contained herein, and including all attached documents, is true, accurate and complete.

It is my independent professional judgment and opinion that the remediation conducted at this site, as reflected in this submission to the Department, conforms to, and is consistent with, the remediation requirements in N.J.S.A. 58:10C-14.

My conduct and decisions in this matter were made upon the exercise of reasonable care and diligence, and by applying the knowledge and skill ordinarily exercised by licensed site remediation professionals practicing in good standing, in accordance with N.J.S.A. 58:10C-16, in the State of New Jersey at the time I performed these professional services.

I am aware pursuant to N.J.S.A. 58:10C-17 that for purposely, knowingly or recklessly submitting false statement, representation or certification in any document or information submitted to the board or Department, etc., that there are significant civil, administrative and criminal penalties, including license revocation or suspension, fines and being punished by imprisonment for conviction of a crime of the third degree.

LSRP Signature: _____

Date: 6-28-13

LSRP Name/Title: John Callaghan

No Changes Since Last Submittal

Company Name: CALMAR Associates LLC

Completed forms should be sent to the municipal clerk, designate health department, and:

Bureau of Case Assignment & Initial Notice
Site Remediation Program
NJ Department of Environmental Protection
401-05H
PO Box 420
Trenton, NJ 08625-0420

TABLE 1
Residential Properties within a 200 foot Radius of the Property Boundary
Buena Vista DPW
430 Union Road
Block 7101, Lot 25
Buena Vista Township, Atlantic County, New Jersey

Block	Lot	Property Address	Mailing Address	Owner
7101	26	440 UNION ROAD VINELAND NJ 08360	440 UNION ROAD VINELAND NJ 08360	BERTONAZZI, CARLO N
7101	28	444 UNION ROAD VINELAND, NJ 08360	435 UNION ROAD VINELAND, NJ 08360	ALIMENTI, ALFRED & ANITA
5801	1	435 UNION ROAD VINELAND, NJ 08360	435 UNION ROAD VINELAND, NJ 08360	ALIMENTI, ALFRED & ANITA

PROJECT SUMMARY
Buena Vista Township Public Works Yard
430 Union Road
Buena Vista Township, NJ 08310
PI# 032698

Listed below is a summary of tasks completed at the above referenced project site:

- In October 1998 Environmental Design removed two (2) 550-gallon gasoline underground storage tanks (USTs) and one (10 1,000 gallon No 2 Diesel UST at the site.
- Groundwater was not encountered in the tank excavation pits
- Fuel odors were observed in the excavation pit of the tow 550 –gallon gasoline USTs. No fuel odors were observed in the 1,000-gallon No 2 Diesel UST excavation pit
- One small hole was observed in one of the two 550-gallon gasoline USTs
- Soils that revealed a petroleum odor were excavated
- Post excavation soil sampling results revealed low levels of volatile organic compounds (VOCs) in one soil sample, which included toluene, ethyl benzene, and xylene detected below the NJDEP soil remediation standard. These levels included Toluene at 0.003 ppm, ethyl benzene at 0.005 ppm and xylene at 0.003 ppm.
- All other soil sample results were non detect for VOCs
- In November 2000 Property Evaluation Group performed a groundwater investigation which included installing one four inch diameter groundwater monitoring well within the former gasoline USTs location. This well was installed to a depth of 27 feet below grade surface
- In December 2000 The Property Evaluation Group collected one groundwater sample from MW-1. The sample was sent to a NJDEP certified laboratory and analyzed for VOCs (VOC +10) plus a forward library search, MTBE, TBA and base neutrals (BN +15), and Lead
- The results of this groundwater-sampling event revealed elevated levels of MTBE at 390.0 parts per billion (ppb). No other compounds were detected above the NJDEP Class-IIA aquifer standards.
- In February 2001 Junetta Dix Consulting performed a Baseline Ecological Evaluation. No ecological receptors were identified.
- On May 8, 2001 Aqua-Tex collected one groundwater sample from MW-1 this sample was analyzed for VOCs (VOC+10), MTBE, and TBA, The results of this well sampling event revealed elevated levels of MTBE at 260 ppb. No other compound was detected above the NJDEP Class IIA aquifer standards.

ATTACHMENT R

REMINGTON & VERNICK ENGINEERS AND AFFILIATES

EDWARD VERNICK, PE, CME, President
CRAIG F. REMINGTON, PLS, PP, Vice President

EXECUTIVE VICE PRESIDENTS
Michael D. Vena, PE, PP, CME (deceased 2006)
Edward J. Walberg, PE, PP, CME
Thomas F. Beach, PE, CME
Richard G. Arango, PE, CME

DIRECTOR OF OPERATIONS
CORPORATE SECRETARY
Bradley A. Blubaugh, BA, MPA

SENIOR ASSOCIATES

John J. Cantwell, PE, PP, CME
Alan Dittenhofer, PE, PP, CME
Frank J. Seney, Jr., PE, PP, CME
Terence Vogt, PE, PP, CME
Dennis K. Yoder, PE, PP, CME, LEED
Charles E. Adamson, PLS, AET
Kim Wendell Bibbs, PE, CME
Marc DeBlasio, PE, PP, CME
Leonard A. Faiola, PE, CME
Christopher J. Fazio, PE, CME
Kenneth C. Ressler, PE, CME
Gregory J. Sullivan, PE, PP, CME
Richard B. Czepakanski, PE, CME, BCEE

Remington & Vernick Engineers

232 Kings Highway East
Haddonfield, NJ 08033
(856) 795-9595
(856) 795-1882 (fax)

Remington, Vernick & Vena Engineers

9 Allen Street
Toms River, NJ 08753
(732) 286-9220
(732) 505-8416 (fax)

3 Jicama Boulevard, Suite 300-400
Old Bridge, NJ 08857
(732) 955-8000
(732) 591-2815 (fax)

Remington, Vernick & Walberg Engineers

845 North Main Street
Pleasantville, NJ 08232
(609) 645-7110
(609) 645-7076 (fax)

4907 New Jersey Avenue
Wildwood City, NJ 08260
(609) 522-5150
(609) 522-5313 (fax)

Remington, Vernick & Beach Engineers

922 Fayette Street
Conshohocken, PA 19428
(610) 940-1050
(610) 940-1161 (fax)

1000 Church Hill Road, Suite 220
Pittsburgh, PA 15205
(412) 263-2200
(412) 263-2210 (fax)

Univ. Office Plaza, Bellevue Building
262 Chapman Road, Suite 105
Newark, DE 19702
(302) 266-0212
(302) 266-6208 (fax)

Remington, Vernick & Arango Engineers

The Presidential Center
Lincoln Building, Suite 600
101 Route 130
Cinnaminson, NJ 08077
(856) 303-1245
(856) 303-1249 (fax)

300 Penhorn Avenue, 3rd Floor
Secaucus, NJ 07094
(201) 624-2137
(201) 624-2136 (fax)

February 3, 2014

Buena Vista Township
890 Harding Highway
PO Box 605
Buena, NJ 08310

Attention: Mayor Sue Barber

Re: Response Action Outcome

Remedial Action Type: Unrestricted Use

Scope of Remediation: Areas of Concern: One (1) 550 Gallon Gasoline UST (Tank E001), dispenser and piping, One (1) 550 Gallon Gasoline UST (Tank E002), dispenser and piping, One (1) 1,000 Gallon Diesel Fuel UST (Tank E003) and no other areas.

Case Name: Buena Vista Township Public Works Yard

Address: 430 Union Road

Municipality: Buena Vista

County: Atlantic

Block: 7101 Lot: 25

Preferred ID: 032698

Child Care License # NA

KCSL # 57470

Communication Center # 98-10-17-1344-17

UST Registration # 0326982

UST Closure # N98-1924

ISRA Transaction: N/A

ISRA Case # N/A

Well Permit # 35-21230

Dear Mayor Barber:

As a Licensed Site Remediation Professional authorized pursuant to N.J.S.A. 58:10C to conduct business in New Jersey, I hereby issue this Response Action Outcome for the remediation of the areas of concern specifically referenced above. I directly oversaw and supervised all of the referenced remediation, and personally reviewed and accepted all of the referenced remediation and based upon this work, it is my professional opinion that this remediation has been completed in compliance with the Administrative Requirements for the Remediation of Contaminated Sites (N.J.A.C. 7:26C), that is protective of public health, safety and the environment. Also, full payment has been made for all Department fees and oversight costs pursuant to N.J.A.C. 7:26C-4.

This remediation includes the completion of a Site Investigation, Remedial Investigation and Remedial Action as defined pursuant to the Technical Requirements for Site Remediation (N.J.A.C. 7:26E),

My decision in this matter is made upon the exercise of reasonable care and diligence and by applying the knowledge and skill ordinarily exercised by licensed site remediation professionals in good standing practicing in the State at the time these professional services are performed.

As required pursuant to N.J.A.C. 7:26C-6.2(b)2ii, a copy of all records related to the remediation that occurred at this location is being simultaneously filed with the New Jersey Department of Environmental Protection (Department). These records contain all information upon which I based my decision to issue this Response Action Outcome.

By operation of law a Covenant Not to Sue pursuant to N.J.S.A. 58:10B -13.2 applies to this remediation. The Covenant Not to Sue is subject to any conditions and limitations contained herein. The Covenant Not to Sue remains effective only as long as the real property referenced above continues to meet the conditions of this Response Action Outcome.

CONDITIONS

Pursuant to N.J.S.A. 58:10B-12o, Buena Vista Township and any other person who is liable for the cleanup and removal costs, and remains liable pursuant to the Spill Compensation and Control Act, N.J.S.A. 58:10-23.11 et seq. shall inform the Department in writing, on a form available from the Department, within 14 calendar days after its name or address changes. Any notices you submit pursuant to this paragraph shall reference the above case numbers and shall be sent to:

New Jersey Department of Environmental Protection
Bureau of Case Assignment and Initial Notice
Mail Code 401-05H
401 East State Street, 5th floor
PO Box 420
Trenton, New Jersey 08625-0420

NOTICES

Well Decommissioning

Pursuant to N.J.A.C. 7:9D-3, all wells installed as part of this remediation have been properly decommissioned by a New Jersey licensed well driller of the proper class in accordance with the procedures set forth in N.J.A.C. 7:9D and the well driller's well decommissioning report has been submitted to the Bureau of Water Allocation and Well Permitting.

Building Interiors Not Addressed (Non-Child Care)


Please be advised that the remediation that is covered by this Response Action Outcome does not address the remediation of hazardous substances that may exist in building interiors or equipment, including, but not limited to, radon, asbestos and lead. As a result, any risks to human health presented by any building interior or equipment remains. A complete building interior evaluation should be completed before any change in use or re-occupancy is considered.

In concluding that this remediation has been completed, I am offering no opinions concerning whether either primary restoration (restoring natural resources to their pre-discharge condition) or compensatory restoration (compensating the citizens of New Jersey for the lost interim value of the natural resources) has been completed.



New Jersey Department of Environmental Protection
Site Remediation Program

RESPONSE ACTION OUTCOME FORM



Date Stamp
(For Department use only)

SECTION A. SITE NAME AND LOCATION

Site Name: Buena Vista Township Public Works Yard

List All AKAs:

Street Address: 430 Union Road

Municipality: Buena Vista (Township, Borough or City)

County: Atlantic Zip Code: 08310

Program Interest (PI) Number(s): 032698 Case Tracking Number(s): 98-10-17-1344-17

Date Remediation Initiated Pursuant to N.J.A.C. 7:26C-2: 10/17/1998

State Plane Coordinates for a central location at the site: Easting: 373529 Northing: 240755

Municipal Block(s) and Lot(s):

Block #:	7101	Lot #:	25	Block #:		Lot #:	
Block #:		Lot #:		Block #:		Lot #:	
Block #:		Lot #:		Block #:		Lot #:	
Block #:		Lot #:		Block #:		Lot #:	

SECTION B. SUBMITTAL STATUS

	Not Applicable	Included in This Submission	Previously Submitted	Date of Submission	Date of Revised Submission	Date of Document Withdrawal
Public Notification Form	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Immediate Environmental Concern Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
IEC Engineered System Response Action Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Vapor Concern Mitigation Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
LNAPL Interim Remedial Measure Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Preliminary Assessment Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Receptor Evaluation	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Site Investigation Report	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	05/27/1999		
Remedial Investigation/Remedial Action Work Plan	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Remedial Action Report	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Response Action Outcome	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Alternative Soil Remediation Standard and/or Screening level Application Form	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Case Inventory Document	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			
Technical Impracticability Determination	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Permit Application – list:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Radionuclide Remedial Investigation Workplan	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Radionuclide Remedial Investigation Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Radionuclide Remedial Action Workplan	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Radionuclide Remedial Action Report	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

SECTION C. SITE USE

Current Site Use (check all that apply)

- Industrial
- Residential
- Commercial
- School/Childcare
- Other: DPW Yard
- Agricultural
- Park or recreational use
- Vacant
- Government

Intended Future Use (check all that apply)

- Industrial
- Residential
- Commercial
- School/Childcare
- Park or recreational use
- Vacant
- Government
- Future site use unknown

SECTION D. CASE TYPE: (check all that apply)

- Administrative Consent Order (ACO)
- Brownfield Development Area (BDA)
- Child Care Facility
- Chrome Site (Chromate chemical production waste)
- Coal Gas
- Due Diligence with RAO
- Hazardous Discharge Remediation Fund (HDSRF) Grant/Loan
- ISRA
- Landfill (SRP subject only)
- Regulated Underground Storage Tank (UST)
- Remediation Agreement (RA)
- School Development Authority (SDA)
- School facility
- Spill Act Defense – Government Entity
- Spill Act Discharge
- UST Grant/Loan

Federal Case (check all that apply)

- RCRA GPRA 2020
- CERCLA/NPL
- USDOD
- USDOE
- TSCA
- Other (explain): _____

SECTION E. PUBLIC FUNDS

Did the remediation utilize public funds? Yes No

- If "Yes," check applicable:
- UST Grant
 - HDSRF Grant
 - Spill Fund
 - UST Loan
 - HDSRF Loan
 - Schools Development Authority
 - Brownfield Reimbursement Program
 - Landfill Reimbursement Program

SECTION F. SCOPE OF THE RESPONSE ACTION OUTCOME

1. Check only 1 box
 - Area(s) of Concern Only
 - Entire Site
 - Entire Site – Child Care Center Facility License
 - Lease Hold Portion Only – Child Care Center Facility (Refer to RAO Guidance Document for license details)
 - ISRA Subject Industrial Establishment (leasehold portion only)
2. Total number of contaminated AOCs associated with the site: 3
3. Total number of contaminated AOCs addressed in this submittal: 3
4. Are there any outstanding contaminated AOCs associated with the case where an RAO has not been filed? Yes No

SECTION G. FEES

All Oversight Invoices and Annual Remediation Fees are Paid in Full.

Attach a copy of the Financial Obligation Report

SECTION H. EXTENT OF REMEDIATION COVERED BY THE RESPONSE ACTION OUTCOME (check only 1 box)

- Unrestricted RAO
- Limited Restricted RAO
- Restricted RAO

SECTION I. RESPONSE ACTION OUTCOME PREPARATION CHECKS

- 1. Was the RAO issued only to the "Person(s) that conducted the Remediation"? Yes No
- 2. Does the language in the issued RAO document conform to the RAO shell document? Yes No
- 3. Were all the applicable individuals/agencies noted in the shell document copied on the RAO? Yes No
- 4. Are there electronic copies of all remediation related records included with this submittal? Yes No
- 5. Have all NJDEP fees and outstanding oversight costs been paid? Yes No
- 6. Have any identified deficiencies been addressed in this or prior submittal? Yes No N/A
- 7. Did the remedial action render the property unusable for future redevelopment or recreation use? Yes No

SECTION J. APPLICABLE REMEDIATION STANDARDS

- 1. Were Default Remediation Standards used for all contaminants? Yes No
 (If "Yes," check all that apply)
 - Direct Contact
 - Impact to Ground Water Soil Screening Levels
 - Ecological Screening Levels

- 2. Has compliance averaging been utilized to determine compliance with the Inhalation Pathway? Yes No
 If "Yes," check all that apply:

Compliance Averaging Method Utilized

Pathway	Arithmetic Mean	95 Percent UCL	Spatially Weighted Average	75 Percent/ 10X Procedure
<input type="checkbox"/> Ingestion-Dermal Pathway	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Inhalation Pathway	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Impact to Ground Water Pathway	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- 3. Has a compliance option been utilized to determine compliance with the Impact to Ground Water Pathway? (If "Yes," check all that apply) Yes No
 - Immobile Compounds
 - Data evaluation for metals and semi-volatiles
 - Data evaluation for volatile organics derived from discharges of petroleum mixtures

- 4. Were Alternate Remediation Standards used for the Ingestion/Dermal Pathway? Yes No

- 5. Were Alternate Remediation Standards used for the Inhalation Pathway? Yes No

- 6. Were Site Specific Standards used for the Impact to Ground Water Pathway? Yes No
 (If "Yes," check all that apply)

- Soil-Water Partitioning Equation SPLP Sesoil Sesoil/AT123D
- DAF Modification Immobile Chemicals List
- Soil and Ground Water Analytical Data Evaluation

- 7. Were Site Specific Ecological Remediation Goals used? Yes No

- 8. What is the ground water classification for this site as per N.J.A.C. 7:9C? (check all that apply)

- Class I-A Class II-A
- Class I-PL Pinelands Protection Area Class III-A
- Class I-PL Pinelands Preservation Area Class III-B

SECTION K. MEDIA IMPACTED/REMEDIATED

- 1. Soil Remediation Types (check all that apply):

- No remedial action required Excavation
- Capping / other engineering controls Treatment
- Institutional Control Other _____

2. Ground Water

Have the Ground Water Quality Standards been met? Yes No

Do groundwater concentrations remain above the Ground Water Quality Standards but concentrations are low and non-decreasing? Yes No N/A

3. Ground Water Remediation Types (check all that apply):

- No remedial action required
- In-Situ
- Monitored Natural Attenuation
- Physical Containment
- Hydraulic Control
- Other _____
- Pump & Treat
- Institutional Control

4. Ecological

Was wetlands mitigation/restoration required? Yes No

Was a wetlands mitigation/restoration plan approved by NJDEP? Yes No

Do contaminant levels currently meet ecological screening levels or Site Specific Ecological Remediation Goals?

- Surface water Yes No N/A
- Sediment Yes No N/A

5. Wetland Remediation Types (check all that apply):

- No remedial action required
- Excavation
- Capping
- Other _____

6. Sediment Remediation Types (check all that apply):

- No remedial action required
- Excavation
- Capping
- Other _____

7. General

Has radionuclide contamination been addressed in any media? Yes No N/A

SECTION L. ALTERNATIVE STANDARD / VARIANCES

Alternative remediation standard / screening level

If proposing an alternative remediation standard pursuant to N.J.A.C. 7:26D-7.4, alternate vapor intrusion screening level, or ecological site specific goal check here and attach the Alternative Soil Remediation Standard and/or Screening Level Application Form as an addendum.

A site-specific screening level was developed for the evaluation of the VI pathway Yes No

Variance from regulations

If the Licensed Site Remediation Professional has varied from the Technical Rules, provide the citation(s) from which the remediation varied and the page(s) in the attached document where the rationale for the variance is provided.

- N.J.A.C. 7:26E- _____ Page _____
- N.J.A.C. 7:26E- _____ Page _____
- N.J.A.C. 7:26E- _____ Page _____

SECTION M. RESPONSE ACTION OUTCOME NOTICES (check all the apply and were used in the RAO document)

1. General Notices

- Well Decommissioning
- Building Interiors Not Addressed

2. Child Care Center Notices

- Child Care Center Notices (Use this notice in all Child Care Center RAOs)
- Child Care Center Specific-Multi-Tenant Situations

3. Contamination Remaining Onsite

- Regional Natural Background Levels of Contamination
- Existing CEA or Deed Notice
- Soils Only RAO
- Ground Water Contamination Not Yet Investigated
- Ground Water Contamination Due to Regional Historic Fill
- Contamination Remaining Onsite Due to Migration from Off-site Source
- Known Onsite Contamination Source Not Yet Remediated
- Less than an Order of Magnitude Remediation Standard Change For A Site With An Approved RAW Prior To A New Remediation Standard
- Less than an Order of Magnitude Remediation Standard Change For A Site With A Final Remediation Document Prior to A New Remediation Standard

4. ISRA Specific Notices

- ISRA Specific – RCRA Situations
- ISRA Specific – Multi-Tenant Situations
- ISRA Specific – Landfill Situations

SECTION N. REMEDIATION FUNDING SOURCE

1. Has a Remediation Funding Source been posted for this site pursuant to N.J.A.C. 7:26C-5? Yes No

If "Yes, check a. or b. below as applicable:

- a. This RAO is for the entire site and serves as notice to the NJDEP to return the Remediation Funding Source posted for this site*.
- b. This RAO is for an Area of Concern only and (check one below):
 - Serves as notice to the NJDEP to decrease the Remediation Funding Source posted for this site*.
 - No adjustments to the Remediation Funding Source are requested at this time.

Note: If any box in a. or b. above identified with an asterisk (*) is checked, be sure to include the completed "Remediation Cost Review and RFS-FA Form" available at <http://nj.gov/dep/srp/srra/forms>

SECTION O. PERSON RESPONSIBLE FOR CONDUCTING THE REMEDIATION INFORMATION AND CERTIFICATION

Full Legal Name of the Person Responsible for Conducting the Remediation: Buena Vista Township

Representative First Name: Susan Representative Last Name: Quinones

Title: Township Administrator

Phone Number: (856) 697-2100 Ext: 12 Fax: _____

Mailing Address: 890 Harding Highway

City/Town: Buena Vista State: Nj Zip Code: 08310

Email Address: buenavst-admin@comcast.net

This certification shall be signed by the person responsible for conducting the remediation who is submitting this notification in accordance with Administrative Requirements for the Remediation of Contaminated Sites rule at N.J.A.C. 7:26C-1.5(a).

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, including all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, to the best of my knowledge, I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties.

Signature:  Date: 12/16/2013

Name/Title: Susan Quinones/Administrator-CFO

Company Name: Buena Vista Township

No changes to contact information since last submittal

SECTION P. LICENSED SITE REMEDIATION PROFESSIONAL INFORMATION AND STATEMENT

LSRP ID Number: 575429

First Name: Paul

Last Name: Kenny

Phone Number: (856) 795-9595

Ext: 1073

Fax: (856) 429-5904

Mailing Address: 232 Kings Highway East

City/Town: Haddonfield

State: Nj

Zip Code: 08033

Email Address: Paul.Kenny@rve.com

This statement shall be signed by the LSRP who is submitting this notification in accordance with SRRRA Section 16 d. and Section 30 b.2.

I certify that I am a Licensed Site Remediation Professional authorized pursuant to N.J.S.A. 58:10C to conduct business in New Jersey. As the Licensed Site Remediation Professional of record for this remediation, I:

[SELECT ONE OR BOTH OF THE FOLLOWING AS APPLICABLE]:

directly oversaw and supervised all of the referenced remediation, and/or

personally reviewed and accepted all of the referenced remediation presented herein.

I believe that the information contained herein, and including all attached documents, is true, accurate and complete.

It is my independent professional judgment and opinion that the remediation conducted at this site, as reflected in this submission to the Department, conforms to, and is consistent with, the remediation requirements in N.J.S.A. 58:10C-14.

My conduct and decisions in this matter were made upon the exercise of reasonable care and diligence, and by applying the knowledge and skill ordinarily exercised by licensed site remediation professionals practicing in good standing, in accordance with N.J.S.A. 58:10C-16, in the State of New Jersey at the time I performed these professional services.

I am aware pursuant to N.J.S.A. 58:10C-17 that for purposely, knowingly or recklessly submitting false statement, representation or certification in any document or information submitted to the board or Department, etc., that there are significant civil, administrative and criminal penalties, including license revocation or suspension, fines and being punished by imprisonment for conviction of a crime of the third degree.

LSRP Signature: 

Date: 2/6/14

LSRP Name/Title: Paul Kenny/Senior Project Manager

Company Name: Remington, Vernick & Walberg Engineers

No changes to contact information since last submittal

Completed forms should be sent to:

Bureau of Case Assignment & Initial Notice
Site Remediation Program
NJ Department of Environmental Protection
401-05H
PO Box 420
Trenton, NJ 08625-0420

ATTACHMENT S

Ground Water Quality Standards - Class IIA by Constituent



Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
Acenaphthene	83-32-9	400	10	400	Specific
Acenaphthylene	208-96-8	100	10	100	Interim Specific
Acetone	67-64-1	6,000	10	6,000	Specific
Acetonitrile	75-05-8	100	9	100	Interim Generic
Acetophenone	98-86-2	700	10	700	Specific
Acrolein	107-02-8	4	5	5	Specific
Acrylamide	79-06-1	0.008	0.2	0.2	Specific
Acrylonitrile	107-13-1	0.06	2	2	Specific
Adipates (Di(ethylhexyl)adipate) (DEHA)	103-23-1	30	3	30	Specific
Alachlor	15972-60-8	0.4	0.1	0.4	Specific
Aldicarb sulfone	1646-88-4	7	0.3	7	Specific
Aldrin	309-00-2	0.002	0.04	0.04	Specific
Aluminum	7429-90-5	200	30	200	Specific
Ammonia	7664-41-7	3,000	200	3,000	Specific
Aniline	62-53-3	6	2	6	Specific
Anthracene	120-12-7	2,000	10	2,000	Specific
Antimony (Total)	7440-36-0	6	3	6	Specific
Arsenic (Total)	7440-38-2	0.02	3	3	Specific
Asbestos	1332-21-4	7×10^6 f/L > 1	10^6 f/L > 10um	7×10^6 f/L > 1	Specific
Atrazine	1912-24-9	3	0.1	3	Specific
Barium	7440-39-3	6,000	200	6,000	Specific
Benzo(a)anthracene	56-55-3	0.05	0.1	0.1	Specific
Benzene	71-43-2	0.2	1	1	Specific
Benzidine	92-87-5	0.0002	20	20	Specific
Benzo(a)pyrene(BaP)	50-32-8	0.005	0.1	0.1	Specific
Benzo(b)fluoranthene (3,4-Benzofluoranthene)	205-99-2	0.05	0.2	0.2	Specific
Benzo(ghi)perylene	191-24-2	100	0.3	100	Interim Generic
Benzo(k)fluoranthene	207-08-9	0.5	0.3	0.5	Specific
Benzoic Acid	65-85-0	30,000	50	30,000	Specific
Benzyl Alcohol	100-51-6	2,000	20	2,000	Specific
Beryllium	7440-41-7	1	1	1	Specific

Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) - Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
alpha-BHC (alpha-HCH) (benzenhydrochloride)	319-84-6	0.006	0.02	0.02	Specific
beta-BHC (beta-HCH)	319-85-7	0.02	0.04	0.04	Specific
BHC (gamma-HCH/Lindane)	58-89-9	0.03	0.02	0.03	Specific
Biphenyl (Diphenyl) (1,1-biphenyl)	92-52-4	400	10	400	Specific
Bis(2-chloroethyl) ether (Dichloroethyl ether)	111-44-4	0.03	7	7	Specific
Bis(2-chloroisopropyl)ether	108-60-1	300	10	300	
Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	2	3	3	Specific
Bromodichloromethane(Dichlorobromomethane)	75-27-4	0.6	1	1	Specific
Bromoform	75-25-2	4	0.8	4	Specific
Bromomethane (Methyl bromide)	74-83-9	10	1	10	Specific
2-Butanone (MEK)	78-93-3	300	2	300	Specific
Butyl benzyl phthalate	85-68-7	100	1	100	Specific
Cadmium	7440-43-9	4	0.5	4	Specific
Camphor	76-22-2	1,000	0.5	1,000	Specific
Caprolactam	105-60-2	3,500	5,000	5,000	Interim Specific
Carbofuran	1563-66-2	40	0.5	40	Specific
Carbon Disulfide	75-15-0	700	1	700	Specific
Carbon Tetrachloride	56-23-5	0.4	1	1	Specific
Chlordane	57-74-9	0.01	0.5	0.5	Specific
Chloride	16887-00-6	250,000	2,000	250,000	Specific
4-Chloro-3-methylphenol (3-Methyl-4-chlorophenol)	59-50-7	100	20	100	Interim Generic
Chlorobenzene	108-90-7	50	1	50	Specific
Chloroethane	75-00-3	5	0.5	5	Interim Generic
Chloroform	67-66-3	70	1	70	Specific
2-Chloronaphthalene	91-58-7	600	10	600	
2-Chlorophenol	95-57-8	40	20	40	Specific
Chlorpyrifos	2921-88-2	20	0.1	20	Specific
Chromium (Total)	7440-47-3	70	1	70	Specific
Chrysene	218-01-9	5	0.2	5	Specific
Cobalt	7440-48-4	100	0.5	100	Interim Specific
Color (measure by "Color Unit")	color	10 CU	5 CU	10 CU	Specific

Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
Copper	7440-50-8	1,300	4	1,300	Specific
Cumene (isopropyl benzene)	98-82-8	700	1	700	Specific
Cyanide (free cyanide)	57-12-5	100	6	100	Specific
Dalapon (2,2-Dichloropropionic acid)	75-99-0	200	0.1	200	Specific
4,4'-DDD (p,p'-TDE)	72-54-8	0.1	0.02	0.1	Specific
4,4'-DDE	72-55-9	0.1	0.01	0.1	Specific
4,4'-DDT	50-29-3	0.1	0.1	0.1	Specific
Demeton	8065-48-3	0.3	1	1	Specific
Dibenz(a,h)anthracene	53-70-3	0.005	0.3	0.3	Specific
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	0.02	0.02	0.02	Specific
Dibromochloromethane (Chlorodibromomethane)	124-48-1	0.4	1	1	Specific
Dichlormid	37764-25-3	600	50	600	Interim Specific
1,3-Dichlorobenzene (meta)	541-73-1	600	5	600	Specific
1,2-Dichlorobenzene (ortho)	95-50-1	600	5	600	Specific
1,4-Dichlorobenzene (para)	106-46-7	75	5	75	Specific
3,3'-Dichlorobenzidine	91-94-1	0.08	30	30	Specific
1,2-Dichloroethane	107-06-2	0.3	2	2	Specific
1,1-Dichloroethane (1,1-DCA)	75-34-3	50	1	50	Specific
1,1-Dichloroethylene (1,1-DCE)	75-35-4	1	1	1	Specific
cis-1,2-Dichloroethylene	156-59-2	70	1	70	Specific
trans-1,2-Dichloroethylene	156-60-5	100	1	100	Specific
2,4-Dichlorophenol	120-83-2	20	10	20	Specific
2,4-Dichlorophenoxyacetic acid (2,4-D)	94-75-7	70	2	70	Specific
1,2-Dichloropropane	78-87-5	0.5	1	1	Specific
1,3-Dichloropropene(cis and trans)	542-75-6	0.4	1	1	Specific
Dieldrin	60-57-1	0.002	0.03	0.03	Specific
Diethyl phthalate	84-66-2	6,000	1	6,000	Specific
Diisodecyl phthalate (DIDP)	26761-40-0	100	3	100	Specific
Diisopropyl ether (DIPE)	108-20-3	20,000	5	20,000	Specific
2,4-Dimethyl phenol	105-67-9	100	20	100	Specific
Dimethyl phthalate	131-11-3	100	10	100	Interim Specific
Di-n-butyl phthalate	84-74-2	700	1	700	Specific
4,6-Dinitro-O-Cresol (2-Methyl-4,6-Dinitrophenol)	534-52-1	0.7	1	1	Interim Specific

Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
2,4-Dinitrophenol	51-28-5	10	40	40	Specific
2,4-Dinitrotoluene/2,6-Dinitrotoluene Mix	25321-14-6	0.05	10	10	Specific
Di-n-octyl phthalate	117-84-0	100	10	100	Specific
Dinoseb	88-85-7	7	2	7	Specific
1,4-Dioxane	123-91-1	3	10	10	Interim Specific
Diphenyl oxide (ether)	101-84-8	100	10	100	Interim Specific
Diphenylamine	122-39-4	200	20	200	Specific
1,2-Diphenylhydrazine	122-66-7	0.04	20	20	Specific
Diquat	85-00-7	20	2	20	Specific
Endosulfan (alpha and beta)	115-29-7	40	0.1	40	Specific
Alpha-Endosulfan (Endosulfan I)	959-98-8	40	0.02	40	Specific
Beta-Endosulfan (Endosulfan II)	33213-65-9	40	0.04	40	Specific
Endosulfan Sulfate	1031-07-8	40	0.02	40	Specific
Endothall	145-73-3	100	60	100	Specific
Endrin	72-20-8	2	0.03	2	Specific
Epichlorohydrin	106-89-8	4	5	5	Specific
Ethion	563-12-2	4	0.5	4	Specific
Ethyl acetate	141-78-6	6,000	10	6,000	Specific
Ethyl ether	60-29-7	1,000	50	1,000	Specific
2-Ethyl-1-Hexanol	104-76-7	200	0.5	200	Interim Specific
Ethylbenzene	100-41-4	700	2	700	Specific
Ethylene dibromide (EDB) (1,2-dibromoethane)	106-93-4	0.0004	0.03	0.03	Specific
Ethylene glycol	107-21-1	300	200	300	Specific
Ethylene glycol monomethyl ether	109-86-4	7	20,000	20,000	Specific
Fluoranthene	206-44-0	300	10	300	Specific
Fluorene	86-73-7	300	1	300	Specific
Fluoride	7782-41-4	2,000	500	2,000	
Foaming Agents (ABS/LAS)	foaming	500	0.5	500	Specific
Formaldehyde	50-00-0	100	30	100	Specific
Freon 11 (Trichlorofluoromethane)	75-69-4	2,000	1	2,000	Specific
Freon 12 (Dichlorodifluoromethane)	75-71-8	1,000	2	1,000	Specific
Glyphosate	1071-83-6	700	30	700	Specific
Hardness (as CaCO3)	hardness	250,000	10,000	250,000	Specific

Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) - Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
Heptachlor	76-44-8	0.008	0.05	0.05	Specific
Heptachlor epoxide	1024-57-3	0.004	0.2	0.2	Specific
n-Heptane	142-82-5	100	0.5	100	Interim Generic
Hexachlorobenzene	118-74-1	0.02	0.02	0.02	Specific
Hexachlorobutadiene	87-68-3	0.4	1	1	Specific
Hexachlorocyclopentadiene	77-47-4	40	0.5	40	Specific
Hexachloroethane	67-72-1	2	7	7	Specific
Hexahydro-1,3,5-Trinitro-1,3,5-Triazine (RDX)	121-82-4	0.3	0.5	0.5	Interim Specific
Hexane (n-Hexane)	110-54-3	30	5	30	Specific
2-Hexanone	591-78-6	300	1	300	Interim Specific
Indeno (1,2,3-cd)pyrene	193-39-5	0.05	0.2	0.2	Specific
Iron	7439-89-6	300	20	300	Specific
Isophorone	78-59-1	40	10	40	Specific
Lead (Total)	7439-92-1	5	5	5	Specific
Malathion	121-75-5	100	0.6	100	Specific
Manganese	7439-96-5	50	0.4	50	Specific
Mercury (Total)	7439-97-6	2	0.05	2	Specific
Methanol	67-56-1	4,000	70	4,000	Specific
Methoxychlor	72-43-5	40	0.1	40	Specific
Methyl acetate	79-20-9	7,000	0.5	7,000	Specific
Methyl Salicylate	119-36-8	4,000	50	4,000	Specific
Methyl tert butyl ether (MTBE)	1634-04-4	70	1	70	Specific
2-(2-Methyl-4-chlorophenoxy) propionic acid (MCPA)	93-65-2	7	0.5	7	Interim Specific
Methylene chloride	75-09-2	3	1	3	Specific
2-Methylnaphthalene	91-57-6	30	10	30	Interim Specific
Metolachlor	51218-45-2	100	0.5	100	Interim Specific
Mirex	2385-85-5	0.1	0.08	0.1	Specific
Molybdenum	7439-98-7	40	2	40	Specific
Naphthalene	91-20-3	300	2	300	Specific
n-Butanol (n-butyl alcohol)	71-36-3	700	20	700	Specific
Nickel (Soluble salts)	7440-02-0	100	4	100	Specific
Nitrate	14797-55-8	10,000	100	10,000	Specific
Nitrate and Nitrite	n&n	10,000	10	10,000	Specific

Wednesday, July 27, 2011

See Footnote Explanation on last page

Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
Nitrite	14797-65-0	1,000	10	1,000	Specific
Nitrobenzene	98-95-3	4	6	6	Specific
N-Nitrosodimethylamine	62-75-9	0.0007	0.8	0.8	Specific
N-Nitrosodi-n-propylamine (Di-n-propylNitrosamine)	621-64-7	0.005	10	10	Specific
N-Nitrosodiphenylamine	86-30-6	7	10	10	Specific
n-Propanol	71-23-8	100	40	100	Interim Generic
Odor (measure by Threshold Odor Number)	odor	3b	NA	3b	Specific
Oxamyl	23135-22-0	200	1	200	Specific
Parathion	56-38-2	4	0.08	4	Specific
PBBs (Polybrominated biphenyls)	67774-32-7	0.004	0.001	0.004	Specific
PCBs (Polychlorinated biphenyls)	1336-36-3	0.02	0.5	0.5	Specific
Pentachlorophenol	87-86-5	0.3	0.1	0.3	Specific
Perchlorate	14797-73-0	5	2.7	5	Interim Specific
pH	pH	6.5-8.5	NA	6.5-8.5	Specific
Phenanthrene	85-01-8	100	0.3	100	Interim Generic
Phenol	108-95-2	2,000	10	2,000	Specific
Pyrene	129-00-0	200	0.1	200	Specific
Salicylic acid	69-72-7	80	30	80	Specific
Selenium (Total)	7782-49-2	40	4	40	Specific
Silver	7440-22-4	40	1	40	Specific
Simazine	122-34-9	0.3	0.8	0.8	Specific
Sodium	7440-23-5	50,000	400	50,000	Specific
Styrene	100-42-5	100	2	100	Specific
Sulfate	14808-79-8	250,000	5,000	250,000	Specific
Taste	taste	None Objec	NA	None Objec	Specific
TDS (Total Dissolved Solids)	TDS	500,000	10000	500,000	Specific
Tertiary-Butyl alcohol (TBA)	75-65-0	100	2	100	Specific
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	1746-01-6	2e-007	1e-005	1e-005	Specific
1,1,2,2-Tetrachloroethane	79-34-5	1	1	1	Specific
1,1,1,2-Tetrachloroethane	630-20-6	1	1	1	Specific
Tetrachloroethylene (PCE)	127-18-4	0.4	1	1	Specific
2,3,4,6-Tetrachlorophenol	58-90-2	200	3	200	Specific
Tetrahydrofuran	109-99-9	10	10	10	Specific

Wednesday, July 27, 2011

-177-

See Footnote Explanation on last page

Constituents name	casrn	Ground Water Quality	Practical Quantitation Level (PQL)	Higher of (PQL) Ground Water	Interim Type
		μ g/l or ppb	μ g/l or ppb	μ g/l or ppb	
Thallium	7440-28-0	0.5	2	2	Specific
Toluene	108-88-3	600	1	600	Specific
Toxaphene	8001-35-2	0.03	2	2	Specific
1,2,4-Trichlorobenzene	120-82-1	9	1	9	Specific
1,1,2-Trichloroethane	79-00-5	3	2	3	Specific
1,1,1-Trichloroethane (TCA)	71-55-6	30	1	30	Specific
Trichloroethene (TCE) (Trichloroethylene)	79-01-6	1	1	1	Specific
2,4,5-Trichlorophenol	95-95-4	700	10	700	Specific
2,4,6-Trichlorophenol	88-06-2	1	20	20	Specific
2-(2,4,5-trichlorophenoxy)propionic acid (Silvex) (2,4,5-TP)	93-72-1	60	0.6	60	Specific
1,2,3-Trichloropropane	96-18-4	0.005	0.03	0.03	Specific
2,4,6-Trinitrotoluene (TNT)	118-96-7	1	0.3	1	Interim Specific
Vanadium Pentoxide	1314-62-1	60	1	60	Specific
Vinyl Acetate	108-05-4	7,000	5	7,000	Specific
Vinyl Chloride	75-01-4	0.08	1	1	Specific
Xylenes (Total)	1330-20-7	1,000	2	1,000	Specific
Zinc	7440-66-6	2,000	10	2,000	Specific

Ground Water Explanation of Terms

* = Ground Water Quality Criteria and PQLs are expressed as ug/L unless otherwise noted. Table 1 criteria are all maximum values unless clearly indicated as a range for which the minimum value is to the left and the maximum value is to the right.

** = revised via administrative change (see 39 N.J.R. 3538(a)).

PQL = Practical Quantitation Level as defined in N.J.A.C. 7:9C-1.4

CASRN = Chemical Abstracts System Registration Number

NA = not available for this constituent.

a = Asbestos criterion is measured in terms of fibers/L longer than 10 micrometers (f/L > 10 um)

ug = micrograms, L = liter, f = fibers, CU= Standard Cobalt Units

b = Odor Threshold Number, mg = milligrams, H = Hardness

(Total) = means the concentration of metal in an unfiltered sample following treatment with hot dilute mineral acid (as defined in "Methods for Chemical Analysis of Water Wastes", EPA-600/4-79-020, March 1979) or other digestion defined by the analytical method. However samples that contain less than 1 nephelometric turbidity unit (NTU) and are properly preserved, may be directly analyzed without digestion.

m = Pursuant to prevailing Safe Drinking Water Act Regulations any positive result for fecal coliform is in violation of the MCL and is therefore an exceedance of the ground water quality standards.

Soil Remediation Standards



Acenaphthene

CAS No 83-32-9

Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 3,400 inhalation NA soil PQL 0.2 soil remediation 3,400 effective date: 6/2/2008 interim:

Non-Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 37,000 inhalation 300,000 soil PQL 0.2 soil remediation 37,000 effective date: 6/2/2008 interim:

Acenaphthylene

CAS No 208-96-8

Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal NA inhalation NA soil PQL 0.2 soil remediation NA effective date: 6/2/2008 interim:

Non-Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal NA inhalation 300,000 soil PQL 0.2 soil remediation 300,000 effective date: 6/2/2008 interim:

Acetone (2-Propanone)

CAS No 67-64-1

Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 70,000 inhalation NA soil PQL 0.01 soil remediation 70,000 effective date: 6/2/2008 interim:

Non-Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal NA inhalation NA soil PQL 0.01 soil remediation NA effective date: 6/2/2008 interim:

Acetophenone

CAS No 98-86-2

Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 6,100 inhalation 2 soil PQL 0.2 soil remediation 2 effective date: 6/2/2008 interim:

Non-Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 68,000 inhalation 5 soil PQL 0.2 soil remediation 5 effective date: 6/2/2008 interim:

Acrolein

CAS No 107-02-8

Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 39 inhalation 0.5 soil PQL 0.5 soil remediation 0.5 effective date: 6/2/2008 interim:

Non-Residential Direct Contact Health Based Criteria and Soil Remediation Standard (mg/kg)
 ingestion dermal 570 inhalation 1 soil PQL 0.5 soil remediation 1 effective date: 6/2/2008 interim:

NA = Standard not available

ATTACHMENT T



Contact Us | [Subscribe](#) | [Archived Soil Surveys](#) | [Soil Survey Status](#) | [Glossary](#) | [Preferences](#) | [Link](#) | [Logout](#) | [Help](#)

A | A | A

[Area of Interest \(AOI\)](#) | [Soil Map](#) | [Soil Data Explorer](#) | [Download Soils Data](#) | [Shopping Cart \(Free\)](#)

[Printable Version](#) | [Add to Shopping Cart](#)

Search

Basic Search
Enter keywords


Advanced Search

[Clear](#) [Search](#)

Map Unit Legend

Atlantic County, New Jersey (NJ001)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AugB	Aura sandy loam, 2 to 5 percent slopes	2.9	24.7%
UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes	8.7	75.3%
Totals for Area of Interest		11.6	100.0%



Warning: Soil Map may not be valid at this scale.

You have zoomed in beyond the scale at which the soil map for this area is intended to be used. Mapping of soils is done at a particular scale. The soil surveys that comprise your AOI were mapped at 1:24,000. The design of map units and the level of detail shown in the resulting soil map are dependent on that map scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Soil Data Available

To see a description of the soil data available for a specific point on the map:

1. Click anywhere in the map. The soil data availability for that point will be shown here.
2. The point you clicked is marked with the identified point icon.
3. To see a map showing soil data availability for all locations in the U.S. and territories, click the **Soil Survey Status** link in the Navigation Bar above.

FOIA | [Accessibility Statement](#) | [Privacy Policy](#) | [Non-Discrimination Statement](#) | [Information Quality](#) | [USA.gov](#) | [White House](#)

Map Unit Description

[Printable Version](#)

Report — Map Unit Description

Atlantic County, New Jersey

AugB—Aura sandy loam, 2 to 5 percent slopes

Map Unit Setting

National map unit symbol: t12y
 Elevation: 0 to 150 feet
 Mean annual precipitation: 28 to 59 inches
 Mean annual air temperature: 46 to 79 degrees F
 Frost-free period: 161 to 231 days
 Farmland classification: All areas are prime farmland

Map Unit Composition

Aura and similar soils: 85 percent
 Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Aura

Setting

Landform: Low hills
 Landform position (three-dimensional): Interfluvial, side slope
 Down-slope shape: Linear
 Across-slope shape: Convex
 Parent material: Old loamy alluvium and/or old gravelly alluvium

Typical profile

Ap - 0 to 8 inches: sandy loam
Bt1 - 8 to 13 inches: coarse sandy loam
Bt2 - 13 to 22 inches: coarse sandy loam
2Btx1 - 22 to 28 inches: gravelly coarse sandy loam
2Btx2 - 28 to 44 inches: gravelly sandy clay loam
2Btx3 - 44 to 59 inches: gravelly sandy clay loam
2C - 59 to 80 inches: gravelly loamy coarse sand

Properties and qualities

Slope: 2 to 5 percent
Depth to restrictive feature: 15 to 40 inches to fragipan
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
 Moderately high (0.20 to 0.60 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water storage in profile: Very low (about 2.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 2s
Hydrologic Soil Group: B

Minor Components

Downer

Percent of map unit: 5 percent
Landform: Low hills
Down-slope shape: Linear
Across-slope shape: Convex

Woodstown

Percent of map unit: 5 percent
Landform: Drainageways
Landform position (two-dimensional): Toeslope
Landform position (three-dimensional): Base slope
Down-slope shape: Linear
Across-slope shape: Concave

Sassafras

Percent of map unit: 5 percent
Landform: Knolls
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear

Description — Map Unit Description

Detailed Soil Map Units

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil

properties and quantities.

Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. Soils of a given series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.


An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Additional information about the map units described in this report is available in other soil reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the soil reports define some of the properties included in the map unit descriptions.

ATTACHMENT U



Contact Us | [Subscribe](#) | [Archived Soil Surveys](#) | [Soil Survey Status](#) | [Glossary](#) | [Preferences](#) | [Link](#) | [Logout](#) | [Help](#)

| A | A | A

[Area of Interest \(AOI\)](#) | [Soil Map](#) | [Soil Data Explorer](#) | [Download Soils Data](#) | [Shopping Cart \(Free\)](#)

[Printable Version](#) | [Add to Shopping Cart](#)

Search

← → Clear Search ?

Basic Search

Enter keywords

Advanced Search

← → Clear Search ?

Soil Map

Scale (not to scale) v

Warning: Soil Map may not be valid at this scale.

You have zoomed in beyond the scale at which the soil map for this area is intended to be used. Mapping of soils is done at a particular scale. The soil surveys that comprise your AOI were mapped at 1:24,000. The design of map units and the level of detail shown in the resulting soil map are dependent on that map scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Map Unit Legend

Atlantic County, New Jersey (NJ001)

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AugB	Aura sandy loam, 2 to 5 percent slopes	2.9	24.7%
UdrB	Udortheents, refuse substratum, 0 to 8 percent slopes	8.7	75.3%
Totals for Area of Interest		11.6	100.0%

Soil Data Available

To see a description of the soil data available for a specific point on the map:

1. Click anywhere in the map. The soil data availability for that point will be shown here.
2. The point you clicked is marked with the identified point icon: +
3. To see a map showing soil data availability for all locations in the U.S. and territories, click the **Soil Survey Status** link in the Navigation Bar above.

FOIA | [Accessibility Statement](#) | [Privacy Policy](#) | [Non-Discrimination Statement](#) | [Information Quality](#) | [USA.gov](#) | [White House](#)

[Printable Version](#)

Report — Map Unit Description

Atlantic County, New Jersey

UdrB—Udortheents, refuse substratum, 0 to 8 percent slopes

Map Unit Setting

National map unit symbol: v42z
 Elevation: 0 to 260 feet
 Mean annual precipitation: 30 to 64 inches
 Mean annual air temperature: 46 to 79 degrees F
 Frost-free period: 131 to 178 days
 Farmland classification: Not prime farmland

Map Unit Composition

Udortheents, refuse substratum, and similar soils: 100 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Udortheents, Refuse Substratum

Setting

Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Loamy human-transported material over refuse

Typical profile

^A - 0 to 5 inches: loam
^Cu1 - 5 to 21 inches: gravelly loam
^Cu2 - 21 to 80 inches: gravelly sandy loam

Properties and qualities

Slope: 0 to 8 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately low to very high (0.01 to 14.17 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 2 percent
Available water storage in profile: Moderate (about 7.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: B

Description — Map Unit Description

ATTACHMENT V



Mineral Resources On-Line Spatial Data

Mineral Resources > Online Spatial Data > Geology > by state > New Jersey

Cohansey Formation

*Cohansey Formation - Sand, fine- to coarse-grained, locally gravelly, massive to crossbedded, gray-brown or dark-gray; weathers yellow to white. Typically, the weathered sand is nearly all quartz or rock fragments of orthoquartzite. Where less weathered, small amounts (5-10 percent) of potassium feldspar are present. Interbedded with discrete beds of clay or silty clay, thin- to thick-bedded, massive to finely laminated, dark-gray; weathers white, yellow, or red. Darkgray beds commonly contain carbonized wood fragments, some of which are log size. The thicker clay beds occur in lenses that commonly have small to very large pieces of lignitized wood. An extensive, well-preserved leaf flora was collected from a very thick clay lens in the Cohansey near Millville, Cumberland County. The leaf flora were dominated by *Alangium* sp., a tree no longer growing in eastern North America (J.A. Wolfe, written commun., 1992). Locally, formation consists of several thin- to thickbedded, upward-coarsening sections (clay to sand). The depth of weathering ranges from 24 m (79 ft) in the ACGS-4 corehole near Mays Landing, Atlantic County (Owens and others, 1988), to 70 m (230 ft) in the Atlantic City corehole (F-F'). In the southern part of the southern sheet, in the Belleplain State Forest, Cape May County (G-G'), the formation consists of thin to thick beds of fine- to medium-grained, micaceous quartz (both colorless and green) sand and dark-gray to grayish-brown, woody clay. The sand is locally coarsely stratified (typically small-amplitude crossbeds) and locally highly bioturbated. The clay is extensively bioturbated. These beds represent the deepest marine beds found in the Cohansey in the New Jersey Coastal Plain. The basal contact with underlying units has considerable relief. The contact is sharp and commonly consists of a thin bed of fine gravelly sand. The original thickness of the Cohansey is difficult to ascertain because of extensive erosion. The formation lies in a broad channel and is thickest in the thalweg near Atlantic City where it is nearly 107 m (351 ft) thick. The base of the formation rises rapidly to the south and north of this channel axis. In downdip areas near Belleplain State Forest, the Cohansey contains marginal marine and shelfal facies. The shelfal facies is composed of interbedded, highly bioturbated, micaceous, slightly glauconitic quartz sand and massive clay. Most of the sand in the Cohansey is medium grained and moderately sorted although coarse and fine sandy beds also are common. Beds that have gravel as a major component are locally common in the mixed marine-nonmarine facies in the*

northeastern corner of the southern sheet. Here, the gravel occurs in well-defined channels. Most of the gravel is 2.5 cm (1 in) or less in diameter, although clasts up to 13 cm (5 in) in diameter have been locally observed. The gravel is mostly quartz or quartzite with lesser amounts of white and black chert. Previously, the age of the Cohansey was postulated from its stratigraphic position, its perceived contact relations with the underlying Kirkwood Formation (conformable or unconformable), and its macro- and microflora. The palynology of upper Tertiary formations in the northeastern United States is, however, only generally understood. Commonly, Pliocene beds have less exotic species than Oligocene or Miocene beds. If this is the case, then the Cohansey, which has a large number of exotics of some species, has more Miocene affinities than Pliocene, an age some have assigned to this formation. Ager (in Owens and others, 1988) discusses the microflora in the Cohansey near Mays Landing. He notes that the Cohansey has a large number of exotics similar to those in the underlying Wildwood Member of the Kirkwood, and because of this, thought the Cohansey to be Miocene. Pollen from the Cohansey at Belleplain also has a large variety of exotics in a warm temperate to subtropical pollen assemblage (Les Sirkin, Adelphi University, oral commun., 1991), which includes Clethra, Cyathea, Cyrilla, Engelhardia, Epilobium, Gordonia, Planera, Podocarpus, Pterocarya, and Symplocos. The major sources of tree pollen at Belleplain are pine, oak, and hickory. The contained dinocyst flora from marine beds at Belleplain can be correlated with the known dinocyst assemblages from the Choptank and the lower part of the St. Marys Formation of the Chesapeake Bay region and therefore is middle Miocene in age (Laurent de Verteuil, University of Toronto, written commun., 1991). These dinoflagellate data therefore confirm the Miocene rather than Pliocene age for the Cohansey. The strontium-isotope age from shells at the base of the Cohansey in an offshore well (ACOW-1) was approximately 11 Ma or latest middle Miocene or late Serravallian

State New Jersey

Name Cohansey Formation

Geologic age Middle Miocene, Serravallian

Original map label Tch

Comments Subsurface unit shown in cross section (NJ002) with different description than surficial units.

Primary rock type alluvium

Secondary rock type

Other rock types

Lithologic constituents Major

Unconsolidated > Coarse-detrital > Sand (Alluvial)

Minor

Unconsolidated > Fine-detrital > Silt (Bed)

Unconsolidated > Fine-detrital > Clay (Bed)
 Unconsolidated > Coarse-detrital > Gravel (Bed)

Map references Dalton, R. F., Herman, G. C., Monteverde, D. H., Pristas, R. S., Sugarman, P. J., Volkert, R. A., 1999, New Jersey Department Of Environmental Protection, Bedrock Geology and Topographic Base Maps of New Jersey: New Jersey Geological Survey CD Series CD 00-1; ARC/INFO (v. 7.1) export file: geology.e00, scale 1:100,000, unit description files: cslegend.pdf and nlegend.pdf, metadata: metast.pdf.

Unit references Dalton, R. F., Herman, G. C., Monteverde, D. H., Pristas, R. S., Sugarman, P. J., Volkert, R. A., 1999, New Jersey Department Of Environmental Protection, Bedrock Geology and Topographic Base Maps of New Jersey: New Jersey Geological Survey CD Series CD 00-1; ARC/INFO (v. 7.1) export file: geology.e00, scale 1:100,000, unit description files: cslegend.pdf and nlegend.pdf, metadata: metast.pdf.

Owens, James P., Sugarman, Peter J., Sohl, Norman F., Parker, Ronald A., Houghton, Hugh F., Volkert, Richard A., Drake, Avery A., Jr., and Orndorff, Randall C., 1998, Bedrock Geologic Map of Central and Southern New Jersey: U.S. Geological Survey Miscellaneous Investigations Series Map I-2540-B, scale 1 to 100,000, 8 cross sections, 4 sheets, each size 58x41.
 [<http://pubs.er.usgs.gov/publication/i2540B>]


Owens, J.P., Bybell, L.M., Paulachok, Gary, Ager, T.A., Gonzalez, V.M., and Sugarman, P.J., 1988, Stratigraphy of the Tertiary sediments in a 945-foot-deep corehole near Mays Landing in the southeastern New Jersey Coastal Plain: U.S. Geological Survey Professional Paper 1484, 39 p.
 [<http://pubs.er.usgs.gov/publication/pp1484>]

Counties Atlantic - Burlington - Camden - Cape May - Gloucester - Monmouth - Ocean - Salem

Show this information as [XML] - [JSON]


U.S. Department of the Interior | U.S. Geological Survey
 URL: <http://mrdata.usgs.gov/geology/state/sgmc-unit.php?unit=NJTch;0>
 Page Contact Information: Peter Schweitzer

ATTACHMENT W



SITE INVESTIGATION

**BUENA VISTA TOWNSHIP
DEPARTMENT OF PUBLIC WORKS YARD
430 UNION ROAD
BUENA VISTA TWP., ATLANTIC COUNTY, NEW JERSEY
EPA ID NO.: NJR000025221**




Volume 2 of 2


**New Jersey Department of Environmental Protection
Division of Remediation Management
Bureau of Environmental Measurements and Site Assessment**

USEPA COPY

ATTACHMENT X



ATTACHMENT Y



ATTACHMENT Z

New Jersey Department of Environmental Protection
EXTERNAL CHAIN OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM
(with Shipping Container)

LABORATORY INFORMATION

Name of Laboratory: EPI Region 2, DESA LAB Individual Preparing Sample Bottles and Shipping Container(s)

Address: 7 DUNSMITH AVE, NJ Name: _____ Title: _____

Time/Date Sample Shipping Container Sealed: _____ Laboratory Affixed Seal Number: _____

NJDEP INFORMATION

Division: SRP, Publicly Funded Bureau: EMSA

Phone: () _____ Job Number: Brown Vista Twp DPW Yard

REQUESTED ANALYSIS

NJDEP FIELD SAMPLE NUMBER	SAMPLING TIME START/STOP	SAMPLING DATE	PARAMETER	METHOD	PRESERV.	CONTAINER		MATRIX
						VOLUME	QUANTITY	
<u>GW5A</u>	<u>1030</u>	<u>10/20/15</u>	<u>VOA</u>		<u>HCl</u>	<u>40ml</u>	<u>3</u>	<u>Aquifer</u>
<u>GW5R</u>	<u>1115</u>	<u>"</u>	<u>"</u>		<u> </u>	<u>"</u>	<u>3</u>	<u>Aq</u>
<u>GW5C</u>	<u>1240</u>	<u>"</u>	<u>"</u>		<u> </u>	<u>"</u>	<u>3</u>	<u>"</u>
<u>GW5D</u>	<u>1430</u>	<u>"</u>	<u>"</u>		<u> </u>	<u>"</u>	<u>3</u>	<u>"</u>
<u>TR 1</u>	<u>1515</u>	<u>"</u>	<u>"</u>		<u> </u>	<u>"</u>	<u>2</u>	<u>"</u>
<u>TR 1</u>	<u>0130</u>	<u>"</u>	<u>"</u>		<u> </u>	<u>"</u>	<u>3</u>	<u>"</u>

Preservative Added: (check one) LABORATORY FIELD UNPRESERVED

Contract Number: _____ Task Number: _____ Report Format: _____

EXTERNAL CHAIN OF CUSTODY

RELINQUISHED XXXXXXXXXXXXXXXXXXXX <u>Eng Skapp</u> _____ _____	RECEIVED <u>11:45</u> _____ _____	TIME/DATE <u>02/15</u> <u>2/19/2015</u> _____ _____	REASON FOR CHANGE OF EXTERNAL CUSTODY BREAK SEAL/SAMPLE _____ _____
--	--	---	---

Individual Resealing Shipping Container: Name: _____ Title: _____
 Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
 Individual Breaking Shipping Container Seal and Accepting Responsibility at the Laboratory for the Sample: Name: _____
 Time/Date Sample Shipping Container Opened: _____
 Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

New Jersey Department of Environmental Protection
EXTERNAL CHAIN OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM
(with Shipping Container)

LABORATORY INFORMATION

Name of Laboratory: EPA DESA LAB Individual Preparing Sample Bottles and Shipping Container(s)

Address: EDISON, NJ Name: Annie Dushy Title: Env. Sci.

Time/Date Sample Shipping Container Sealed: _____ Laboratory Affixed Seal Number: _____

NJDEP INFORMATION

Division: NJDEP SRP-PFR Bureau: FMSA

Phone: (609) 530 4393 Job Number: Bucina Vista Twp DPW Yrled

REQUESTED ANALYSIS

NJDEP FIELD SAMPLE NUMBER	SAMPLING TIME START/STOP	SAMPLING DATE	PARAMETER	METHOD	PRESERV.	CONTAINER		MATRIX
						VOLUME	QUANTITY	
GW5E	0830	19 Feb 2015	VOA		HCl	40ml	3	Ag
GW4A	1105	↓	↓		↓	↓	3	↓
GW4B	1125	↓	↓		↓	↓	3	↓
GW4C	1200	↓	↓		↓	↓	2	↓
GW4D	1305	↓	↓		↓	↓	3	↓
GW4E	1400	↓	↓		↓	↓	3	↓
FB 2	1425	↓	↓		↓	↓	3	↓
TB 2	0600	↓	↓		↓	↓	3	↓

Preservative Added: (check one) LABORATORY FIELD UNPRESERVED

Contract Number: _____ Task Number: _____ Report Format: _____

EXTERNAL CHAIN OF CUSTODY

RELINQUISHED	RECEIVED	TIME/DATE	REASON FOR CHANGE OF EXTERNAL CUSTODY
XXXXXXXXXXXXXXXXXXXX	<u>[Signature]</u>	<u>2/20/15</u>	<u>Hand taking it</u>

Individual Resealing Shipping Container: Name: _____ Title: _____
 Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____

Individual Breaking Shipping Container Seal and Accepting Responsibility at the Laboratory for the Sample: Name: _____
 Time/Date Sample Shipping Container Opened: _____

Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

1062

DEP-095C
8/03

New Jersey Department of Environmental Protection
EXTERNAL CHAIN OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM
(with Shipping Container)

LABORATORY INFORMATION

Name of Laboratory: EPRI Hazardous Waste Individual Preparing Sample Bottles and Shipping Container(s)
Address: 1000 N.J. 100 Name: _____ Title: _____
Time/Date Sample Shipping Container Sealed: _____ Laboratory Affixed Seal Number: _____

NJDEP INFORMATION

Division: 1000 DEP-PR Bureau: FMSA
Phone: (609) 580 4293 Job Number: 1000 V 100 DEP 1000

REQUESTED ANALYSIS

NJDEP FIELD SAMPLE NUMBER	SAMPLING TIME START/STOP	SAMPLING DATE	PARAMETER	METHOD	PRESERV.	CONTAINER		MATRIX
						VOLUME	QUANTITY	
TR3	0745	23 Feb 15	VOCS		HCl	40ml	3	
FR3	1505		VOCS		HCl	40ml	3	
GW3A	0900		VOCS		HCl	40ml	3	
GW2A-Mercury	0900		Mercury		HNO ₃	500ml	1	
GW2B	0940		VOCS		HCl	40ml	3	
GW2B-Mercury	0940		Mercury		HNO ₃	500ml	1	
GW2C	1040		VOCS		HCl	40ml	3	
GW2C-Mercury	1040		Mercury		HNO ₃	500ml	1	
GW2D	1140		VOCS		HCl	40ml	3	
GW2D-D	1140		VOCS		HCl	40ml	3	
GW2D-Mercury	1140		Mercury		HNO ₃	500ml	1	
GW2A	1330		VOCS		HCl	40ml	3	
GW2A-Mercury	1330		Mercury		HNO ₃	500ml	1	
GW2B	1415		VOCS		HCl	40ml	3	
GW2B-Mercury	1415		Mercury		HNO ₃	500ml	1	
GW2B-Mercury	1505		"		"	"	1	

Preservative Added: (check one) LABORATORY FIELD UNPRESERVED

Contract Number: _____ Task Number: _____ Report Format: _____

EXTERNAL CHAIN OF CUSTODY

RELINQUISHED _____ RECEIVED _____ TIME/DATE 2/24/15 10:20 AM

REASON FOR CHANGE OF EXTERNAL CUSTODY _____
BREAK SEAL/SAMPLE _____

XXXXXXXXXXXXXXXXXXXX

Individual Resealing Shipping Container: Name: _____ Title: _____
Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
Individual Breaking Shipping Container Seal and Accepting Responsibility at the Laboratory for the Sample: Name: _____
Time/Date Sample Shipping Container Opened: _____
Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

New Jersey Department of Environmental Protection
EXTERNAL CHAIN OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM
(with Shipping Container)

2062

LABORATORY INFORMATION

Name of Laboratory: EPA Region 2 DESA LAB Individual Preparing Sample Bottles and Shipping Container(s)

Address: EDISON, NJ Name: _____ Title: _____

Time/Date Sample Shipping Container Sealed: 23 Feb 2015 Laboratory Affixed Seal Number: _____

NJDEP INFORMATION

Division: NJDEP-SPP-PFR Bureau: EMSA

Phone: (609) 530 4293 Job Number: Bucna Vlt = Top DPW YARD
ANALYST: DUNHAM @ DEP, NJ 60V

REQUESTED ANALYSIS

NJDEP FIELD SAMPLE NUMBER	SAMPLING TIME START/STOP	SAMPLING DATE	PARAMETER	METHOD	PRESERV.	CONTAINER		MATRIX
						VOLUME	QUANTITY	
<u>Q102C</u>	<u>1450</u>	<u>23 Feb 15</u>	<u>VOCS</u>		<u>HCl</u>	<u>40ml</u>	<u>3</u>	<u>Aq</u>
<u>Q102C-Mercury</u>			<u>Mercury</u>		<u>HNO₃</u>	<u>500ml</u>	<u>1</u>	<u>ll</u>

Preservative Added: (check one) LABORATORY FIELD UNPRESERVED

Contract Number: _____ Task Number: _____ Report Format: _____

EXTERNAL CHAIN OF CUSTODY

RELINQUISHED	RECEIVED	TIME/DATE	REASON FOR CHANGE OF EXTERNAL CUSTODY BREAK SEAL/SAMPLE
<u>XXXXXXXXXXXXXXXXXXXX</u>	<u>[Signature]</u>	<u>2/24/15 10:20 AM</u>	
<u>[Signature]</u>	<u>[Signature]</u>		

Individual Resealing Shipping Container: Name: _____ Title: _____
 Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
 Individual Breaking Shipping Container Seal and Accepting Responsibility at the Laboratory for the Sample: Name: _____
 Time/Date Sample Shipping Container Opened: _____
 Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

New Jersey Department of Environmental Protection
EXTERNAL CHAIN OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM
(with Shipping Container)

LABORATORY INFORMATION

Name of Laboratory: EPA Region 2 DESA LAB Individual Preparing Sample Bottles and Shipping Container(s)

Address: EDISON, NJ Name: _____ Title: _____

Time/Date Sample Shipping Container Sealed: 25 Feb 2015 Laboratory Affixed Seal Number: _____

NJDEP INFORMATION

Division: SRP-PFR Bureau: EMSA

Phone: (609) 530 4393 Job Number: BUENA VISTA TWP DPW YARD
ANNIE DUNHAM ODFP NJ 420

REQUESTED ANALYSIS

NJDEP FIELD SAMPLE NUMBER	SAMPLING TIME START/STOP	SAMPLING DATE	PARAMETER	METHOD	PRESERV.	CONTAINER		MATRIX
						VOLUME	QUANTITY	
TB 4	0625	24 Feb 2015	VOA		HCl	40ml	3	Aq-TB
FB 4	1320	"	"		"	40ml	3	Aq-FB
FB 4-Mercury	1320	"	Hg		HNO ₃	500ml	1	Aq-FB
GW2D	0815	"	VOA		HCl	40 ml	3	Aq
GW2D-Mercury	"	"	Hg		HNO ₃	500ml	1	Aq
GWZE	0930	"	VOA		HCl	40 ml	3	Aq
GWZE-Mercury	"	"	Hg		HNO ₃	500 ml	1	Aq
GW1A-Mercury	1050	"	"		"	500ml	1	Aq
GW1A	"	"	VOA		HCl	40ml	3	Aq
GW1A MSMP	"	"	"		"	40ml	3	Aq-M/MSD
GW1A Dup	"	"	"		"	40ml	3	Aq Duplicate
GW1B	1145	"	"		"	40ml	3	Aq
FB 5	1140	25 Feb 2015	Hg		HNO ₃	500ml	1	Aq-FB
SS11A	1215	"	VOA	ENCORE		Encore	4	Soil
SS11A Mercury	1215	"	Hg		Amplex Tar		1	Soil

Preservative Added: (check one) LABORATORY FIELD UNPRESERVED

Contract Number: _____ Task Number: _____ Report Format: _____

EXTERNAL CHAIN OF CUSTODY

RELINQUISHED	RECEIVED	TIME/DATE	REASON FOR CHANGE OF EXTERNAL CUSTODY BREAK SEAL/SAMPLE
XXXXXXXXXXXXXXXXXXXX			

Individual Resealing Shipping Container: Name: _____ Title: _____
Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
Individual Breaking Shipping Container Seal and Accepting Responsibility at the Laboratory for the Sample: Name: _____
Time/Date Sample Shipping Container Opened: _____
Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

2 of 2

DEP-095C
8/03

New Jersey Department of Environmental Protection
EXTERNAL CHAIN OF CUSTODY AND SAMPLE ANALYSIS REQUEST FORM
(with Shipping Container)

LABORATORY INFORMATION

Name of Laboratory: EPA Region 2 DESALAR Individual Preparing Sample Bottles and Shipping Container(s)

Address: EDISON, NJ Name: _____ Title: _____

Time/Date Sample Shipping Container Sealed: 25 FEB 2015 Laboratory Affixed Seal Number: _____

NJDEP INFORMATION

Division: SRP-PFR Bureau: EMSA

Phone: (609) 530 4393 Job Number: BURNAVISTA Twp DPW YARD

REQUESTED ANALYSIS

NJDEP FIELD SAMPLE NUMBER	SAMPLING TIME START/STOP	SAMPLING DATE	PARAMETER	METHOD	PRESERV.	CONTAINER		MATRIX
						VOLUME	QUANTITY	
GW11B-Mecklen	1145	24 Feb 2015	Hg		HNO ₃	500ml	1	Ag
GW11C-Mecklen	1250	"	"		HNO ₃	500ml	1	Ag
GW11E	1250	"	VOA		HCl	40ml	3	Ag
GW4A-Mecklen	0850	25 Feb 2015	Hg		HNO ₃	500ml	1	Ag
GW4AD-Mecklen	0850	"	Hg		"	500ml	3	Ag-Duplicate
GW4E-MSD Mecklen	0920	"	"		"	500ml	3	Ag-MSD
GW4E-MSD Mecklen	0920	"	"		"	500ml	3	Ag-MSD
GW4B-Mecklen	"	"	"		"	500ml	1	Ag
GW4C	0940	"	"		"	500ml	1	Ag
GW4D	1010	"	"		"	500ml	1	Ag
GW4E	1050	"	"		"	500ml	1	Ag

Preservative Added: (check one) LABORATORY FIELD UNPRESERVED

Contract Number: _____ Task Number: _____ Report Format: _____

EXTERNAL CHAIN OF CUSTODY

RELINQUISHED	RECEIVED	TIME/DATE	REASON FOR CHANGE OF EXTERNAL CUSTODY BREAK SEAL/SAMPLE
XXXXXXXXXXXXXXXXXXXX			

Individual Resealing Shipping Container: Name: _____ Title: _____
Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
Individual Breaking Shipping Container Seal and Accepting Responsibility at the Laboratory for the Sample: Name: _____
Time/Date Sample Shipping Container Opened: _____
Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

ATTACHMENT AA



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 2 Laboratory
2890 Woodbridge Avenue
Edison, New Jersey 08837
732-906-6886 Phone
732-906-6165 Fax

March 24, 2015

Annie Dunham
NJDEP Site Remediation Program
PO Box 420, 380-01
Trenton, NJ 08625

RE: Buena Vista Twp. DPW Yard - 1502026

Enclosed are the results of analyses for samples received by the laboratory between 2/19/2015 and 2/26/2015. The signature below reflects the laboratory's approval of the reported results. If you have any questions concerning this report, please refer to Project Number 1502026 and contact John Birri by phone at 732-906-6886, or via Email at birri.john@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Gregory J. Santacroce".

Gregory J. Santacroce
Acting Chief, DESA/LB



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Project Narrative:

The National Environmental Laboratory Accreditation Conference Institute (NELAP) is a voluntary environmental laboratory accreditation association of State and Federal agencies. NELAP established and promoted a National Environmental Laboratory Accreditation Program (NELAP) that provides a uniform set of standards for the generation of environmental data that are of known and defensible quality. The EPA Region 2 Laboratory is NELAP accredited. The Laboratory tests that are accredited have met all the requirements established under the NELAP Standards.

Condition Comments

None

Comment(s):

None

Data Qualifier(s):

- U- The analyte was not detected at or above the Reporting Limit.
- J- The identification of the analyte is acceptable; the reported value is an estimate.
- K- The identification of the analyte is acceptable; the reported value may be biased high.
- L- The identification of the analyte is acceptable; the reported value may be biased low.
- NJ- There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification. The reported value is an estimate.

Reporting Limit(s):

The Laboratory was able to achieve the appropriate limits for each analyte requested.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

SUMMARY REPORT FOR SAMPLES

Field ID	Laboratory ID	Matrix	Date Sampled	Date Received
GW 5A	1502026-01	Aqueous	02/18/2015 10:30	02/19/2015 14:45
GW 5B	1502026-02	Aqueous	02/18/2015 11:15	02/19/2015 14:45
GW 5C	1502026-03	Aqueous	02/18/2015 12:40	02/19/2015 14:45
GW 5D	1502026-04	Aqueous	02/18/2015 14:30	02/19/2015 14:45
FB1	1502026-05	Aqueous	02/18/2015 15:15	02/19/2015 14:45
TB1	1502026-06	Aqueous	02/18/2015 07:30	02/19/2015 14:45
GW 5E	1502028-01	Aqueous	02/19/2015 08:30	02/20/2015 12:30
GW 4A	1502028-02	Aqueous	02/19/2015 11:05	02/20/2015 12:30
GW 4B	1502028-03	Aqueous	02/19/2015 11:25	02/20/2015 12:30
GW 4C	1502028-04	Aqueous	02/19/2015 12:00	02/20/2015 12:30
GW 4D	1502028-05	Aqueous	02/19/2015 13:05	02/20/2015 12:30
GW 4E	1502028-06	Aqueous	02/19/2015 14:00	02/20/2015 12:30
FB 2	1502028-07	Aqueous	02/19/2015 14:25	02/20/2015 12:30
TB 2	1502028-08	Aqueous	02/19/2015 06:00	02/20/2015 12:30
TB 3	1502035-01	Aqueous	02/23/2015 07:45	02/24/2015 10:20
FB 3	1502035-02	Aqueous	02/23/2015 15:05	02/24/2015 10:20
GW 3A	1502035-03	Aqueous	02/23/2015 09:00	02/24/2015 10:20
GW 3B	1502035-04	Aqueous	02/23/2015 09:40	02/24/2015 10:20
GW 3C	1502035-05	Aqueous	02/23/2015 10:40	02/24/2015 10:20
GW 3D	1502035-06	Aqueous	02/23/2015 11:40	02/24/2015 10:20
GW 3DD	1502035-07	Aqueous	02/23/2015 11:40	02/24/2015 10:20
GW 2A	1502035-08	Aqueous	02/23/2015 13:30	02/24/2015 10:20
GW 2B	1502035-09	Aqueous	02/23/2015 14:15	02/24/2015 10:20
GW 2C	1502035-10	Aqueous	02/23/2015 14:50	02/24/2015 10:20
TB 4	1502040-01	Aqueous	02/24/2015 06:25	02/26/2015 10:05
FB 4	1502040-02	Aqueous	02/24/2015 13:20	02/26/2015 10:05
GW 2D	1502040-03	Aqueous	02/24/2015 08:15	02/26/2015 10:05
GW 2E	1502040-04	Aqueous	02/24/2015 09:30	02/26/2015 10:05
GW 11A	1502040-05	Aqueous	02/24/2015 10:50	02/26/2015 10:05



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

SUMMARY REPORT FOR SAMPLES

Field ID	Laboratory ID	Matrix	Date Sampled	Date Received
GW 11A Dup	1502040-06	Aqueous	02/24/2015 10:50	02/26/2015 10:05
GW 11B	1502040-07	Aqueous	02/24/2015 11:45	02/26/2015 10:05
FB 5	1502040-08	Aqueous	02/25/2015 11:40	02/26/2015 10:05
SS 11A	1502040-09	Solid	02/25/2015 12:15	02/26/2015 10:05
GW 11C	1502040-10	Aqueous	02/24/2015 12:50	02/26/2015 10:05
GW 4A	1502040-11	Aqueous	02/25/2015 08:50	02/26/2015 10:05
GW 4A Dup	1502040-12	Aqueous	02/25/2015 08:50	02/26/2015 10:05
GW 4B	1502040-13	Aqueous	02/25/2015 09:20	02/26/2015 10:05
GW 4C	1502040-14	Aqueous	02/25/2015 09:40	02/26/2015 10:05
GW 4D	1502040-15	Aqueous	02/25/2015 10:10	02/26/2015 10:05
GW 4E	1502040-16	Aqueous	02/25/2015 10:50	02/26/2015 10:05



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

SUMMARY REPORT FOR METHODS

Analysis	Method	Certification	Matrix
Mercury	EPA 245.1 SOP C-110 Rev2.4	NELAP	Aqueous
Mercury	EPA 245.1 SOP C-110 Rev2.4	NELAP	Solid
VOA Low Level Soil	SOM 2.2 SOP C-123 Rev2.5	NELAP	Solid
VOA SOM 1.2	EPA 624 SOP C-89 Rev3.3	NELAP	Aqueous



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5A

Sample ID: 1502026-01

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5A

Sample ID: 1502026-01

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5A

Sample ID: 1502026-01

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 5B

Sample ID: 1502026-02

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	33		5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	13		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5B

Sample ID: 1502026-02

VOA GCMS

Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	24		5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5B

Sample ID: 1502026-02

VOA GCMS

1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 5C

Sample ID: 1502026-03

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5C

Sample ID: 1502026-03

VOA GCMS

Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	12		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5C

Sample ID: 1502026-03

VOA GCMS

1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5C

Sample ID: 1502026-03

VOA GCMS

1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 5D

Sample ID: 1502026-04

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	13		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5D

Sample ID: 1502026-04

VOA GCMS

2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5D

Sample ID: 1502026-04

VOA GCMS

Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: FB1

Sample ID: 1502026-05

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FBI

Sample ID: 1502026-05

VOA GCMS

1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB1

Sample ID: 1502026-05

VOA GCMS

4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026
Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB1

Sample ID: 1502026-05

VOA GCMS

1,2,3-Trichlorobenzene	---	U	5.0	ug/L
------------------------	-----	---	-----	------

Field ID: TB1

Sample ID: 1502026-06

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TBI

Sample ID: 1502026-06

VOA GCMS

Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB1

Sample ID: 1502026-06

VOA GCMS

o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 5E

Sample ID: 1502028-01

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5E

Sample ID: 1502028-01

VOA GCMS

Carbon Disulfide	---	U	5.0	ug/L
Acetone	23		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 5E

Sample ID: 1502028-01

VOA GCMS

trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4A

Sample ID: 1502028-02

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4A

Sample ID: 1502028-02

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4A

Sample ID: 1502028-02

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 4B

Sample ID: 1502028-03

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4B

Sample ID: 1502028-03

VOA GCMS

trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4B

Sample ID: 1502028-03

VOA GCMS

Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 4C

Sample ID: 1502028-04

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4C

Sample ID: 1502028-04

VOA GCMS

Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	11		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4C

Sample ID: 1502028-04

VOA GCMS

Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4C

Sample ID: 1502028-04

VOA GCMS

1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 4D

Sample ID: 1502028-05

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	19		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4D

Sample ID: 1502028-05

VOA GCMS

cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory**

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4D

Sample ID: 1502028-05

VOA GCMS

Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 4E

Sample ID: 1502028-06

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	5.3		5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4E

Sample ID: 1502028-06

VOA GCMS

1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	23		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4E

Sample ID: 1502028-06

VOA GCMS

4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory**

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 4E

Sample ID: 1502028-06

VOA GCMS

1,2,3-Trichlorobenzene	---	U	5.0	ug/L
------------------------	-----	---	-----	------

Field ID: FB 2

Sample ID: 1502028-07

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB 2

Sample ID: 1502028-07

VOA GCMS

Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB 2

Sample ID: 1502028-07

VOA GCMS

o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: TB 2

Sample ID: 1502028-08

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 2

Sample ID: 1502028-08

VOA GCMS

Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 2

Sample ID: 1502028-08

VOA GCMS

trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 3

Sample ID: 1502035-01

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 3

Sample ID: 1502035-01

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 3

Sample ID: 1502035-01

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: FB 3

Sample ID: 1502035-02

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB 3

Sample ID: 1502035-02

VOA GCMS

trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory**

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB 3

Sample ID: 1502035-02

VOA GCMS

Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 3A

Sample ID: 1502035-03

VOA GCMS



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3A

Sample ID: 1502035-03

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3A

Sample ID: 1502035-03

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3A

Sample ID: 1502035-03

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 3B

Sample ID: 1502035-04

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	18		10	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3B

Sample ID: 1502035-04

VOA GCMS

Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3B

Sample ID: 1502035-04

VOA GCMS

Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3C

Sample ID: 1502035-05

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	15		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3C

Sample ID: 1502035-05

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3C

Sample ID: 1502035-05

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 3D

Sample ID: 1502035-06

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U L	10	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3D

Sample ID: 1502035-06

VOA GCMS

Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3D

Sample ID: 1502035-06

VOA GCMS

Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3DD

Sample ID: 1502035-07

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	10		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3DD

Sample ID: 1502035-07

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 3DD

Sample ID: 1502035-07

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: GW 2A

Sample ID: 1502035-08

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2A

Sample ID: 1502035-08

VOA GCMS

trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2A

Sample ID: 1502035-08

VOA GCMS

Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L
Methane, chlorofluoro-	5.7	NJ		ug/L

Mercury CVAA

Mercury	0.27		0.20	ug/L
---------	------	--	------	------

Field ID: GW 2B

Sample ID: 1502035-09



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2B

Sample ID: 1502035-09

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	12		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2B

Sample ID: 1502035-09

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2B

Sample ID: 1502035-09

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 2C

Sample ID: 1502035-10

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	11		10	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2C

Sample ID: 1502035-10

VOA GCMS

Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2C

Sample ID: 1502035-10

VOA GCMS

Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 4

Sample ID: 1502040-01

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 4

Sample ID: 1502040-01

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: TB 4

Sample ID: 1502040-01

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Field ID: FB 4

Sample ID: 1502040-02

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB 4

Sample ID: 1502040-02

VOA GCMS

trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory**

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: FB 4

Sample ID: 1502040-02

VOA GCMS

Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 2D

Sample ID: 1502040-03

VOA GCMS



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2D

Sample ID: 1502040-03

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	16		10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2D

Sample ID: 1502040-03

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2D

Sample ID: 1502040-03

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 2E

Sample ID: 1502040-04

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	33		10	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2E

Sample ID: 1502040-04

VOA GCMS

Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 2E

Sample ID: 1502040-04

VOA GCMS

Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L
Propene	30	NJ		ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11A

Sample ID: 1502040-05

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	290		100	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	11		5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	1100		100	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11A

Sample ID: 1502040-05

VOA GCMS

Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11A

Sample ID: 1502040-05

VOA GCMS

1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 11A Dup

Sample ID: 1502040-06

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	330		100	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11A Dup

Sample ID: 1502040-06

VOA GCMS

Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	16		5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	5.0		5.0	ug/L
cis-1,2-Dichloroethene	1300		100	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11A Dup

Sample ID: 1502040-06

VOA GCMS

Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L
Ethene, 1,2-dichloro-, (Z)-	3.7	NJ		ug/L

Field ID: GW 11B

Sample ID: 1502040-07

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
-------------------------	-----	---	-----	------



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11B

Sample ID: 1502040-07

VOA GCMS

Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	11		5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L
Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11B

Sample ID: 1502040-07

VOA GCMS

1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L
o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026
Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11B

Sample ID: 1502040-07

VOA GCMS

1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: FB 5

Sample ID: 1502040-08

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: SS 11A

Sample ID: 1502040-09

VOA GCMS

Dichlorodifluoromethane	---	U	4.4	ug/kg dry
Chloromethane	---	U	4.4	ug/kg dry
Vinyl Chloride	---	U	8.7	ug/kg dry
Bromomethane	---	U J	41	ug/kg dry
Chloroethane	---	U	4.4	ug/kg dry
Trichlorofluoromethane	---	U	4.4	ug/kg dry
1,1-Dichloroethene	---	U	4.4	ug/kg dry
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	4.4	ug/kg dry



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: SS 11A

Sample ID: 1502040-09

VOA GCMS

Carbon Disulfide	---	U	4.4	ug/kg dry
Acetone	---	U	89	ug/kg dry
Methyl Acetate	---	U, J, L	4.4	ug/kg dry
Methylene Chloride	---	U	4.4	ug/kg dry
trans-1,2-Dichloroethene	---	U	4.4	ug/kg dry
cis-1,2-Dichloroethene	---	U	4.4	ug/kg dry
Methyl tert-Butyl Ether	---	U	4.4	ug/kg dry
1,1-Dichloroethane	---	U L	4.4	ug/kg dry
2-Butanone	---	U	8.7	ug/kg dry
Bromochloromethane	---	U	4.4	ug/kg dry
Chloroform	---	U	4.4	ug/kg dry
1,2-Dichloroethane	---	U	4.4	ug/kg dry
1,1,1-Trichloroethane	---	U	4.4	ug/kg dry
Cyclohexane	---	U	4.4	ug/kg dry
Carbon Tetrachloride	---	U L	17	ug/kg dry
Benzene	---	U	4.4	ug/kg dry
Trichloroethene	---	U	4.4	ug/kg dry
Methylcyclohexane	---	U	4.4	ug/kg dry
1,2-Dichloropropane	---	U	4.4	ug/kg dry
Bromodichloromethane	---	U	4.4	ug/kg dry
cis-1,3-Dichloropropene	---	U	4.4	ug/kg dry
trans-1,3-Dichloropropene	---	U	4.4	ug/kg dry



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: SS 11A

Sample ID: 1502040-09

VOA GCMS

1,1,2-Trichloroethane	---	U	4.4	ug/kg dry
Dibromochloromethane	---	U	4.4	ug/kg dry
Bromoform	---	U	4.4	ug/kg dry
4-Methyl-2-Pentanone	---	U	17	ug/kg dry
Toluene	---	U	4.4	ug/kg dry
Tetrachloroethene	---	U	4.4	ug/kg dry
2-Hexanone	---	U L	17	ug/kg dry
1,2-Dibromoethane	---	U	4.4	ug/kg dry
Chlorobenzene	---	U	4.4	ug/kg dry
Ethylbenzene	---	U	4.4	ug/kg dry
m/p-Xylene	---	U	4.4	ug/kg dry
o-Xylene	---	U	4.4	ug/kg dry
Styrene	---	U	4.4	ug/kg dry
Isopropylbenzene	---	U	4.4	ug/kg dry
1,1,2,2-Tetrachloroethane	---	U	4.4	ug/kg dry
1,3-Dichlorobenzene	---	U	4.4	ug/kg dry
1,4-Dichlorobenzene	---	U	4.4	ug/kg dry
1,2-Dichlorobenzene	---	U	4.4	ug/kg dry
1,2-Dibromo-3-Chloropropane	---	U	4.4	ug/kg dry
1,2,4-Trichlorobenzene	---	U L	39	ug/kg dry
1,2,3-Trichlorobenzene	---	U L	82	ug/kg dry

Mercury CVAA



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory**

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: SS 11A

Sample ID: 1502040-09

Mercury CVAA

Mercury	---	U	0.047	mg/kg dry
---------	-----	---	-------	-----------

Field ID: GW 11C

Sample ID: 1502040-10

VOA GCMS

Dichlorodifluoromethane	---	U	5.0	ug/L
Chloromethane	---	U	5.0	ug/L
Vinyl Chloride	---	U	5.0	ug/L
Bromomethane	---	U	5.0	ug/L
Chloroethane	---	U	5.0	ug/L
Trichlorofluoromethane	---	U	5.0	ug/L
1,1-Dichloroethene	---	U	5.0	ug/L
1,1,2-Trichloro-1,2,2-Trifluoroethane	---	U	5.0	ug/L
Carbon Disulfide	---	U	5.0	ug/L
Acetone	---	U	10	ug/L
Methyl Acetate	---	U	5.0	ug/L
Methylene Chloride	---	U	5.0	ug/L
trans-1,2-Dichloroethene	---	U	5.0	ug/L
Methyl tert-Butyl Ether	---	U	5.0	ug/L
1,1-Dichloroethane	---	U	5.0	ug/L
cis-1,2-Dichloroethene	---	U	5.0	ug/L
2-Butanone	---	U	10	ug/L
Bromochloromethane	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11C

Sample ID: 1502040-10

VOA GCMS

Chloroform	---	U	5.0	ug/L
1,1,1-Trichloroethane	---	U	5.0	ug/L
Cyclohexane	---	U	5.0	ug/L
Carbon Tetrachloride	---	U	5.0	ug/L
Benzene	---	U	5.0	ug/L
1,2-Dichloroethane	---	U	5.0	ug/L
Trichloroethene	---	U	5.0	ug/L
1,2-Dichloropropane	---	U	5.0	ug/L
Bromodichloromethane	---	U	5.0	ug/L
cis-1,3-Dichloropropene	---	U	5.0	ug/L
4-Methyl-2-Pentanone	---	U	20	ug/L
Toluene	---	U	5.0	ug/L
trans-1,3-Dichloropropene	---	U	5.0	ug/L
1,1,2-Trichloroethane	---	U	5.0	ug/L
Tetrachloroethene	---	U	5.0	ug/L
Methylcyclohexane	---	U	5.0	ug/L
Dibromochloromethane	---	U	5.0	ug/L
1,2-Dibromoethane	---	U	5.0	ug/L
2-Hexanone	---	U	20	ug/L
Chlorobenzene	---	U	5.0	ug/L
Ethylbenzene	---	U	5.0	ug/L
m/p-Xylene	---	U	5.0	ug/L



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
---------	--------	-----------	-----------------	-------

Field ID: GW 11C

Sample ID: 1502040-10

VOA GCMS

o-Xylene	---	U	5.0	ug/L
Styrene	---	U	5.0	ug/L
Bromoform	---	U	5.0	ug/L
Isopropylbenzene	---	U	5.0	ug/L
1,1,2,2-Tetrachloroethane	---	U	5.0	ug/L
1,3-Dichlorobenzene	---	U	5.0	ug/L
1,4-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dichlorobenzene	---	U	5.0	ug/L
1,2-Dibromo-3-Chloropropane	---	U	5.0	ug/L
1,2,4-Trichlorobenzene	---	U	5.0	ug/L
1,2,3-Trichlorobenzene	---	U	5.0	ug/L

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 4A

Sample ID: 1502040-11

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 4A Dup

Sample ID: 1502040-12

Mercury CVAA

Mercury	---	U	0.20	ug/L
---------	-----	---	------	------

Field ID: GW 4B

Sample ID: 1502040-13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 2 Laboratory

Project: Buena Vista Twp. DPW Yard - 1502026

Project Number: 1502026

Analyte	Result	Qualifier	Reporting Limit	Units
Field ID: GW 4B				Sample ID: 1502040-13
Mercury CVAA				
Mercury	---	U	0.20	ug/L
Field ID: GW 4C				Sample ID: 1502040-14
Mercury CVAA				
Mercury	---	U	0.20	ug/L
Field ID: GW 4D				Sample ID: 1502040-15
Mercury CVAA				
Mercury	---	U	0.20	ug/L
Field ID: GW 4E				Sample ID: 1502040-16
Mercury CVAA				
Mercury	---	U	0.20	ug/L

ATTACHMENT BB

SAMPLING TRIP REPORT

Site Name: Buena Vista Township Department of Public Works Yard

CERCLIS ID Number:

Sampling Dates: 20 October 2014 – 20 October 2014

CLP Case Number: 44806

Site Location: 430 South Union Road Vicinity Buena Vista Township, NJ

Sample Descriptions: See below

Laboratories Receiving Samples (Table 1):

Case Number	Sample Type & No.	Name and Address of Laboratory
44806	VOAs	ALS Laboratory Group – Salt Lake City - DATA 960 West LeVoy Drive Salt Lake City, UT 84123

Sample Dispatch Data (Table 2):

Between October 21 and 22, 2014 NJDEP shipped 23 samples to ALS Laboratory (Salt Lake City, UT) for analyses as follows:

Twenty three (23) aqueous samples for VOA analyses.

FedEx Airbill No.	Number of Coolers	Number and Type of Samples	Time and Date of Shipping
IZF089W60194076 164	1	14 total Aqueous Groundwater Samples preserved with HCl including 1 equipment blank, and 1 trip blank for VOAs analyses	10/21/14 @ 1200 TO: ALS Laboratory Group
IZF089W601911110 176	1	9 total Aqueous Groundwater Samples preserved with HCl including 1 equipment blank, 1 trip blank, and 1 duplicate sample for VOAs analyses.	10/22/14 @ 1700 TO: ALS Laboratory Group

Sampling Personnel (Table 3):

Name	Organization	Site Duties
Annie Dunham	NJDEP	Remedial Project Manager
Dave Dibble	NJDEP	Sampling Operations/Team Leader
David Springer	NJDEP	Health & Safety/Sampler
Chad VanSciver	NJDEP	Decontamination
Gary Smarsh	NJDEP	Sampling Operations

Sample Numbers and Collection Points (Table 4):

Laboratory	Analyses	Sample Type	Sample #	Sample Collection Point(SCP)
ALS Laboratories	VOAs	Aqueous Groundwater	B0AA0	Farm Borings 10/20
			B0AA1	Farm Borings 10/20
			B0AA2	Farm Borings 10/20
			B0AA3	Farm Borings 10/20
			B0AA4	Farm Borings 10/20
			B0AA5	Farm Borings 10/20
			B0AA6	Farm Borings 10/20
			B0AA7	Farm Borings 10/20
			B0AA8	Farm Borings 10/20
			B0AA9	Farm Borings 10/20
			B0AB0	Farm Borings 10/20
			B0AD3	Field Blank 10/20
			B0AE0	Trip Blank 10/20
			B0AE7	Farm Borings 10/20: extra volume for ms/msd. Sent in error.
			B0AB1	Farm Borings 10/21
			B0AB2	Farm Borings 10/21
			B0AB3	Farm Borings 10/21
B0AB4	Farm Borings 10/21			
B0AB5	Farm Borings 10/21			
B0AB6	Farm Borings 10/21			
B0AB7	Duplicate 10/21			
B0AD4	Field Blank 10/21			
B0AE1	Trip Blank 10/21			

Remarks:

We sampled five of five collection points for groundwater samples on 10/20/2014 and 10/21/2014. We collected and sent 17 of 30 planned samples. Samples collected on 10/20/2014 shipped on 10/21/2014 and samples collected on 10/21/2014 shipped on 10/22.

Two trip blanks , two field blanks, and one duplicate sample was sent (One of each type of blank with each shipment and the one duplicate shipped on 10/22)

Through an administrative error, on 10/21 B0AE7 was shipped designated as an extra volume for ms/msd when in fact it should have been sent as a field duplicate.

cc: RSCC

ATTACHMENT CC

USEPA CLP COC (LAB COPY)

Date Shipped: 10/21/2014

Carrier Name: UPS

Airbill No: 1ZF089W60194076164

CHAIN OF CUSTODY RECORD

Case #: 44806

Cooler #: DEP001

No: 2-102114-101253-0002

Lab: ALS Laboratory Group - Salt Lake City

Lab Contact: Roxy Olson

Lab Phone: 801-266-7700

COPY

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
44806-0001 <i>GW 7A</i>	B0AA0 <i>7A</i>	Ground Water/	Discrete Interval	VOA(21)	1000 (HCl) (3)	FARM BORINGS	10/20/2014 09:24	
44806-0002 <i>7B</i>	B0AA1 <i>7B</i>	Ground Water/	Discrete Interval	VOA(21)	1001 (HCl) (3)	FARM BORINGS	10/20/2014 09:40	
44806-0003 <i>7C</i>	B0AA2 <i>7C</i>	Ground Water/	Discrete Interval	VOA(21)	1002 (HCl) (3)	FARM BORINGS	10/20/2014 10:00	
44806-0004 <i>7D</i>	B0AA3 <i>7D</i>	Ground Water/	Discrete Interval	VOA(21)	1003 (HCl) (3)	FARM BORINGS	10/20/2014 10:42	
44806-0005	B0AA4 <i>8A</i>	Ground Water/	Discrete Interval	VOA(21)	1004 (HCl) (3)	FARM BORINGS	10/20/2014 11:40	
44806-0006	B0AA5 <i>8B</i>	Ground Water/	Discrete Interval	VOA(21)	1005 (HCl) (3)	FARM BORINGS	10/20/2014 11:50	
44806-0007	B0AA6 <i>8C</i>	Ground Water/	Discrete Interval	VOA(21)	1006 (HCl) (3)	FARM BORINGS	10/20/2014 12:11	
44806-0008	B0AA7 <i>8D</i>	Ground Water/	Discrete Interval	VOA(21)	1007 (HCl) (3)	FARM BORINGS	10/20/2014 13:55	
44806-0009	B0AA8 <i>10A</i>	Ground Water/	Discrete Interval	VOA(21)	1008 (HCl) (3)	FARM BORINGS	10/20/2014 14:40	
44806-0010	B0AA9 <i>10B</i>	Ground Water/	Discrete Interval	VOA(21)	1009 (HCl) (3)	FARM BORINGS	10/20/2014 14:49	

Special Instructions: Please Return Cooler with prepaid UPS Airbill

B0AA2 = MS/KSP
B0AE7 = xtra vol for B0AA2

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

Analysis Key: VOA=CLP Volatiles

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
<i>Del 7A-7D</i>	<i>[Signature]</i> NOTED	<i>10/21/14</i>			
		<i>1100</i>			

USEPA CLP COC (LAB COPY)
Date Shipped: 10/21/2014
Carrier Name: UPS
Airbill No: 1ZF089W60194076164

CHAIN OF CUSTODY RECORD

Case #: 44806
Cooler #: DEP001

No: 2-102114-101253-0002
Lab: ALS Laboratory Group - Salt Lake City
Lab Contact: Roxy Olson
Lab Phone: 801-266-7700

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
44806-0011	B0AB0 IDC	Ground Water/	Discrete Interval	VOA(21)	1010 (HCl) (3)	FARM BORINGS	10/20/2014 15:10	
44806-0034	B0AD3 FBI	Water/	Grab	VOA(21)	1033 (HCl) (3)	FARM BORINGS	10/20/2014 14:30	
44806-0041	B0AE0 TBI	Water/		VOA(21)	1040 (HCl) (3)	FARM BORINGS	10/20/2014 08:30	
44806-0048	B0AE7 MS(MSD)	Ground Water/	Discrete Interval	VOA(21)	1047 (HCl) (3)	FARM BORINGS	10/20/2014 10:00	

Sample(s) to be used for Lab QC: 44806-0034 Tag 1033, 44806-0041 Tag 1040, 44806-0048 Tag 1047 - Special Instructions: Please Return Cooler with prepaid UPS Airbill			Shipment for Case Complete? N Samples Transferred From Chain of Custody #		
Analysis Key: VOA=CLP Volatiles					
Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt

USEPA CLP COC (REGION COPY)

Date Shipped: 10/22/2014

Carrier Name: UPS

Airbill No: 1ZF089W60191110176

CHAIN OF CUSTODY RECORD

BUENA DPW YARD

Case #: 44806

Cooler #:

No: 2-102214-162845-0003

Lab: ALS Laboratory Group - Salt Lake City

Lab Contact: Roxy Olson

Lab Phone: 801-266-7700

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	Sample Type
44806-0012	BOAB1 <i>9A</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1011 (HCl) (3)	FARM BORINGS	10/21/2014 09:30	Field Sample
44806-0013	BOAB2 <i>9B</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1012 (HCl) (3)	FARM BORINGS	10/21/2014 09:46	Field Sample
44806-0014	BOAB3 <i>9C</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1013 (HCl) (3)	FARM BORINGS	10/21/2014 10:10	Field Sample
44806-0015	BOAB4 <i>6A</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1014 (HCl) (3)	FARM BORINGS	10/21/2014 11:05	Field Sample
44806-0016	BOAB5 <i>6B</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1015 (HCl) (3)	FARM BORINGS	10/21/2014 11:30	Field Sample
44806-0017	BOAB6 <i>6E</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1016 (HCl) (3)	FARM BORINGS	10/21/2014 12:05	Field Sample
44806-0018	BOAB7 <i>DVR(6)</i>	Ground Water/ Dunham	Discrete Interval	VOA(21)	1017 (HCl) (3)	FARM BORINGS	10/21/2014 12:05	Field Duplicate
44806-0035	BOAD4 <i>FBZ</i>	Water/ dunham		VOA(21)	1034 (HCl) (3)	FARM BORINGS	10/21/2014 11:15	Lab QC
44806-0042	BOAE1 <i>FBZ</i>	Water/ Dunham		VOA(21)	1041 (HCl) (3)	FARM BORINGS	10/21/2014 09:00	Trip Blank

Sample(s) to be used for Lab QC: 44806-0035 Tag 1034, 44806-0042 Tag 1041	Shipment for Case Complete? Y
Analysis Key: VOA=CLP Volatiles	Samples Transferred From Chain of Custody #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt

ATTACHMENT DD



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
DESA/HWSB/HWSS
2890, Woodbridge Avenue, Edison, NJ 08837

EXECUTIVE NARRATIVE

Case No. : 44806

Site: Buena Vista Township

Number of Samples: 22 (water)

Analysis: VOA

SDG No.: B0AA0

Laboratory: DATAC

Sampling dates: 10/20/14-10/21/14

Validation SOP: HW-33 (Rev.3)

QAPP: Not available.

SUMMARY OF DEFINITIONS:

Critical: Results have an unacceptable level of uncertainty and should not be used for making decisions. Data have been qualified "R" rejected.

Major: A level of uncertainty exists that may not meet the data quality objectives for the project. A bias is likely to be present in the results. Data has been qualified "J" estimated. "J+" and "J-" represent likely direction of the bias.

Minor: The level of uncertainty is acceptable. No significant bias in the data was observed.

Critical Findings:

None

Major Findings:

Samples B0AD3 and B0AE1 have analytes that have been qualified "J" "J+" or "J-".

Minor Findings:

VOA: RRF for 1, 4-Dioxane and 1, 4-Dioxane-d8 is below limits in the initial and continuing calibrations.

COMMENT: None.

Reviewer Name(s): Israel Okwuonu

Approver's Signature:

Date: 11/19/2014

Name: Narendra Kumar

Affiliation: USEPA/R2/HWSB/HWSS



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
DESA/HWSB/HWSS
2890, Woodbridge Avenue, Edison, NJ 08837

Data Qualifier Definitions (National Functional Guidelines)			
Qualifier Symbol	Explanation		
	INORGANICS	ORGANICS	CHLORINATED DIOXIN/FURAN
U	The analyte was analyzed for, but was not detected above the level of the reported quantitation limit.	The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method	The analyte was analyzed for but not detected. The value preceding the "U" may represent the adjusted Contract Required Quantitation Limit (see DLM02.X, Exhibit D, Section 1.2 and Table 2), or the sample specific estimated detection limit (EDL, see Method 8290A, Section 11.9.5).
J	The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.	The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).	The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to an issue with the quality of the data generated because certain QC criteria were not met, or the concentration of the analyte was below the adjusted CRQL).
J+	The result is an estimated quantity, but the result may be biased high.	The result is an estimated quantity, but the result may be biased high.	
J-	The result is an estimated quantity, but the result may be biased low.	The result is an estimated quantity, but the result may be biased low.	
UJ	The analyte was analyzed for, but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.	The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.	The analyte was not detected (see definition of "U" flag, above). The reported value should be considered approximate.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control (QC) criteria. The analyte may or may not be present in the sample.	The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.	The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
N		The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification".	
NJ		The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.	
C		This qualifier applies to pesticide and Aroclor results when the identification has been confirmed by Gas Chromatograph/Mass Spectrometer (GC/MS).	
X		This qualifier applies to pesticide and Aroclor results when GC/MS analysis was attempted but was unsuccessful.	



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
DESA/HWSB/HWSS
2890, Woodbridge Avenue, Edison, NJ 08837

DATA ASSESSMENT

ANALYSIS: VOA

The current SOP HW-33/VOA (Revision 3) March 2013, USEPA Region II Data Validation SOP for Statement of Work SOM01.2 for evaluating organic data has been applied. Data has been reviewed according to TDF specifications, the National Functional Guidelines Report and the CCS Semi- Automated Screening Results Report. Tentatively Identified Compounds (TICS) for VOA organic fraction is not validated.

1. HOLDING TIME:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimated, "J". The non-detects (sample quantitation limits) will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded. Qualifications were applied to the samples and analytes as shown below.

No problems were found for this criterion.

2. DEUTERATED MONITORING COMPOUNDS (DMCs)

All samples are spiked with DMC compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. If the measured DMC recovery concentrations were outside contract specifications, qualifications were applied to the samples and analytes as shown below.

The following volatile samples have one or more DMC/SMC recovery values less than the primary lower limit but greater than or equal to the expanded lower limit of the criteria window. Detected compounds are qualified J-. Non-detected compounds are qualified UJ.

Vinyl chloride-d3 B0AE1
Vinyl chloride

3. MATRIX SPIKE/MATRIX SPIKE DUPLICATES (MS/MSD):

MS/MSD data are generated to determine the long-term precision and accuracy of the analytical method in various matrices. The MS/MSD data may be used in conjunction with other QC criteria for additional qualification of data. Qualifications were applied to the samples and analytes as shown below.

Not applicable.

4. BLANK CONTAMINATION:

Quality assurance (QA) blanks, i.e., method, trip, field, or rinse blanks are prepared to identify any contamination, which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
DESA/HWSB/HWSS
2890, Woodbridge Avenue, Edison, NJ 08837

Trip blanks measure cross-contamination of samples during shipment. Field and rinse blanks measure cross-contamination of samples during field operations. Depending on the amount of contamination present in the QA blanks, the analytes are qualified as non-detects, "U". Qualifications were applied to the samples and analytes as shown below.

A) Method blank contamination:

The following volatile samples have analyte concentrations reported less than the CRQL. The associated method blank concentration is less than the CRQL. Detected compounds are qualified U. Non detected compounds are not qualified. Reported sample concentrations have been elevated to the CRQL.

1, 2, 3-Trichlorobenzene B0AA0

1, 4-Dichlorobenzene B0AA2, B0AA3, B0AA9, B0AB0, B0AB3, B0AB5, B0AB6

1, 2, 4-Trichlorobenzene B0AA0

B) Field or rinse blank contamination:

No additional qualification due to field blank contamination.

C) Trip blank contamination for VOA aqueous samples:

No additional qualification due to trip blank contamination.

D) Storage Blank associated with VOA samples only:

The following volatile samples have common contaminant analyte concentrations reported less than 2x the CRQL. The associated storage blank common contaminant concentration is less than 2x the CRQL. Detected compounds are qualified U. Non-detected compounds are not qualified. Reported sample concentrations have been elevated to the CRQL.

Methylene chloride B0AA0, B0AA1, B0AA2, B0AA3, B0AA4, B0AA5, B0AA6, B0AA7, B0AA9, B0AB0, B0AB1, B0AB3, B0AB4, B0AB4DL, B0AB5, B0AB6, B0AB7

E) Tentatively Identified Compounds:

Tentatively Identified Compounds (TICs) for VOA organic fraction are not validated.

5. MASS SPECTROMETER TUNING:

Tuning and performance criteria are established to ensure adequate mass resolution, proper identification of compounds and to some degree, sufficient instrument sensitivity. These criteria are not sample specific. Instrument performance is determined using standard materials. Therefore, these criteria should be met in all circumstances. The tuning standard for volatile organics is (BFB) Bromofluorobenzene. If the mass calibration is in error, all associated data will be classified as unusable "R". Qualifications were applied to the samples and analytes as shown below.

No problems were found for this criterion.



6. CALIBRATION:

Satisfactory instrument calibration is established to ensure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of giving acceptable performance at the beginning of an experimental sequence. The continuing calibration checks document that the instrument is giving satisfactory daily performance.

A) Response Factor GC/MS:

The response factor measures the instrument's response to specific chemical compounds. The response factor for the Target Compound List (TCL) must be ≥ 0.05 , and ≥ 0.01 for the twenty-two analytes with poor response and ≥ 0.005 for 1,4-Dioxane in both the initial and continuing calibrations. A value < 0.05 , or < 0.01 for the poor performers and < 0.005 for 1, 4-Dioxane indicates a serious detection and quantitation problem (poor sensitivity). Analytes detected in the sample will be qualified as estimated, "J". All non-detects for that compound will be rejected "R". Qualifications were applied to the samples and analytes as shown below.

The following volatile samples are associated with an initial/continuing calibration with average relative response factors (mean RRFs) outside criteria. Detected compounds are qualified J. Non-detected compounds are qualified R.

1, 4-Dioxane

B0AA0, B0AA1, B0AA2, B0AA3, B0AA4, B0AA5, B0AA6, B0AA7, B0AA8, B0AA9, B0AB0, B0AB1, B0AB2, B0AB3, B0AB4, B0AB4DL, B0AB5, B0AB6, B0AB7, B0AD3, B0AD4, B0AE0, B0AE1, VBLKW1, VBLKW2, VHBLKW1

B) Percent Relative Standard Deviation (%RSD) and Percent Difference (%D):

Percent RSD is calculated from the initial calibration and is used to indicate the stability of the specific compound response factor over increasing concentration. Percent D compares the response factor of the continuing calibration check to the mean response factor (RRF) from the initial calibration. Percent D is a measure of the instrument's daily performance. Percent RSD must be $< 20\%$ for Target compounds, $< 40\%$ for the poor performers, and $< 50\%$ for 1, 4-Dioxane. %D must be $< 25\%$, $< 40\%$ for the poor performers, and $< 50\%$ for 1, 4-Dioxane. A value outside of these limits indicates potential detection and quantitation errors. For these reasons, all positive results are flagged as estimated, "J". Non-detects are flagged "UJ" for %D value outside criteria only. If %RSD and %D grossly exceed QC criteria ($> 90\%$), non-detects data may be qualified "R". Qualifications were applied to the samples and analytes as shown below.

No problems were found for this criterion.

7. INTERNAL STANDARDS PERFORMANCE GC/MS:

Internal standards (IS) performance criteria ensure that the GC/MS sensitivity and response are stable during every experimental run. The internal standard area count must be in the range of 50% - 200 % of the associated continuing calibration internal standard area. The retention time of the internal standards must not vary more than 30 seconds from the associated continuing calibration standard. If the area count is greater than 200%, all positive results quantitated using that IS are qualified as estimated "J-", and non-detects are not qualified. If the area count is less than 50% of the associated standard,



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
DESA/HWSB/HWSS
2890, Woodbridge Avenue, Edison, NJ 08837

all positive results for compounds quantitated with that IS are qualified as estimated "J+" and all non-detects are qualified "R".

If an internal standard retention time varies by more than 30 seconds, the reviewer will use professional judgment to determine either partial or total rejection of the data for that sample fraction. Qualifications were applied to the samples and analytes as shown below.

No problems were found for this criterion.

8. FIELD DUPLICATES:

The following field duplicate samples have relative percent difference (RPD) greater than 50%.

cis- 1, 2-Dichloroethene B0AB6, B0AB7

9. COMPOUND IDENTIFICATION:

Target compounds are identified on the GC/MS by using the analyte's relative retention time (RRT) and by comparison to the ion spectra obtained from known standards. For the results to be a positive hit, the sample peak must be within a window of 0.06 RRT units of the standard compound and have ion spectra which have a ratio of the primary and secondary m/z intensities within 20% of that in the standard compound. For the tentatively identified compounds (TIC) the ion spectra must match accurately. In the cases where there is not an adequate ion spectrum match, the laboratory may have provided false positive identifications. Qualifications were applied to the samples and analytes as shown below.

No problems were found for this criterion.

10. CONTRACT PROBLEMS NON-COMPLIANCE:

None.

11. FIELD DOCUMENTATION:

No problems were identified.

12. OTHER PROBLEMS:

None.

13. Samples may be re-analyzed for dilution, re-extraction and for other QC reasons. In such cases, the best result values are used. See summary report and EDD for applicable sample and analytes.

Sample Summary Report

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: B0AA0	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/20/2014	Sample Time: 09:24:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	0.64	J	ug/L	0.6390024854212	J	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.5122862382074	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	1.8	J	ug/L	1.842793944555	J	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	1.7	J	ug/L	1.687792829485	J	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	0.2170364865333	JB	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	0.273759881489	JB	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AA1	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	09:40:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	4.2	J	ug/L	4.191355639758	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.4720479079913	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.59	J	ug/L	0.5883304794477	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AA2	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	10:00:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.5183277326608	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	1.7	J	ug/L	1.705024101055	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	1.8	J	ug/L	1.841761874219	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.489941828381	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA C
Sample Number:	B0AA3	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	10:42:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	8.1	J	ug/L	8.081180029697	J	1.0	Yes	S3VEM
Carbon disulfide	Target	0.52	J	ug/L	0.5229093170487	J	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.6957767512859	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	0.29	J	ug/L	0.2895028013517	J	1.0	Yes	S3VEM
2-Butanone	Target	4.5	J	ug/L	4.49233649239	J	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	0.59	J	ug/L	0.5940917670169	J	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	1.8	J	ug/L	1.759743647228	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	0.24	J	ug/L	0.2358540754871	J	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.59	J	ug/L	0.5927708061745	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	1.4	J	ug/L	1.393429722546	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	0.24	J	ug/L	0.2393780123881	J	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.4390431571418	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Total Alkanes	TIC	5.9	J	ug/L	5.8513	J	1.0	Yes	NV

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA C
Sample Number:	B0AA4	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	11:40:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	0.56	J	ug/L	0.5592527701598	J	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.4638702418894	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AA5	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	11:50:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.2298057500593	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	0.21	J	ug/L	0.2065465067395	J	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.31	J	ug/L	0.3120792914076	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: B0AA6	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/20/2014	Sample Time: 12:11:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	3.9	J	ug/L	3.875783032088	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.3806144872409	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	0.98	J	ug/L	0.979937616354	J	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.23	J	ug/L	0.2261789263127	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	0.55	J	ug/L	0.5505131861965	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: B0AA7	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/20/2014	Sample Time: 13:55:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoro methane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluorom ethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	5.6	J	ug/L	5.608399634821	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.4472619807677	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	1.1	J	ug/L	1.136328114269	J	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	3.7	J	ug/L	3.739265117141	J	1.0	Yes	S3VEM
Bromochloromet hane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	0.42	J	ug/L	0.4193984554761	J	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	0.94	J	ug/L	0.9407570376207	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexa ne	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.43	J	ug/L	0.427849598479	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	0.30	J	ug/L	0.2981286438604	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Nonanal	TIC	6.5	JN	ug/L	6.5053	JN	1.0	Yes	NV
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA0
Sample Number:	B0AA8	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	14:40:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	0.34	J	ug/L	0.3416198402393	J	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	65		ug/L	65.08887139084		1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	33		ug/L	33.09644022802		1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA C
Sample Number:	B0AA9	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	14:49:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	21		ug/L	20.89373305705		1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.3711789472808	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	0.99	J	ug/L	0.9910085291651	J	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	0.73	J	ug/L	0.7279692856597	J	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	0.42	J	ug/L	0.4213056627205	J	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	140		ug/L	135.7755944378		1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	0.35	J	ug/L	0.3472160815114	J	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	0.91	J	ug/L	0.9135485153173	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	50		ug/L	50.26815880769		1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	0.77	J	ug/L	0.7673850552553	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.3237727310855	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AB0	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	15:10:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	9.8		ug/L	9.796464078463		1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	4.4	J	ug/L	4.400408279343	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.3723876320328	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	0.82	J	ug/L	0.8231518133252	J	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	0.57	J	ug/L	0.5699329039791	J	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	0.43	J	ug/L	0.4303472066157	J	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	130		ug/L	130.0145055917		1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	0.38	J	ug/L	0.3783829563216	J	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	0.98	J	ug/L	0.9791114824311	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	47		ug/L	46.56714339259		1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.51	J	ug/L	0.511900844938	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	0.72	J	ug/L	0.7212380338057	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	0.23	J	ug/L	0.232231460589	J	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.2892436701548	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Nonanal	TIC	5.7	JN	ug/L	5.6801	JN	1.0	Yes	NV

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATA C
Sample Number: B0AB1	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/21/2014	Sample Time: 09:30:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoro methane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluorom ethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.5660077619677	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromet hane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexa ne	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA0
Sample Number:	B0AB2	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	09:46:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATAC		
Sample Number:	B0AB3	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT		
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	10:10:00		
% Moisture :					% Solids :				

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	6.5	J	ug/L	6.548429506314	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.4284448580636	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	2.0	J	ug/L	2.031835645975	J	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	3.5	J	ug/L	3.467720520621	J	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	0.30	J	ug/L	0.2963575742775	J	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	1.1	J	ug/L	1.112688371304	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	1.2	J	ug/L	1.204173564497	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	1.6	J	ug/L	1.607619892113	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.3863804277725	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: B0AB4	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/21/2014	Sample Time: 11:05:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Chloromethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Vinyl chloride	Target	6.0	J	ug/L	5.979037734117	J	2.0	Yes	S3VEM
Bromomethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Chloroethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Trichlorofluoromethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,1-Dichloroethene	Target	2.9	J	ug/L	2.862221604155	J	2.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Acetone	Target	20	U	ug/L	20	U	2.0	Yes	S3VEM
Carbon disulfide	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Methyl acetate	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Methylene chloride	Target	10	U	ug/L	1.252065408647	JB	2.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	1.6	J	ug/L	1.569702435974	J	2.0	Yes	S3VEM
Methyl tert-butyl ether	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,1-Dichloroethane	Target	3.3	J	ug/L	3.34426966728	J	2.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	440		ug/L	440.3019087713	E	2.0	No	S3VEM
2-Butanone	Target	20	U	ug/L	20	U	2.0	Yes	S3VEM
Bromochloromethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Chloroform	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	14		ug/L	13.79485701973		2.0	Yes	S3VEM
Cyclohexane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Carbon tetrachloride	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Benzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2-Dichloroethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,4-Dioxane	Target	200	R	ug/L	200	U	2.0	Yes	S3VEM
Trichloroethene	Target	970		ug/L	967.2624644447	E	2.0	No	S3VEM
Methylcyclohexane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2-Dichloropropane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	20	U	ug/L	20	U	2.0	Yes	S3VEM
Toluene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Tetrachloroethene	Target	2.8	J	ug/L	2.83090635428	J	2.0	Yes	S3VEM
2-Hexanone	Target	20	U	ug/L	20	U	2.0	Yes	S3VEM
Dibromochloromethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2-Dibromoethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Chlorobenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Ethylbenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
o-Xylene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
m,p-Xylene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Styrene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Bromoform	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
Isopropylbenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	10	U	ug/L	10	U	2.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AB4DL	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	11:05:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Chloromethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Vinyl chloride	Target	7.0	J	ug/L	7.021576551049	JD	10.0	No	S3VEM
Bromomethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Chloroethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Trichlorofluoromethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,1-Dichloroethene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Acetone	Target	100	U	ug/L	100	U	10.0	No	S3VEM
Carbon disulfide	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Methyl acetate	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Methylene chloride	Target	50	U	ug/L	6.835111927406	JDB	10.0	No	S3VEM
trans-1,2-Dichloroethene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Methyl tert-butyl ether	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,1-Dichloroethane	Target	3.7	J	ug/L	3.661434883611	JD	10.0	No	S3VEM
cis-1,2-Dichloroethene	Target	410		ug/L	411.8901527527	D	10.0	Yes	S3VEM
2-Butanone	Target	100	U	ug/L	100	U	10.0	No	S3VEM
Bromochloromethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Chloroform	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,1,1-Trichloroethane	Target	13	J	ug/L	13.0158326107	JD	10.0	No	S3VEM
Cyclohexane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Carbon tetrachloride	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Benzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2-Dichloroethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,4-Dioxane	Target	1000	R	ug/L	1000	U	10.0	No	S3VEM
Trichloroethene	Target	940		ug/L	944.6791712669	D	10.0	Yes	S3VEM
Methylcyclohexane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2-Dichloropropane	Target	50	U	ug/L	50	U	10.0	No	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
cis-1,3-Dichloropropene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
4-Methyl-2-Pentanone	Target	100	U	ug/L	100	U	10.0	No	S3VEM
Toluene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
trans-1,3-Dichloropropene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,1,2-Trichloroethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Tetrachloroethene	Target	2.7	J	ug/L	2.73101135679	JD	10.0	No	S3VEM
2-Hexanone	Target	100	U	ug/L	100	U	10.0	No	S3VEM
Dibromochloromethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2-Dibromoethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Chlorobenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Ethylbenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
o-Xylene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
m,p-Xylene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Styrene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Bromoform	Target	50	U	ug/L	50	U	10.0	No	S3VEM
Isopropylbenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,1,2,2-Tetrachloroethane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,3-Dichlorobenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,4-Dichlorobenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2-Dichlorobenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2-Dibromo-3-chloropropane	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2,4-Trichlorobenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM
1,2,3-Trichlorobenzene	Target	50	U	ug/L	50	U	10.0	No	S3VEM

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: B0AB5	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/21/2014	Sample Time: 11:30:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoro methane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	120		ug/L	121.454009801		1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluorom ethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.5930989170115	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	1.5	J	ug/L	1.508028947967	J	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	1.4	J	ug/L	1.354832290202	J	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	87		ug/L	87.09101970958		1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromet hane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	0.88	J	ug/L	0.8843366663894	J	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	1.4	J	ug/L	1.367306499739	J	1.0	Yes	S3VEM
Methylcyclohexa ne	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	1.1	J	ug/L	1.081106627071	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.3524685571316	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA0
Sample Number:	B0AB6	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	12:05:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoro methane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	2.1	J	ug/L	2.096450464277	J	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluorom ethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	3.2	J	ug/L	3.161243218457	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.2533672910579	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	30		ug/L	29.59802317725		1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromet hane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	13		ug/L	12.97473343778		1.0	Yes	S3VEM
Methylcyclohexa ne	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.24	J	ug/L	0.2447429870784	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	0.68	J	ug/L	0.676674526038	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	0.2059679694735	JB	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AB7	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	12:05:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	3.8	J	ug/L	3.75555639053	J	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	6.0	J	ug/L	6.006597664898	J	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	0.2583271653936	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	0.27	J	ug/L	0.2747187212552	J	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	57		ug/L	57.17618658759		1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	0.24	J	ug/L	0.2352169731124	J	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	21		ug/L	21.46649123461		1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	0.46	J	ug/L	0.4628230733349	J	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	0.60	J	ug/L	0.5977379922867	J	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: B0AD3	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: FARM BORINGS	pH: 1.0	Sample Date: 10/20/2014	Sample Time: 14:30:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	0.22	J	ug/L	0.224566830523	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AD4	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	11:15:00
% Moisture :				% Solids :			

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoro methane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluorom ethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	0.62	J	ug/L	0.6166751646865	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromet hane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexa ne	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA C
Sample Number:	B0AE0	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/20/2014	Sample Time:	08:30:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoro methane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluorom ethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromet hane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexa ne	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	B0AE1	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	FARM BORINGS	pH:	1.0	Sample Date:	10/21/2014	Sample Time:	09:00:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	UJ	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	0.56	J	ug/L	0.5626807163442	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	VBLKW1	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	419332	pH:		Sample Date:	10/28/2014	Sample Time:	10:32:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	0.59	J	ug/L	0.592280319538	J	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	0.20	J	ug/L	0.200443237405	J	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	0.28	J	ug/L	0.2841055496852	J	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	0.26	J	ug/L	0.2615530936152	J	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	0.75	J	ug/L	0.7452423616435	J	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	1.2	J	ug/L	1.23728356009	J	1.0	Yes	S3VEM

Case No:	44806	Contract:	EPW11037	SDG No:	B0AA0	Lab Code:	DATA
Sample Number:	VBLKW2	Method:	VOA_Low_Med	Matrix:	Water	MA Number:	DEFAULT
Sample Location:	419333	pH:		Sample Date:	10/29/2014	Sample Time:	10:46:00
% Moisture :		% Solids :					

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	0.64	J	ug/L	0.6400056868443	J	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	0.22	J	ug/L	0.224953015508	J	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	0.22	J	ug/L	0.2155684853777	J	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	0.58	J	ug/L	0.5809898775364	J	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	0.96	J	ug/L	0.9571096250988	J	1.0	Yes	S3VEM

Case No: 44806	Contract: EPW11037	SDG No: B0AA0	Lab Code: DATAC
Sample Number: VHBLKW1	Method: VOA_Low_Med	Matrix: Water	MA Number: DEFAULT
Sample Location: 419334	pH:	Sample Date: 10/29/2014	Sample Time: 15:46:00
% Moisture :	% Solids :		

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Dichlorodifluoromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Vinyl chloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromomethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Trichlorofluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloro-1,2,2-trifluoroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Acetone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Carbon disulfide	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl acetate	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylene chloride	Target	0.47	J	ug/L	0.4650384048218	JB	1.0	Yes	S3VEM
trans-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methyl tert-butyl ether	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,2-Dichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Butanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Bromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chloroform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,1-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Cyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Carbon tetrachloride	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Benzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dioxane	Target	100	R	ug/L	100	U	1.0	Yes	S3VEM
Trichloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Methylcyclohexane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

Analyte Name	Analyte Type	Validation Result	Validation Flag	Units	Lab Result	Lab Flag	Dilution Factor	Reportable	Validation Level
Bromodichloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
cis-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
4-Methyl-2-Pentanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Toluene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
trans-1,3-Dichloropropene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2-Trichloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Tetrachloroethene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
2-Hexanone	Target	10	U	ug/L	10	U	1.0	Yes	S3VEM
Dibromochloromethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromoethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Chlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Ethylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
o-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
m,p-Xylene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Styrene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Bromoform	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
Isopropylbenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,1,2,2-Tetrachloroethane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,3-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,4-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2-Dibromo-3-chloropropane	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,4-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM
1,2,3-Trichlorobenzene	Target	5.0	U	ug/L	5	U	1.0	Yes	S3VEM

ATTACHMENT EE



FIELD GC ANALYSIS

GC Operator: Springer, DAVID
 Date: 10-20-14
 Site: Buena Vista Twp
 GC ID: Voyager #2

Settings:

Flow: 10 psi Oventemp: 60°C Column: B Analysis Time: 6.00 Backflush: 450

Standard parameters: 40 PPB DCE TCE PCE

Sample Depth	Sample #	Contaminant	Concentration (PPB)	Notes /Comments
	GW9A	ND		
25-28'	GW9B	ND		
37-40'	GW9C	ND		Some Small early unknowns
<hr/>				
15-18'	GW6A	CIS DCE TCE	918.0 2.106	
25-28'	GW6B	CIS-DCE	240.0	5X dilution Values are Corrected
25-28'	GW6B	CIS-DCE	193.0	Full strength dud run
	GW6C	3.251 DCE TCE	3.251 PPM! 960 PPB	quite a few early unknowns



FIELD GC ANALYSIS

GC Operator: Springer, Dave
 Date: 10-20-14
 Site: Buena Vista Twp
 GC ID: Voyager # 2

Settings:
 Flow: 10 Oventemp: 60 Column: B Analysis Time: 500 Backflush: 400
 Standard parameters: 40 PPB DCE TCE PCE

Sample Depth	Sample #	Contaminant	Concentration (PPB)	Notes /Comments
13'-16'	GW 7A	ND		
25'-28'	GW 7B	ND		
	GW 7C	ND		
	GW 7d	ND		
<hr/>				
15'-18'	GW 8A	ND		
25'-28'	GW 8B	ND		
37'-40'	GW 8C	ND		
43	GW 8d	ND targets		Multiple early unknown peaks
<hr/>				
13-17'	GW 10 A	DCE TCE	192.0 110.0	
25'-28'	GW 10 B	DCE TCE	274.0 126.0	
34-37	GW 10 C	DCE TCE	829.0 326.0	

Partly Cloudy, cool 35°F to start rising to 60°F late

ATTACHMENT FF

WELL PERMIT INFORMATION

Site Name: Buena Vista Township DPW Yard

Location: Buena Vista Township (Atlantic County)

Proposed depth of samples: 80 ft

Boring No.	State Plane Coordinates Easting (X) Northing (Y)		Facility name and address of well location (include county)	Owner first and last name and address as listed for Block & Lot on e-tax maps (include County if in State)	Block & Lot
GW1	373068.445	240460.275	Buena Vista DPW Yard; 430 Union Road	Buena Vista Township; BUENA VISTA TOWNSHIP 890 HARDING HIGHWAY BUENA NJ 08310	7101 lot 25
GW2	373258306	240255.491	Buena Vista DPW Yard; 430 Union Road	Buena Vista Township; BUENA VISTA TOWNSHIP 890 HARDING HIGHWAY BUENA NJ 08310	7101 lot 25
GW3	373.394.582	240786.412	Buena Vista DPW Yard; 430 Union Road	Buena Vista Township; BUENA VISTA TOWNSHIP 890 HARDING HIGHWAY BUENA NJ 08310	7101 lot 25
GW4	373595.574	240619.551	Buena Vista DPW Yard; 430 Union Road	Buena Vista Township; BUENA VISTA TOWNSHIP 890 HARDING HIGHWAY BUENA NJ 08310	7101 lot 25
GW5	373531.105	239546.332	C&M Greenhouse 470 Union Road	Carol Panco 470 UNION ROAD VINELAND NJ 08360	7101 lot 29
GW6	373019.146	239826.962	C&M Greenhouse 470 Union Road	Carol Panco 470 UNION ROAD VINELAND NJ 08360	7101 lot 29

GW7	372757.477	240126.533	C&M Greenhouse 444 Union Road	Alimenti, Raymond TRST & Panco, Carol P O BOX 324 RICHLAND NJ 08350	7101 lot 27 (listed under as an additional lot under lot 28 on etaxmaps)
GW8	372586.824	240304.791	Oak Road	Theresa and Kevin Seelman 119 ASPEN AVENUE RICHLAND NJ 08350	7101 lot 24
GW9	372586.824	240702.981	Oak Road	Theresa and Kevin Seelman 119 ASPEN AVENUE RICHLAND NJ 08350	7101 lot 24

ATTACHMENT GG

New Jersey Department of Environmental Protection
External Chain of Custody and Sample Analysis Request Form
(With Shipping Container)

10F2

Laboratory Information

Name of Laboratory: TestAmerica Individual Preparing Sample Bottles and Shipping Container(s)
Address: 30 Community Dr Suite 11 SA Name: Joel Attraction
South Burlington, VT 05403 Title: Sample Custodian
Time/Date Sample Shipping Container Sealed: 1045 2/10/15 Laboratory Affixed Seal No. 5487

NJDEP Information

Division: SRP-PFR Bureau: EMSA Phone: (609) 530-1393 Job Number: BUENA VISTA TWP DPW YARD

Requested Analysis

NJDEP Field Sample Number	Sampling Time Start/Stop	Sampling Date	Parameter	Method	Preserv.	Container		Matrix
						Volume	Quantity	
TB1	0730	18 Feb 2015	PERCHLORATE			250ml	1	Aq-TB
FB1	1515	"				50ml	1	Aq-FB
GW5A	1030	"				50ml	1	Aq
GW5B	1115	"				50ml	1	Aq
GW5C	1240	"				50ml	1	Aq
GW5D	1430	"				50ml	1	Aq
GW5E	0830	19 Feb 2015				40ml	1	Aq
GW4A	1105	"				50ml	1	Aq
GW4B	1125	"				50ml	1	Aq
GW4C	1200	"				50ml	1	Aq
GW4CMS	1200	"				30ml	1	Aq-MS
GW4C(MS)	1200	"				30ml	1	Aq(MSD)
GW4D	1305	"				40ml	1	Aq
GW4E	1400	"				50ml	1	Aq
FB2	1425	"				50ml	1	Aq-FB
GW3A	0900	23 Feb 2015				40ml	1	Aq

Preservative Added: (Check One) Laboratory Field Unpreserved

Contract Number: _____ Task Number: _____ Report Format: _____

External Chain of Custody

Relinquished	Received	Time/Date	Reason for Change of External Custody
XXXXXXXXXXXXXXXXXXXX			Break Seal/Sample
<u>Joel Attraction</u>			
<u>2/27</u>			

Individual Resealing Shipping Container: Name: _____ Title: _____
Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
Time/Date Sample Shipping Container Opened: _____
Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

Distribution: White - Original (Sent With Report)
Pink - NJDEP Field Sampling Personnel

Yellow - Sample Custodian Upon Receipt of Shipping Container from Field
Gold - Sample Custodian for Sample Preparation/Shipment

New Jersey Department of Environmental Protection
External Chain of Custody and Sample Analysis Request Form
(With Shipping Container)

Laboratory Information

Name of Laboratory: Test America Individual Preparing Sample Bottles and Shipping Container(s)
 Address: 30 Community Drive Suite 11 SA Name: Joel Atherton
South Burlington, VT 05459-05403 Title: Sample Custodian
 Time/Date Sample Shipping Container Sealed: 1045 2/11/15 Laboratory Affixed Seal No. 5457

NJDEP Information

Division: SRP-PFR Bureau: EMSA Phone: (609) 530 4393 Job Number: BUENA VISTA TWP DPW YARD

NJDEP Field Sample Number	Sampling Time Start/Stop	Sampling Date	Requested Analysis			Container		Matrix
			Parameter	Method	Preserv.	Volume	Quantity	
GW3B	0940	23 Feb 2015	Perchlorate			40ml	1	Ag
GW3B-Dup	0940	"		50ml	1	Ag-Duplicate		
GW3C	1040	"		40ml	1	Ag		
GW3D	1140	"		40ml	1	Ag		
GW2A	1350	"		35ml	1	Ag		
GW2B	1415	"		40ml	1	Ag		
GW2B-MS	1415	"		50ml	1	Ag-MS		
GW2B-MSD	1415	"		50ml	1	Ag-MSD		
GW2C	1450	"		40ml	1	Ag		
FB3	1505	"		40ml	1	Ag-FB		
GW2D	0815	24 Feb 2015		40ml	1	Ag		
GW2E	0930	"		50ml	1	Ag		
GW2E-Dup	0930	"		50ml	1	Ag-Duplicate		
FB4	1320	"		40ml	1	Ag-FB		

Preservative Added: (Check One) Laboratory Field Unpreserved

Contract Number: _____ Task Number: _____ Report Format: _____

External Chain of Custody

Relinquished	Received	Time/Date	Reason for Change of External Custody
XXXXXXXXXXXXXXXXXX			Break Seal/Sample
<u>Joel Atherton</u>			
<u>2/27</u>			

Individual Resealing Shipping Container: Name: _____ Title: _____
 Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
 Time/Date Sample Shipping Container Opened: _____
 Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): _____

Distribution: White - Original (Sent With Report)
 Pink - NJDEP Field Sampling Personnel
 Yellow - Sample Custodian Upon Receipt of Shipping Container from Field
 Gold - Sample Custodian for Sample Preparation/Shipment

ATTACHMENT HH

1 of 2

ANALYTICAL REPORT

Job Number: 200-26883-1

SDG Number: A830410P (200-26883)

Job Description: A830410P (200-26883)

Contract Number: A74214

For:

New Jersey Dept of Environmental Pro

SRP - Contract & Fund Management

401 East State Street, 6th Floor

Mail Code 401-06J, PO BOX 420

Trenton, NJ 08625-0420

Attention: Ms. Kathleen Grimes



Approved for release.
Kirk F Young
Senior Project Manager
3/12/2015 2:45 PM

Kirk F Young, Senior Project Manager
30 Community Drive, South Burlington, VT, 05403
(802)660-1990
kirk.young@testamericainc.com
03/12/2015

cc: Annie Dunham

The test results in this report relate only to sample(s) as received by the laboratory. These test results were derived under a quality system that adheres to the requirements of NELAC. Pursuant to NELAC, this report may not be produced in full without written approval from the laboratory

TestAmerica Laboratories, Inc.

TestAmerica Burlington 30 Community Drive, Suite 11, South Burlington, VT 05403

Tel (802) 660-1990 Fax (802) 660-1919 www.testamericainc.com



Table of Contents

Raw QC Data	43
331.0 Blank Data	43
Reporting Limit Laboratory Control Sample Data331.0 LCS/LCSD Data	47
331.0 MS/MSD Data	49
Sample Preparation	51
331.0 Instrument Run Logs (sample data run logs)	51

New Jersey Department of Environmental Protection
External Chain of Custody and Sample Analysis Request Form
(With Shipping Container)

Laboratory Information

Name of Laboratory: TestAmerica Individual Preparing Sample Bottles and Shipping Container(s)
 Address: 30 Community Drive Suite 11 SA Name: Joel Atberton
South Burlington, VT 05482 05403 Title: Sample Custodian
 Time/Date Sample Shipping Container Sealed: 1045 2/10/15 Laboratory Affixed Seal No. 5487

NJDEP Information

Division: SRP-PFR Bureau: EMSA Phone: (609) 530 4373 Job Number: BONA VISTA TWP DPW YARD

NJDEP Field Sample Number	Sampling Time Start/Stop	Sampling Date	Requested Analysis			Container		Matrix
			Parameter	Method	Preserv.	Volume	Quantity	
GW3B	0940	23 Feb 2015	Perchlorate ↓			40ml	1	Ag
GW3B-Dup	0940	"		50ml	1	Ag-Duplicate		
GW3C	1040	"		40ml	1	Ag		
GW3D	1140	"		40ml	1	Ag		
GW2A	1350	"		35ml	1	Ag		
GW2B	1415	"		40ml	1	Ag		
GW2B-MS	1415	"		50ml	1	Ag-MS		
GW2B-MSD	1415	"		50ml	1	Ag-MSD		
GW2C	1450	"		40ml	1	Ag		
FB3	1505	"		40ml	1	Ag-FB		
GW2D	0815	24 Feb 2015		40ml	1	Ag		
GW2E	0930	"		50ml	1	Ag		
GW2E-Dup	0930	"		50ml	1	Ag-Duplicate		
FB4	1320	"		40ml	1	Ag-FB		

Preservative Added: (Check One) Laboratory Field Unpreserved

Contract Number: _____ Task Number: _____ Report Format: _____

External Chain of Custody

Relinquished	Received	Time/Date	Reason for Change of External Custody
XXXXXXXXXXXXXXXXXXXX			Break Seal/Sample
<u>Marie Dubler</u>			
<u>2/27</u>	<u>[Signature]</u>	<u>2/28/15 0900</u>	<u>Rec'd at Lab</u>

Individual Resealing Shipping Container: Name: _____ Title: _____
 Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____
 Time/Date Sample Shipping Container Opened: 2/28/15 0900
 Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): 2/26/15 1055

Distribution: White - Original (Sent With Report)
Pink - NJDEP Field Sampling Personnel

Yellow - Sample Custodian Upon Receipt of Shipping Container from Field
Gold - Sample Custodian for Sample Preparation/Shipments

Shipping and Receiving Documents

Login Sample Receipt Checklist

Client: New Jersey Dept of Environmental Pro

Job Number: 200-26883-1
SDG Number: A830410P (200-26883)

Login Number: 26883
List Number: 1
Creator: Young, Joseph W

List Source: TestAmerica Burlington

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.2°C
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

**ANALYTICAL DATA PACKAGE NONCOMPLIANCE SUMMARY FOR THE NEW
JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
TRENTON NEW JERSEY 08625**

Agency/Division: SRP	Bureau/Office: BEMSA
Project No: A830410P (200-26883)	Contract No: A74214
Laboratory Name: TestAmerica Laboratories	Laboratory Location: South Burlington, Vermont
SDG or Batch No: A830410P (200-26883)	NJDEP Certification #: VT972
Date of First Sample Receipt: 02/28/2015	Date of Last Sample Receipt: 02/28/2015

The condition of the samples and the issues identified at the time of sample log-in are detailed in the Shipping Documentation section of this submittal. The sample volumes were logged into the laboratory for analysis and maintained in refrigerated storage at 4 degrees centigrade.

Method 331.0 (Revision 1.0)

The analysis, as it was performed, is an internal standard form of analysis using LC/MS/MS. The laboratory used 35Cl-18O4 as the internal standard in the performance of the work. The ion characteristic of 35Cl-18O3 (m/z 88.7) served as the basis for establishing internal standard response. Two ions were used in assessing the response for perchlorate. Those were characteristic of 35Cl-O3 (m/z 82.7) and 37Cl-O3 (m/z 84.7). Peak area was used as the basis for quantification.

Instrument calibration was established with five calibration points, having concentrations that ranged between 0.20 ug/L and 10.0 ug/L. A quality control sample/initial calibration verification (QCS/ICV) acquisition was performed using an independent standard at a concentration of 2.0 ug/L. The derived recovery of the target analyte met the +/- 20 percent criterion in that analysis. Calibration check acquisitions were performed at the frequency prescribed by the method, varying the analyte concentration. There was an acceptable performance of the target analyte in each of those acquisitions.

A laboratory fortified synthetic sample matrix (LFSSM) analysis was performed at a concentration of 1.0 ug/L, and the recovery of the target analyte in that analysis met the +/- 20 percent criterion. A calibration check at a concentration of 0.20 ug/L was performed as a reporting limit check sample (RLCS) acquisition in initiating each analytical sequence. The derived recovery of the target analyte in each of those analyses met the +/- 50 percent criterion. A laboratory fortified reagent blank/laboratory control sample (LFRB) acquisition was performed at a concentration of 5.0 ug/L in initiating the analytical sequence in which the samples were analyzed. The derived recovery of the target analyte in that analysis met the +/- 20 percent criterion. Laboratory fortified sample matrix/matrix spike (LFSM1) and laboratory fortified sample matrix duplicate/matrix spike duplicate (LFSM2) analyses were performed on sample GW2B. Those analyses were performed without a dilution, consistent with the analysis of the parent sample. There was an acceptable recovery of the perchlorate spike in each analysis, and there was an acceptable correlation of the results in the interanalysis comparison.

Each of the analyses associated with the sample set exhibited an acceptable internal standard performance. The laboratory reagent blank/method blank (LRB) and field reagent blank/trip blank (FRB) that were analyzed in association with the samples were free of analyte contamination. The analysis of the laboratory synthetic sample matrix blank (LSSMB) that was analyzed in the analytical sequence was free of analyte contamination.

The analytical results from the Method 331.0 analysis have been reported at the established reporting limit with

Definitions/Glossary

Client: New Jersey Dept of Environmental Pro
Project/Site: A830410P (200-26883)

TestAmerica Job ID: 200-26883-1
SDG: A830410P (200-26883)

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
PER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Instrument ID: LC3062 Analysis Batch Number: 85042
 Lab Sample ID: 200-26883-4 Client Sample ID: FB4
 Date Analyzed: 03/03/15 23:02 Lab File ID: P030315B331_16.d GC Column: IC-Pak AnionH/ ID: 4.6 (nm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST
Perchlorate	9.16	Peak not found by the data system	vuonoc
			03/04/15 14:36

Cam On 3/5/15
Messu Had 3/5/15

Method Detection Limit (MDL) Study Report

TEST METHOD:	EPA 331.0	Prep Date:	06/05/14	Student t:	3.143
PREP METHOD:	EPA 331.0	Initial Amount:	10 mL		
CLEANUP METHOD(s):	NA	Final Amount:	10 mL		
MATRIX:	Water	Batch:	73119		
	Column Type:	IC Pak Anion HR			
	Date Analyzed:	06/05/14	06/05/14	06/05/14	06/05/14
	Rep ID:	REP 1	REP 2	REP 3	REP 4
		REP 5	REP 6	REP 7	
	CAS #	14797-73-0			
	Spike mg/L	0.05			
ANALYTE					
Perchlorate		0.0566247	0.053139	0.053662	0.0499904
		0.0637551	0.0626945	0.0605824	
		mg/L	mg/L	mg/L	mg/L
		Mean	Average	STD	DL
		mg/L	%R	DEV	mg/L
		0.0572	114%	0.00526	0.01653
					Spike/DL
					Ratio
					3.0

Limit of Quantitation (LOQ) Verification Report

TEST METHOD:	EPA 331.0	Prep Date:	06/05/14	Instrument:					
PREP METHOD:	EPA 331.0	Initial Amount:	10 mL	Column ID:	3062				
CLEANUP METHOD(s):	NA	Final Amount:	10 mL						
MATRIX:	Water	LOQ # :	LOQ1		IC Pak Anion HR				
		LOQ	Spike	Spike / LOQ	Lower	Upper	Pass	Date Analyzed:	%R
ANALYTE	CAS #	mg/L	mg/L	Ratio	Limit	Limit	Y/N		
Perchlorate	14797-73-0	0.2	0.2	1.0	50%	150%	Y	06/05/14	108%
									0.215098799

FORM III
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Matrix: Water Level: Low Lab File ID: P030315B331_05.d
 Lab ID: LCS 200-85042/5 Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perchlorate	5.00	4.849	97	80-120	

Column to be used to flag recovery and RPD values

FORM III
LCMS MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Matrix: Water Level: Low Lab File ID: P030315B331_13.d
 Lab ID: 200-26883-1 MSD Client ID: GW2B MSD

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC	% RPD	QC LIMITS		#
					RPD	REC	
Perchlorate	2.00	4.177	101	2	20	80-120	

Column to be used to flag recovery and RPD values

FORM III 331.0

FORM IV
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Lab File ID: P030315B331_04.d Lab Sample ID: MB 200-85042/4
 Matrix: Water Date Extracted: _____
 Instrument ID: LC3062 Date Analyzed: 03/03/2015 19:58
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	ICB 200-85042/1	P030315B331 01.d	03/03/2015 19:12
	LCS 200-85042/5	P030315B331 05.d	03/03/2015 20:13
GW2B	200-26883-1	P030315B331 11.d	03/03/2015 21:45
GW2B MS	200-26883-1 MS	P030315B331 12.d	03/03/2015 22:00
GW2B MSD	200-26883-1 MSD	P030315B331 13.d	03/03/2015 22:16
GW2D	200-26883-2	P030315B331 14.d	03/03/2015 22:31
GW2E	200-26883-3	P030315B331 15.d	03/03/2015 22:46
FB4	200-26883-4	P030315B331 16.d	03/03/2015 23:02
GW2E-DUP	200-26883-5	P030315B331 17.d	03/03/2015 23:17

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Sample No.: CCVIS 200-84071/2 Date Analyzed: 02/02/2015 11:11
 Instrument ID: LC3062 GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 Lab File ID (Standard): P020215A331_02.d Heated Purge: (Y/N) N
 Calibration ID: 29574

	18OP		AREA #	RT #	AREA #	RT #
	AREA #	RT #				
12/24 HOUR STD	112317	8.64				
UPPER LIMIT	146012	9.14				
LOWER LIMIT	78622	8.14				
LAB SAMPLE ID	CLIENT SAMPLE ID					
CCVL 200-84071/3		116833	8.60			
LSSMB 200-84071/4		120189	8.07*			
INF 200-84071/10		99942	8.14*			
CCV 200-84071/11		90197	8.78			

18OP = 18-O Perchlorate

Area Limit = 70%-130% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Client Sample ID: GW2B Lab Sample ID: 200-26883-1
 Matrix: Water Lab File ID: P030315B331_11.d
 Analysis Method: 331.0 Date Collected: 02/23/2015 14:15
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/03/2015 21:45
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	2.16		0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
SDG No.: A830410P (200-26883)
Client Sample ID: GW2E Lab Sample ID: 200-26883-3
Matrix: Water Lab File ID: P030315B331_15.d
Analysis Method: 331.0 Date Collected: 02/24/2015 09:30
Extraction Method: _____ Date Extracted: _____
Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 22:46
Con. Extract Vol.: _____ Dilution Factor: 1
Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
% Moisture: _____ GPC Cleanup: (Y/N) N
Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	2.51		0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Client Sample ID: GW2E-DUP Lab Sample ID: 200-26883-5
 Matrix: Water Lab File ID: P030315B331_17.d
 Analysis Method: 331.0 Date Collected: 02/24/2015 09:30
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 23:17
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	2.46		0.20	

LCMS INITIAL CALIBRATION DATA
INTERNAL STANDARD RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Burlington Job No.: 200-26883-1 Analy Batch No.: 83380
 SDG No.: A830410P (200-26883)
 Instrument ID: LC3062 GC Column: IC-Pak Anion ID: 4.6(mm) Heated Purge: (Y/N) N
 Calibration Start Date: 01/14/2015 11:55 Calibration End Date: 01/14/2015 13:11 Calibration ID: 29574

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 200-83380/2	P011415CAL_02.d
Level 2	IC 200-83380/3	P011415CAL_03.d
Level 3	ICISAV 200-83380/4	P011415CAL_04.d
Level 4	IC 200-83380/5	P011415CAL_05.d
Level 5	IC 200-83380/6	P011415CAL_06.d
Level 6	IC 200-83380/7	P011415CAL_07.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE						CONCENTRATION (UG/L)					
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5		
Perchlorate	180P	Lin1	35781 1062425	73809	140790	265193	588293	0.200 10.0	0.500	1.00	2.00	5.00		

37

Curve Type Legend:

Lin1 = Linear 1/conc ISD

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Lab Sample ID: CCVIS 200-84071/2 Calibration Date: 02/02/2015 11:11
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P020215A331_02.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.030		2.01	2.00	0.5	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Lab Sample ID: CCV 200-84071/11 Calibration Date: 02/02/2015 13:29
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P020215A331_11.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.053		10.3	10.0	3.1	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Lab Sample ID: CCVL 200-85042/3 Calibration Date: 03/03/2015 19:43
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030315B331_03.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		0.9599		0.179	0.200	-10.6	50.0

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Client Sample ID: _____ Lab Sample ID: MB 200-85042/4
 Matrix: Water Lab File ID: P030315B331_04.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 19:58
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	0.20	U	0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Client Sample ID: _____ Lab Sample ID: ICB 200-85042/1
 Matrix: Water Lab File ID: P030315B331_01.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 19:12
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Client Sample ID: _____ Lab Sample ID: LCS 200-85042/5
 Matrix: Water Lab File ID: P030315B331_05.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 20:13
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	4.849		0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26883-1
 SDG No.: A830410P (200-26883)
 Client Sample ID: GW2B MS Lab Sample ID: 200-26883-1 MS
 Matrix: Water Lab File ID: P030315B331_12.d
 Analysis Method: 331.0 Date Collected: 02/23/2015 14:15
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 22:00
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	4.095		0.20

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Burlington

Job No.: 200-26883-1

SDG No.: A830410P (200-26883)

Instrument ID: LC3062

Start Date: 01/14/2015 11:41

Analysis Batch Number: 83380

End Date: 01/14/2015 13:26

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ICB 200-83380/1		01/14/2015 11:41	1		IC-Pak AnionH/R 4.6 (mm)
IC 200-83380/2		01/14/2015 11:55	1	P011415CAL_02.d	IC-Pak AnionH/R 4.6 (mm)
IC 200-83380/3		01/14/2015 12:10	1	P011415CAL_03.d	IC-Pak AnionH/R 4.6 (mm)
ICISAV 200-83380/4		01/14/2015 12:25	1	P011415CAL_04.d	IC-Pak AnionH/R 4.6 (mm)
IC 200-83380/5		01/14/2015 12:41	1	P011415CAL_05.d	IC-Pak AnionH/R 4.6 (mm)
IC 200-83380/6		01/14/2015 12:56	1	P011415CAL_06.d	IC-Pak AnionH/R 4.6 (mm)
IC 200-83380/7		01/14/2015 13:11	1	P011415CAL_07.d	IC-Pak AnionH/R 4.6 (mm)
ICV 200-83380/8		01/14/2015 13:26	1	P011415CAL_08.d	IC-Pak AnionH/R 4.6 (mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Burlington

Job No.: 200-26883-1

SDG No.: A830410P (200-26883)

Instrument ID: LC3062

Start Date: 03/03/2015 19:12

Analysis Batch Number: 85042

End Date: 03/03/2015 23:32

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ICB 200-85042/1		03/03/2015 19:12	1	P030315B331_01. d	IC-Pak AnionH/R 4.6 (mm)
CCVIS 200-85042/2		03/03/2015 19:28	1	P030315B331_02. d	IC-Pak AnionH/R 4.6 (mm)
CCVL 200-85042/3		03/03/2015 19:43	1	P030315B331_03. d	IC-Pak AnionH/R 4.6 (mm)
MB 200-85042/4		03/03/2015 19:58	1	P030315B331_04. d	IC-Pak AnionH/R 4.6 (mm)
LCS 200-85042/5		03/03/2015 20:13	1	P030315B331_05. d	IC-Pak AnionH/R 4.6 (mm)
ZZZZZ		03/03/2015 20:29	1		IC-Pak AnionH/R 4.6 (mm)
ZZZZZ		03/03/2015 20:44	1		IC-Pak AnionH/R 4.6 (mm)
ZZZZZ		03/03/2015 20:59	1		IC-Pak AnionH/R 4.6 (mm)
ZZZZZ		03/03/2015 21:15	1		IC-Pak AnionH/R 4.6 (mm)
ZZZZZ		03/03/2015 21:30	1		IC-Pak AnionH/R 4.6 (mm)
200-26883-1	GW2B	03/03/2015 21:45	1	P030315B331_11. d	IC-Pak AnionH/R 4.6 (mm)
200-26883-1 MS	GW2B MS	03/03/2015 22:00	1	P030315B331_12. d	IC-Pak AnionH/R 4.6 (mm)
200-26883-1 MSD	GW2B MSD	03/03/2015 22:16	1	P030315B331_13. d	IC-Pak AnionH/R 4.6 (mm)
200-26883-2	GW2D	03/03/2015 22:31	1	P030315B331_14. d	IC-Pak AnionH/R 4.6 (mm)
200-26883-3	GW2E	03/03/2015 22:46	1	P030315B331_15. d	IC-Pak AnionH/R 4.6 (mm)
200-26883-4	FB4	03/03/2015 23:02	1	P030315B331_16. d	IC-Pak AnionH/R 4.6 (mm)
200-26883-5	GW2E-DUP	03/03/2015 23:17	1	P030315B331_17. d	IC-Pak AnionH/R 4.6 (mm)
CCV 200-85042/18		03/03/2015 23:32	1	P030315B331_18. d	IC-Pak AnionH/R 4.6 (mm)

2 of 2

ANALYTICAL REPORT

Job Number: 200-26880-1
SDG Number: A830410P (200-26880)
Job Description: A830410P (200-26880)
Contract Number: A74214

For:
New Jersey Dept of Environmental Pro
SRP - Contract & Fund Management
401 East State Street, 6th Floor
Mail Code 401-06J, PO BOX 420
Trenton, NJ 08625-0420
Attention: Ms. Kathleen Grimes



Approved for release.
Kirk F Young
Senior Project Manager
3/12/2015 2:38 PM

Kirk F Young, Senior Project Manager
30 Community Drive, South Burlington, VT, 05403
(802)660-1990
kirk.young@testamericainc.com
03/12/2015

cc: Annie Dunham

The test results in this report relate only to sample(s) as received by the laboratory. These test results were derived under a quality system that adheres to the requirements of NELAC. Pursuant to NELAC, this report may not be produced in full without written approval from the laboratory

TestAmerica Laboratories, Inc.

TestAmerica Burlington 30 Community Drive, Suite 11, South Burlington, VT 05403
Tel (802) 660-1990 Fax (802) 660-1919 www.testamericainc.com



Table of Contents

331.0 Continuing Calibration Summary(ies)	69
Raw QC Data	85
331.0 Blank Data	85
Reporting Limit Laboratory Control Sample Data331.0 LCS/LCSD Data	95
331.0 MS/MSD Data	100
Sample Preparation	102
331.0 Instrument Run Logs (sample data run logs)	102

DEP-095
3/04

New Jersey Department of Environmental Protection
External Chain of Custody and Sample Analysis Request Form
(With Shipping Container)

Laboratory Information	
Name of Laboratory: <u>TestAmerica</u>	Individual Preparing Sample Bottles and Shipping Container(s)
Address: <u>30 Community Dr Suite 11 SA</u> <u>South Burlington, VT 05403</u>	Name: <u>Jeel Arndt</u>
Time/Date Sample Shipping Container Sealed: <u>1045 2/10/15</u>	Title: <u>Sample Custodian</u>
Laboratory Affixed Seal No. <u>5487</u>	

NJDEP Information	
Division: <u>SRP-PFR</u>	Bureau: <u>EMSA</u>
Phone: <u>(609) 530-4393</u>	Job Number: <u>BUENA VISTA TWP DPW YARD</u>

NJDEP Field Sample Number	Sampling Time Start/Stop	Sampling Date	Requested Analysis			Container		Matrix
			Parameter	Method	Preserv.	Volume	Quantity	
TB1	0730	18 Feb 2015	PERCHLORATE			250ml	1	Aq-TB
FBI	1515	"				50ml	1	Aq-FB
GW5A	1030	"				50ml	1	Aq
GW5B	1115	"				50ml	1	Aq
GW5C	1240	"				50ml	1	Aq
GW5D	1430	"				50ml	1	Aq
GW5E	0830	19 Feb 2015				40ml	1	Aq
GW4A	1105	"				50ml	1	Aq
GW4B	1125	"				50ml	1	Aq
GW4C	1200	"				50ml	1	Aq
GW4CMS	1200	"				30ml	1	Aq-MS
GW4(CMS)	1200	"				30ml	1	Aq-MSD
GW4D	1305	"				40ml	1	Aq
GW4E	1400	"				50ml	1	Aq
FB2	1425	"				50ml	1	Aq-FB
GW3A	0900	23 Feb 2015				40ml	1	Aq

Preservative Added: (Check One) Laboratory Field Unpreserved

Contract Number: _____ Task Number: _____ Report Format: _____

External Chain of Custody			
Relinquished	Received	Time/Date	Reason for Change of External Custody
XXXXXXXXXXXXXXXXXXXX			Break Seal/Sample
<u>[Signature]</u>			
<u>2/27</u>			
	<u>[Signature]</u>	<u>2/28/15 0900</u>	<u>Recd at Lab</u>

Individual Resealing Shipping Container: Name: _____ Title: _____

Time/Date Sample Shipping Container Resealed: _____ NJDEP Affixed Seal Number: _____

Time/Date Sample Shipping Container Opened: 2/28/15 0900

Time/Date Internal Chain of Custody Initiated on NJDEP Form 077 (Internal Chain of Custody): 2/28/15 1055

Distribution: White - Original (Sent With Report)
Pink - NJDEP Field Sampling Personnel

Yellow - Sample Custodian Upon Receipt of Shipping Container from Field
Gold - Sample Custodian for Sample Preparation/Shipment

Instructions: Use 1 for each 20 samples of aliquot.

1 OF 1

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory:	TestAmerica	Location:	So. Burlington, VT 05403
Name:	JOSEPH YOUNG	Title:	Sample Custodian
Field Sample Seal No:	N/A	Date Broken:	2/28/2015
Case No:	BUENA VISTA TWP DPW YARD	Military Time Seal Broken:	900
	Analytical Parameter/Fraction:		PERCHLORATE

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
200-26880-1		200-26880-11	
200-26880-2		200-26880-12	
200-26880-3		200-26880-13	
200-26880-4		200-26880-14	
200-26880-5		200-26880-15	
200-26880-6		200-26880-16	
200-26880-7		200-26880-17	
200-26880-8		200-26880-18	
200-26880-9		200-26880-19	
200-26880-10		200-26880-20	

Date	Time	Signature	Received By	Purpose of Change of Custody
3/3/15	0945	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	LCMS Analysis
3/3/15	1500	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	Storage
3/4/15	1000	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	LCMS Analysis (5,7,9,10,11,12,14 only)
3/4/15	1400	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	Storage
3/5/15	1015	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	LCMS Analysis (12 only)
3/5/15	1400	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	<i>Courtney Vuono</i> PRINTED NAME Courtney Vuono	Storage
		SIGNATURE PRINTED NAME	SIGNATURE PRINTED NAME	
		SIGNATURE PRINTED NAME	SIGNATURE PRINTED NAME	
		SIGNATURE PRINTED NAME	SIGNATURE PRINTED NAME	

<https://www.ups.com/uis/create?ActionOriginPair=default> PrintWindowPage&key=lab... 2/27/2015


FRANK SORCE
609-530-2457
NJDEP
380 SCOTCH ROAD
WEST TRENTON NJ 08628

43 LBS

1 OF 1

SHIP TO:

R.J. LAVIGNE
802-923-1058
TEST AMERICA
SUITE 11
30 COMMUNITY DRIVE
SOUTH BURLINGTON VT 05403-6834




VT 054 0-02



UPS NEXT DAY AIR

TRACKING #: 1Z F08 9W6 44 9566 4053

1 S



BILLING: P/P



UIS 17.1.04. WNTJ100 60.0A 01/2015



FOLD HERE

Lavigne, Rayburn

From: Kathleen Grimes [Kathleen.Grimes@dep.nj.gov]
Sent: Monday, March 02, 2015 12:44 PM
To: Lavigne, Rayburn
Subject: RE: Site A830410P - Job 200-26880-1
RJ:

Yes it is OK to have 21 samples in this SDG.

Kathy

Kathleen M. Grimes, Research Scientist I
Site Remediation Program
Financial Services Element
401 East State Street – 6th Floor
Mail Code 401-06I
PO Box 420
Trenton, New Jersey 08625-0420
Phone: (609) 633-2355 Fax: (609) 292-4401
kathleen.grimes@dep.nj.gov



STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION

NOTE: This e-mail is protected by the Electronic Communications Privacy Act, 18 U.S.C. Sections 2510-2521. This E-Mail and its contents may be Privileged & Confidential due to the Attorney-Client Privilege, Attorney Work Product, Deliberative Process or under the New Jersey Open Public Records Act. If you are not the intended recipient of this e-mail, please notify the sender, delete it and do not read, act upon, print, disclose, copy, retain or redistribute it.

From: Lavigne, Rayburn [mailto:Rayburn.Lavigne@testamericainc.com]
Sent: Monday, March 02, 2015 12:38 PM
To: Kathleen Grimes
Subject: Site A830410P - Job 200-26880-1

Good Afternoon Kathleen,

As discussed, our sample management inadvertently logged in a perchlorate field duplicate sample as a laboratory duplicate. I have correct this in our LIMS system; however, now there are twenty-one samples in job 200-26880-1 (that includes one trip blank and three field duplicates). Is it okay with you if we have more than 20 samples in this job?

Thanks in advance for your consideration,

R.J. Lavigne

Project Manager

802.923.1024

**ANALYTICAL DATA PACKAGE NONCOMPLIANCE SUMMARY FOR THE NEW
JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
TRENTON NEW JERSEY 08625**

Agency/Division: SRP	Bureau/Office: BEMSA
Project No: A830410P (200-26880)	Contract No: A74214
Laboratory Name: TestAmerica Laboratories	Laboratory Location: South Burlington, Vermont
SDG or Batch No: A830410P (200-26880)	NJDEP Certification #: VT972
Date of First Sample Receipt: 02/28/2015	Date of Last Sample Receipt: 02/28/2015

The condition of the samples and the issues identified at the time of sample log-in are detailed in the Shipping Documentation section of this submittal. The sample volumes were logged into the laboratory for analysis and maintained in refrigerated storage at 4 degrees centigrade.

Method 331.0 (Revision 1.0)

The analysis, as it was performed, is an internal standard form of analysis using LC/MS/MS. The laboratory used 35Cl-18O4 as the internal standard in the performance of the work. The ion characteristic of 35Cl-18O3 (m/z 88.7) served as the basis for establishing internal standard response. Two ions were used in assessing the response for perchlorate. Those were characteristic of 35Cl-O3 (m/z 82.7) and 37Cl-O3 (m/z 84.7). Peak area was used as the basis for quantification.

Instrument calibration was established with five calibration points, having concentrations that ranged between 0.20 ug/L and 10.0 ug/L. A quality control sample/initial calibration verification (QCS/ICV) acquisition was performed using an independent standard at a concentration of 2.0 ug/L. The derived recovery of the target analyte met the +/- 20 percent criterion in that analysis. Calibration check acquisitions were performed at the frequency prescribed by the method, varying the analyte concentration. There was an acceptable performance of the target analyte in each of those acquisitions.

A laboratory fortified synthetic sample matrix/interference check (LFSSM) analysis was performed at a concentration of 1.0 ug/L, and the recovery of the target analyte in that analysis met the +/- 20 percent criterion. A calibration check at a concentration of 0.20 ug/L was performed as a reporting limit check sample (RLCS) acquisition in initiating each analytical sequence. The derived recovery of the target analyte in each of those analyses met the +/- 50 percent criterion. A laboratory fortified reagent blank/laboratory control sample (LFRB) acquisition was performed in initiating each analytical sequence in which the samples were analyzed. The derived recovery of the target analyte in each analysis met the +/- 20 percent criterion. Laboratory fortified sample matrix/matrix spike (LFSM1) and laboratory fortified sample matrix duplicate/matrix spike duplicate (LFSM2) analyses were performed on sample GW4C. Those analyses were performed without a dilution, consistent with the analysis of the parent sample. There was an acceptable recovery of the perchlorate spike in each analysis, and there was an acceptable correlation of the results in the interanalysis comparison.

With the exception of that performed on sample GW4E, each of the analyses associated with the sample set exhibited an acceptable internal standard performance as measured against a +/- 30 percent tolerance. The analysis of sample GW4E did exhibit a low internal standard response. The laboratory reanalyzed the sample at a 2-fold dilution. Although more moderate in aspect, the follow-up analysis also exhibited a low internal standard response. Both sets of results for the analysis of sample GW4E are included in this submittal. Each laboratory reagent blank/method blank (LRB) and each field reagent blank/trip blank (FRB) that was analyzed

NJDEP FORM A1C (02/26/04)

Definitions/Glossary

Client: New Jersey Dept of Environmental Pro
Project/Site: A830410P (200-26880)

TestAmerica Job ID: 200-26880-1
SDG: A830410P (200-26880)

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Instrument ID: LC3062 Analysis Batch Number: 85040
 Lab Sample ID: 200-26880-2 Client Sample ID: FB1
 Date Analyzed: 03/03/15 14:22 Lab File ID: P030315A331_07.d GC Column: IC-Pak AnionH/ ID: 4.6 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST DATE
Perchlorate	8.82	Peak not found by the data system	vuonoc 03/04/15 12:02

Lab Sample ID: 200-26880-3 Client Sample ID: GW5A
 Date Analyzed: 03/03/15 14:37 Lab File ID: P030315A331_08.d GC Column: IC-Pak AnionH/ ID: 4.6 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST DATE
Perchlorate	8.84	Peak not found by the data system	vuonoc 03/04/15 12:03

Lab Sample ID: 200-26880-4 Client Sample ID: GW5B
 Date Analyzed: 03/03/15 14:52 Lab File ID: P030315A331_09.d GC Column: IC-Pak AnionH/ ID: 4.6 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST DATE
Perchlorate	8.95	Peak not found by the data system	vuonoc 03/04/15 12:04

Lab Sample ID: 200-26880-6 Client Sample ID: GW5D
 Date Analyzed: 03/03/15 15:23 Lab File ID: P030315A331_11.d GC Column: IC-Pak AnionH/ ID: 4.6 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST DATE
Perchlorate	9.02	Peak not found by the data system	vuonoc 03/04/15 12:06

Carroll 3/12/15
Hess Almad 3/12/15

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Instrument ID: LC3062 Analysis Batch Number: 85042
 Lab Sample ID: 200-26880-18 Client Sample ID: GW2A
 Date Analyzed: 03/03/15 20:44 Lab File ID: P030315B331_07.d GC Column: IC-Pak AnionH/ ID: 4.6 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST DATE
Perchlorate	8.96	Peak not found by the data system	vuonoc 03/04/15 14:35

Lab Sample ID: 200-26880-20 Client Sample ID: FB3
 Date Analyzed: 03/03/15 21:15 Lab File ID: P030315B331_09.d GC Column: IC-Pak AnionH/ ID: 4.6 (mm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST DATE
Perchlorate	9.12	Peak not found by the data system	vuonoc 03/04/15 14:35

Conc On 3/12/15
Hessu 3/12/15

LCMS MANUAL INTEGRATION SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Instrument ID: LC3062 Analysis Batch Number: 85146
 Lab Sample ID: ICB 200-85146/1 Client Sample ID:
 Date Analyzed: 03/05/15 12:21 Lab File ID: P030515A331_01.d GC Column: IC-Pak AnionH/ ID: 4.6 (nm)

COMPOUND NAME	RETENTION TIME	MANUAL INTEGRATION	
		REASON	ANALYST
Perchlorate	9.16	Peak not found by the data system	vuonoc
			DATE
			03/10/15 14:21

Carroll 3/12/15
Hess 3/12/15

Method Detection Limit (MDL) Study Report

TEST METHOD:	EPA 331.0	Prep Date:	06/05/14	Student t:	3.143
PREP METHOD:	EPA 331.0	Initial Amount:	10 mL		
CLEANUP METHOD(s):	NA	Final Amount:	10 mL		
MATRIX:	Water	Batch:	73119		
	Column Type:	IC Pak Anion HR			
	Date Analyzed:	06/05/14	06/05/14	06/05/14	06/05/14
	Rep ID:	REP 1	REP 2	REP 3	REP 4
	CAS #	14797-73-0			
	Spike mg/L	0.05			
		0.0566247	0.053139	0.053662	0.049904
		0.0637551	0.0626945	0.0605824	
		0.0572	114%	0.00526	0.01653
					3.0

FORM III
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
SDG No.: A830410P (200-26880)
Matrix: Water Level: Low Lab File ID: P030315A331_05.d
Lab ID: LCS 200-85040/5 Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perchlorate	2.00	1.964	98	80-120	

Column to be used to flag recovery and RPD values

FORM III
LCMS LAB CONTROL SAMPLE RECOVERY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Matrix: Water Level: Low Lab File ID: P030415A331_05.d
 Lab ID: LCS 200-85089/5 Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	LCS CONCENTRATION (ug/L)	LCS % REC	QC LIMITS REC	#
Perchlorate	0.200	0.182 J	91	80-120	

Column to be used to flag recovery and RPD values

FORM III
LCMS MATRIX SPIKE RECOVERY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Matrix: Water Level: Low Lab File ID: P030415A331_10.d
 Lab ID: 200-26880-10 MS Client ID: GW4C MS

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC	QC LIMITS REC	#
Perchlorate	0.200	0.75	0.914	80	80-120	

Column to be used to flag recovery and RPD values

FORM III
LCMS LC INTERFERENCE CHECK STANDARD RECOVERY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
SDG No.: A830410P (200-26880)
Matrix: Water Level: Low Lab File ID: P020215A331_10.d
Lab ID: INF 200-84071/10 Client ID: _____

COMPOUND	SPIKE ADDED (ug/L)	INF CONCENTRATION (ug/L)	INF % REC	QC LIMITS REC	#
Perchlorate	1.00	1.018	102	80-120	

Column to be used to flag recovery and RPD values

FORM IV
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab File ID: P030315B331_04.d Lab Sample ID: MB 200-85042/4
 Matrix: Water Date Extracted: _____
 Instrument ID: LC3062 Date Analyzed: 03/03/2015 19:58
 Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	ICB 200-85042/1	P030315B331 01.d	03/03/2015 19:12
	LCS 200-85042/5	P030315B331 05.d	03/03/2015 20:13
GW3D	200-26880-17	P030315B331 06.d	03/03/2015 20:29
GW2A	200-26880-18	P030315B331 07.d	03/03/2015 20:44
GW2C	200-26880-19	P030315B331 08.d	03/03/2015 20:59
FB3	200-26880-20	P030315B331 09.d	03/03/2015 21:15
GW3B-DUP	200-26880-21	P030315B331 10.d	03/03/2015 21:30

FORM IV
LCMS METHOD BLANK SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
SDG No.: A830410P (200-26880)
Lab File ID: P030515A331_04.d Lab Sample ID: MB 200-85146/4
Matrix: Water Date Extracted: _____
Instrument ID: LC3062 Date Analyzed: 03/05/2015 13:07
Level: (Low/Med) Low

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES:

CLIENT SAMPLE ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
	ICB 200-85146/1	P030515A331 01.d	03/05/2015 12:21
	LCS 200-85146/5	P030515A331 05.d	03/05/2015 13:22
GW4E DL	200-26880-12 DL	P030515A331 06.d	03/05/2015 13:37

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Sample No.: CCVIS 200-84071/2 Date Analyzed: 02/02/2015 11:11
 Instrument ID: LC3062 GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 Lab File ID (Standard): P020215A331_02.d Heated Purge: (Y/N) N
 Calibration ID: 29574

	18OP		AREA #	RT #	AREA #	RT #	AREA #	RT #
	AREA #	RT #						
12/24 HOUR STD	112317	8.64						
UPPER LIMIT	146012	9.14						
LOWER LIMIT	78622	8.14						
LAB SAMPLE ID	CLIENT SAMPLE ID							
CCVL 200-84071/3			116833	8.60				
LSSMB 200-84071/4			120189	8.07*				
INF 200-84071/10			99942	8.14*				
CCV 200-84071/11			90197	8.78				

18OP = 18-O Perchlorate

Area Limit = 70%-130% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Sample No.: CCVIS 200-85042/2 Date Analyzed: 03/03/2015 19:28
 Instrument ID: LC3062 GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 Lab File ID (Standard): P030315B331_02.d Heated Purge: (Y/N) N
 Calibration ID: 29574

		18OP					
		AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD		109737	9.09				
UPPER LIMIT		142658	9.59				
LOWER LIMIT		76816	8.59				
LAB SAMPLE ID	CLIENT SAMPLE ID						
CCVL 200-85042/3		118606	9.12				
MB 200-85042/4		120456	9.12				
LCS 200-85042/5		98576	9.07				
200-26880-17	GW3D	95890	9.10				
200-26880-18	GW2A	85049	9.00				
200-26880-19	GW2C	96949	9.07				
200-26880-20	FB3	101750	9.13				
200-26880-21	GW3B-DUP	91823	9.05				
CCV 200-85042/18		82831	9.12				

18OP = 18-O Perchlorate

Area Limit = 70%-130% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM VIII
LCMS INTERNAL STANDARD AREA AND RETENTION TIME SUMMARY

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Sample No.: CCVIS 200-85146/2 Date Analyzed: 03/05/2015 12:36
 Instrument ID: LC3062 GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 Lab File ID (Standard): P030515A331_02.d Heated Purge: (Y/N) N
 Calibration ID: 29574

		18OP					
		AREA #	RT #	AREA #	RT #	AREA #	RT #
12/24 HOUR STD		110273	9.03				
UPPER LIMIT		143355	9.53				
LOWER LIMIT		77191	8.53				
LAB SAMPLE ID	CLIENT SAMPLE ID						
CCVL 200-85146/3		120484	9.26				
MB 200-85146/4		122071	9.31				
LCS 200-85146/5		112736	9.33				
200-26880-12 DL	GW4E DL	67467*	9.24				
CCV 200-85146/7		91434	9.37				

18OP = 18-O Perchlorate

Area Limit = 70%-130% of internal standard area
 RT Limit = ± 0.5 minutes of internal standard RT

Column used to flag values outside QC limits

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: FBI Lab Sample ID: 200-26880-2
 Matrix: Water Lab File ID: P030315A331_07.d
 Analysis Method: 331.0 Date Collected: 02/18/2015 15:15
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 14:22
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	0.20	U	0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW5B Lab Sample ID: 200-26880-4
 Matrix: Water Lab File ID: P030315A331_09.d
 Analysis Method: 331.0 Date Collected: 02/18/2015 11:15
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 14:52
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	0.20	U	0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW5D Lab Sample ID: 200-26880-6
 Matrix: Water Lab File ID: P030315A331_11.d
 Analysis Method: 331.0 Date Collected: 02/18/2015 14:30
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/03/2015 15:23
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW4A Lab Sample ID: 200-26880-8
 Matrix: Water Lab File ID: P030315A331_13.d
 Analysis Method: 331.0 Date Collected: 02/19/2015 11:05
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 15:53
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW4C Lab Sample ID: 200-26880-10
 Matrix: Water Lab File ID: P030415A331_09.d
 Analysis Method: 331.0 Date Collected: 02/19/2015 12:00
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/04/2015 14:24
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85089 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.75		0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW4E Lab Sample ID: 200-26880-12
 Matrix: Water Lab File ID: P030315A331_20.d
 Analysis Method: 331.0 Date Collected: 02/19/2015 14:00
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/03/2015 17:40
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	1.19		0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: <u>TestAmerica Burlington</u>	Job No.: <u>200-26880-1</u>
SDG No.: <u>A830410P (200-26880)</u>	
Client Sample ID: <u>FB2</u>	Lab Sample ID: <u>200-26880-13</u>
Matrix: <u>Water</u>	Lab File ID: <u>P030315A331_21.d</u>
Analysis Method: <u>331.0</u>	Date Collected: <u>02/19/2015 14:25</u>
Extraction Method: _____	Date Extracted: _____
Sample wt/vol: <u>5(mL)</u>	Date Analyzed: <u>03/03/2015 17:56</u>
Con. Extract Vol.: _____	Dilution Factor: <u>1</u>
Injection Volume: <u>100(uL)</u>	GC Column: <u>IC-Pak AnionH/R</u> ID: <u>4.6(mm)</u>
% Moisture: _____	GPC Cleanup: (Y/N) <u>N</u>
Analysis Batch No.: <u>85040</u>	Units: <u>ug/L</u>

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	0.20	U	0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW3B Lab Sample ID: 200-26880-15
 Matrix: Water Lab File ID: P030315A331_23.d
 Analysis Method: 331.0 Date Collected: 02/23/2015 09:40
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 18:26
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	0.44		0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW3D Lab Sample ID: 200-26880-17
 Matrix: Water Lab File ID: P030315B331_06.d
 Analysis Method: 331.0 Date Collected: 02/23/2015 11:40
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/03/2015 20:29
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	1.15		0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW2C Lab Sample ID: 200-26880-19
 Matrix: Water Lab File ID: P030315B331_08.d
 Analysis Method: 331.0 Date Collected: 02/23/2015 14:50
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/03/2015 20:59
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	1.25		0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW3B-DUP Lab Sample ID: 200-26880-21
 Matrix: Water Lab File ID: P030315B331_10.d
 Analysis Method: 331.0 Date Collected: 02/23/2015 09:40
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 21:30
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.41		0.20

LCMS INITIAL CALIBRATION DATA
INTERNAL STANDARD RESPONSE AND CONCENTRATION

Lab Name: TestAmerica Burlington Job No.: 200-26880-1 Analy Batch No.: 83380
 SDG No.: A830410P (200-26880)
 Instrument ID: LC3062 GC Column: IC-Pak Anion ID: 4.6(mm) Heated Purge: (Y/N) N
 Calibration Start Date: 01/14/2015 11:55 Calibration End Date: 01/14/2015 13:11 Calibration ID: 29574

Calibration Files:

LEVEL:	LAB SAMPLE ID:	LAB FILE ID:
Level 1	IC 200-83380/2	P011415CAL_02.d
Level 2	IC 200-83380/3	P011415CAL_03.d
Level 3	ICISAV 200-83380/4	P011415CAL_04.d
Level 4	IC 200-83380/5	P011415CAL_05.d
Level 5	IC 200-83380/6	P011415CAL_06.d
Level 6	IC 200-83380/7	P011415CAL_07.d

ANALYTE	IS REF	CURVE TYPE	RESPONSE						CONCENTRATION (UG/L)								
			LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5	LVL 1 LVL 6	LVL 2	LVL 3	LVL 4	LVL 5					
Perchlorate	180P	Lin1	35781 1062425	73809	140790	265193	588293	0.200 10.0	0.500	1.00	2.00	5.00					

Curve Type Legend:

Lin1 = Linear 1/conc ISTD

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCVIS 200-84071/2 Calibration Date: 02/02/2015 11:11
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P020215A331_02.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.030		2.01	2.00	0.5	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCV 200-84071/11 Calibration Date: 02/02/2015 13:29
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P020215A331_11.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.053		10.3	10.0	3.1	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCVL 200-85040/3 Calibration Date: 03/03/2015 13:20
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030315A331_03.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.000		0.187	0.200	-6.7	50.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCV 200-85040/25 Calibration Date: 03/03/2015 18:57
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030315A331_25.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.031		2.01	2.00	0.6	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCVL 200-85042/3 Calibration Date: 03/03/2015 19:43
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030315B331_03.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Linl		0.9599		0.179	0.200	-10.6	50.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCVIS 200-85089/2 Calibration Date: 03/04/2015 12:38
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AmionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030415A331_02.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.019		1.99	2.00	-0.6	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCV 200-85089/15 Calibration Date: 03/04/2015 15:56
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030415A331_15.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.068		10.5	10.0	4.5	20.0

FORM VII
LCMS CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Lab Sample ID: CCVL 200-85146/3 Calibration Date: 03/05/2015 12:51
 Instrument ID: LC3062 Calib Start Date: 01/14/2015 11:55
 GC Column: IC-Pak AnionH/R ID: 4.60 (mm) Calib End Date: 01/14/2015 13:11
 Lab File ID: P030515A331_03.d Conc. Units: ug/L

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Perchlorate	Lin1		1.022		0.191	0.200	-4.5	50.0

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: MB 200-85040/4
 Matrix: Water Lab File ID: P030315A331_04.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 13:36
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: MB 200-85089/4
 Matrix: Water Lab File ID: P030415A331_04.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/04/2015 13:08
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85089 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: ICB 200-84071/1
 Matrix: Water Lab File ID: P020215A331_01.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 02/02/2015 10:56
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 84071 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: ICB 200-85042/1
 Matrix: Water Lab File ID: P030315B331_01.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 19:12
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85042 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: ICB 200-85146/1
 Matrix: Water Lab File ID: P030515A331_01.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/05/2015 12:21
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85146 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.20	U	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: LCS 200-85040/5
 Matrix: Water Lab File ID: P030315A331_05.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/03/2015 13:51
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85040 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	1.964		0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: LCS 200-85089/5
 Matrix: Water Lab File ID: P030415A331_05.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 03/04/2015 13:23
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85089 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL
14797-73-0	Perchlorate	0.182	J	0.20

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: _____ Lab Sample ID: INF 200-84071/10
 Matrix: Water Lab File ID: P020215A331_10.d
 Analysis Method: 331.0 Date Collected: _____
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5 (mL) Date Analyzed: 02/02/2015 13:13
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100 (uL) GC Column: IC-Pak AnionH/R ID: 4.6 (mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 84071 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	1.018		0.20	

FORM I
LCMS ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Client Sample ID: GW4C MSD Lab Sample ID: 200-26880-10 MSD
 Matrix: Water Lab File ID: P030415A331_11.d
 Analysis Method: 331.0 Date Collected: 02/19/2015 12:00
 Extraction Method: _____ Date Extracted: _____
 Sample wt/vol: 5(mL) Date Analyzed: 03/04/2015 14:55
 Con. Extract Vol.: _____ Dilution Factor: 1
 Injection Volume: 100(uL) GC Column: IC-Pak AnionH/R ID: 4.6(mm)
 % Moisture: _____ GPC Cleanup: (Y/N) N
 Analysis Batch No.: 85089 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	
14797-73-0	Perchlorate	0.969		0.20	

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Burlington

Job No.: 200-26880-1

SDG No.: A830410P (200-26880)

Instrument ID: LC3062

Start Date: 02/02/2015 10:56

Analysis Batch Number: 84071

End Date: 02/02/2015 13:29

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ICB 200-84071/1		02/02/2015 10:56	1	P020215A331_01. d	IC-Pak AnionH/R 4.6(mm)
CCVIS 200-84071/2		02/02/2015 11:11	1	P020215A331_02. d	IC-Pak AnionH/R 4.6(mm)
CCVL 200-84071/3		02/02/2015 11:26	1	P020215A331_03. d	IC-Pak AnionH/R 4.6(mm)
LSSMB 200-84071/4		02/02/2015 11:42	1	P020215A331_04. d	IC-Pak AnionH/R 4.6(mm)
ZZZZZ		02/02/2015 11:57	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		02/02/2015 12:12	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		02/02/2015 12:28	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		02/02/2015 12:43	2		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		02/02/2015 12:58	1		IC-Pak AnionH/R 4.6(mm)
INF 200-84071/10		02/02/2015 13:13	1	P020215A331_10. d	IC-Pak AnionH/R 4.6(mm)
CCV 200-84071/11		02/02/2015 13:29	1	P020215A331_11. d	IC-Pak AnionH/R 4.6(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Burlington

Job No.: 200-26880-1

SDG No.: A830410P (200-26880)

Instrument ID: LC3062

Start Date: 03/03/2015 19:12

Analysis Batch Number: 85042

End Date: 03/03/2015 23:32

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ICB 200-85042/1		03/03/2015 19:12	1	P030315B331_01.d	IC-Pak AnionH/R 4.6(mm)
CCVIS 200-85042/2		03/03/2015 19:28	1	P030315B331_02.d	IC-Pak AnionH/R 4.6(mm)
CCVL 200-85042/3		03/03/2015 19:43	1	P030315B331_03.d	IC-Pak AnionH/R 4.6(mm)
MB 200-85042/4		03/03/2015 19:58	1	P030315B331_04.d	IC-Pak AnionH/R 4.6(mm)
LCS 200-85042/5		03/03/2015 20:13	1	P030315B331_05.d	IC-Pak AnionH/R 4.6(mm)
200-26880-17	GW3D	03/03/2015 20:29	1	P030315B331_06.d	IC-Pak AnionH/R 4.6(mm)
200-26880-18	GW2A	03/03/2015 20:44	1	P030315B331_07.d	IC-Pak AnionH/R 4.6(mm)
200-26880-19	GW2C	03/03/2015 20:59	1	P030315B331_08.d	IC-Pak AnionH/R 4.6(mm)
200-26880-20	FB3	03/03/2015 21:15	1	P030315B331_09.d	IC-Pak AnionH/R 4.6(mm)
200-26880-21	GW3B-DUP	03/03/2015 21:30	1	P030315B331_10.d	IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 21:45	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 22:00	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 22:16	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 22:31	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 22:46	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 23:02	1		IC-Pak AnionH/R 4.6(mm)
ZZZZZ		03/03/2015 23:17	1		IC-Pak AnionH/R 4.6(mm)
CCV 200-85042/18		03/03/2015 23:32	1	P030315B331_18.d	IC-Pak AnionH/R 4.6(mm)

LCMS ANALYSIS RUN LOG

Lab Name: TestAmerica Burlington Job No.: 200-26880-1
 SDG No.: A830410P (200-26880)
 Instrument ID: LC3062 Start Date: 03/05/2015 12:21
 Analysis Batch Number: 85146 End Date: 03/05/2015 13:52

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
ICB 200-85146/1		03/05/2015 12:21	1	P030515A331_01.d	IC-Pak AnionH/R 4.6(mm)
CCVIS 200-85146/2		03/05/2015 12:36	1	P030515A331_02.d	IC-Pak AnionH/R 4.6(mm)
CCVL 200-85146/3		03/05/2015 12:51	1	P030515A331_03.d	IC-Pak AnionH/R 4.6(mm)
MB 200-85146/4		03/05/2015 13:07	1	P030515A331_04.d	IC-Pak AnionH/R 4.6(mm)
LCS 200-85146/5		03/05/2015 13:22	1	P030515A331_05.d	IC-Pak AnionH/R 4.6(mm)
200-26880-12 DL	GW4E DL	03/05/2015 13:37	2	P030515A331_06.d	IC-Pak AnionH/R 4.6(mm)
CCV 200-85146/7		03/05/2015 13:52	1	P030515A331_07.d	IC-Pak AnionH/R 4.6(mm)

ATTACHMENT II

Source Water Assessment Report

For

Alpine Village Mobile Home Park



Bradley M. Campbell, Commissioner
Department of Environmental Protection

Ernest Hahn, Assistant Commissioner
Land Use Management

Michele Mateo Putnam, Administrator
Water Supply Administration

Barker Hamill, Bureau Chief
Bureau of Safe Drinking Water
401 E. State Street
PO Box 426
Trenton, New Jersey 08625-0426
(609) 292-5550

October 2004

SECTION V - INVENTORY OF TREATMENT PLANTS AND DRINKING WATER SOURCES

SECTION V - SYSTEM INVENTORY FOR: Alpine Village Mobile Home Park

Table 7 provides the Alpine Village Mobile Home Park's treatment plant(s); source(s); the sources' location(s); whether the source(s) are ground water, surface water, or a purchased supply; and the sources' capacity(s). The first column contains the EPTDS ID and sources contributing to the same EPTDS are identified by the same number. An EPTDS is the entry point to the distribution system, and for most community water systems this location is after the water is treated at a treatment plant.

In the case of a ground water source, the well's confinement status and well permit number are provided.

Table 7: Drinking Water Source and EPTDS Inventory

EPTDS ID	Source ID	Source Name	Water System Component *	Source Status *	Source *	Source Capacity (MGD)	Well Permit #	Confinement Status *
01	004	WELL LOT 61	T	P				
01	005	WELL 1 LOT 61	G	P	Kirkwood-Cohansey water-table aquifer system	0.0115	55-16010	U
01	006	WELL 2 LOT 61	G	P	Kirkwood-Cohansey water-table aquifer system	0.0504	55-16020	U
01	007	WELL #3 LOT 61 BUENA VISTA TWP	G	P	Kirkwood-Cohansey water-table aquifer system	0.0276	55-15602	U

***KEY**

Water System Component

G = Ground Water, P = Purchased Surface Water, S = Surface Water, T = Treatment Plant (EPTDS), U = Ground Water Under The Direct Influence of Surface Water, W = Purchased Ground Water. For a complete definition of each source of drinking water, please refer to the Glossary at the end of this report.

Confinement Status

C = Confined, U = Unconfined. For a definition of a confined and an unconfined aquifer please refer to the Glossary at the end of this report. K = Unknown, S = Semi-confined. For the purposes of SWAP both K and S were treated as unconfined wells.

Source Status

C = Recharge, E = Emergency, I = Interim, O = Other, P = Permanent, R = Reserve, S = Seasonal, U = Not in Use/Capped, V = Abandoned/Not Capped, W = Not in Use/Unspecified, X = Not in Use/Mechanical, Y = Not in Use/Contaminated. For a complete definition of each well status category, please refer to the Glossary at the end of this report.

Source

For ground water sources, the name of the aquifer is provided. For surface water sources, the name of the surface water body on which the intake is located is given.

The Alpine Village Mobile Home Park contains 1 EPTDS as illustrated in Table 7 (identified by a "T" in the water system component column). Often public water systems treat source water at the EPTDS to ensure the drinking water provided to the public meets Federal and

ATTACHMENT JJ

Alpine Village Mobile Home Park



Source Water Assessment Summary

A State Review of Potential Contamination Sources Near Your Drinking Water

The Department of Environmental Protection (DEP) has conducted an assessment of the water sources that supply each public water system in the state, including yours. The goal of this assessment was to measure each system's susceptibility to contamination, not actual (if any) contamination measured in a water supply system.

The assessment of your water system, the *Alpine Village Mobile Home Park*, involved:

- Identifying the area (known as the source water assessment area) that supplies water to your public drinking water system;
- Inventorying any significant potential sources of contamination in the area; and
- Analyzing how susceptible the drinking water source is to the potential sources of contamination.

DEP evaluated the susceptibility of all public water systems to eight categories of contaminants. These contaminant categories are explained, along with a summary of the results for your water system, on page 3. Page 4 contains a map of your water system's source water assessment area.

A public water system's susceptibility rating (L for low, M for medium or H for high) is a combination of two factors. H, M, and L ratings are based on the potential for a contaminant to be at or above 50% of the Drinking Water Standard or MCL (H), between 10 and 50% of the standard (M) and less than 10% of the standard (L).

- How "sensitive" the water supply is to contamination. For example, a shallow well or surface water source, like a reservoir, would be more exposed to contamination from the surface or above ground than a very deep well.
- How frequently a contaminant is used or exists near the source. This is known as "intensity of use." For example, the types of activities (such as industry or agriculture) surrounding the source.

The susceptibility rating does not tell you if the water source is actually contaminated. The Consumer Confidence Report annually issued by your water utility contains important information on the results of your drinking water quality tests, as required by the federal Safe Drinking Water Act.

Where does drinking water come from?

There are two basic sources of drinking water: ground water and surface water.

Ground water is water found beneath the Earth's surface. Ground water comes from rain and snow seeping into rock and soil. Ground water is stored in underground areas called aquifers. Aquifers supply wells and springs. Wells in New Jersey range from about 15 feet to 2,000 feet deep.

Surface water is the water naturally open to the atmosphere, such as rivers, lakes, streams and reservoirs. Precipitation that does not infiltrate the ground or evaporate into the sky runs off into surface water bodies.

Ground water can seep into a stream, river or other surface water body, recharging surface water bodies. Likewise, under some circumstances, surface water can seep into an adjacent aquifer.


A water system obtains its water from 1) wells drilled into the ground that pump out ground water; 2) devices called surface water intakes placed on a river, stream, reservoir; or 3) both.

What factors may affect the quality of your drinking water source?

A variety of conditions and activities may affect the quality of drinking water source. These include geology (rock and soil types); depth of a well or location of a surface water intake; how the land surrounding the source is used (for industry, agriculture or development); the use of pesticides and fertilizers; and the presence of contaminated sites, leaking underground storage tanks, and landfills.

What steps are being taken now to ensure my drinking water quality?

The DEP has numerous programs in place to maintain and protect the quality of our State's water resources. For example, the Safe Drinking Water Program is designed to ensure that water delivered for human consumption meets DEP's stringent health-based drinking water standards. Additionally, DEP has permitting, waste management, and clean up programs in place to avoid and control potential contamination. Key DEP drinking water protection initiatives will be phased-in over time in Source Water Assessment areas to advance existing program protections.



What can you and others do to help?

Federal law requires each state to establish and implement a Source Water Assessment Program. While government at the state and local levels can do their part, there are actions that you and your neighbors in homes and businesses can take now to help protect our precious and shared natural resource.

Here's just a few ways you and others can help ensure clean and plentiful water for New Jersey – now and in the future. Join us today for a clean water future.

In your home or business:

- Dispose of waste properly. Some materials such as motor oil, paint, flea collars, and household cleaners have the potential to contaminate source water. Contact your local Department of Public Works for proper household hazardous waste disposal.
- Limit your use of fertilizer, pesticides, and herbicides.

Here are some actions that municipal and county officials/local and county planners can take and you can help encourage and support.

- Manage and work with owners of existing potential contaminant sources to minimize potential contamination.
- Establish regulations prohibiting or restricting certain activities or land uses within the source water assessment area. Take appropriate enforcement action when necessary.
- Update municipal master plans to ensure greater protection.
- Purchase lands or create conservation easements within the source water assessment area.

Alpine Village Mobile Home Park- PWSID # 0105002

Alpine Village Mobile Home Park is a public community water system consisting of 3 well(s), 0 wells under the influence of surface water, 0 surface water intake(s), 0 purchased ground water source(s), and 0 purchased surface water source(s).

This system's source water comes from the following aquifer(s) and/or surface water body(s) (if applicable): Kirkwood-Cohansey water-table aquifer system

This system purchases water from the following water system(s) (if applicable):

Susceptibility Ratings for Alpine Village Mobile Home Park Sources


The table below illustrates the susceptibility ratings for the seven contaminant categories (and radon) for each source in the system. The table provides the number of wells and intakes that rated high (H), medium (M), or low (L) for each contaminant category. For susceptibility ratings of purchased water, refer to the specific water system's source water assessment report.

The seven contaminant categories are defined at the bottom of this page. DEP considered all surface water highly susceptible to pathogens, therefore all intakes received a high rating for the pathogen category. For the purpose of Source Water Assessment Program, radionuclides are more of a concern for ground water than surface water. As a result, surface water intakes' susceptibility to radionuclides was not determined and they all received a low rating.

If a system is rated highly susceptible for a contaminant category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the potential for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels. As a result of the assessments, DEP may customize (change existing) monitoring schedules based on the susceptibility ratings.

Sources	Pathogens			Nutrients			Pesticides			Volatile Organic Compounds			Inorganics			Radio-nuclides			Radon			Disinfection Byproduct Precursors			
	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	
Wells - 3		3		3				3				3		3			3			3			3		
GUDI - 0																									
Surface water intakes - 0																									

- **Pathogens:** Disease-causing organisms such as bacteria and viruses. Common sources are animal and human fecal wastes.
- **Nutrients:** Compounds, minerals and elements that aid growth, that are both naturally occurring and man-made. Examples include nitrogen and phosphorus.
- **Volatile Organic Compounds:** Man-made chemicals used as solvents, degreasers, and gasoline components. Examples include benzene, methyl tertiary butyl ether (MTBE), and vinyl chloride.
- **Pesticides:** Man-made chemicals used to control pests, weeds and fungus. Common sources include land application and manufacturing centers of pesticides. Examples include herbicides such as atrazine, and insecticides such as chlordane.
- **Inorganics:** Mineral-based compounds that are both naturally occurring and man-made. Examples include arsenic, asbestos, copper, lead, and nitrate.
- **Radionuclides:** Radioactive substances that are both naturally occurring and man-made. Examples include radium and uranium.
- **Radon:** Colorless, odorless, cancer-causing gas that occurs naturally in the environment. For more information go to <http://www.nj.gov/dep/rpp/radon/index.htm> or call (800) 648-0394.
- **Disinfection Byproduct Precursors:** A common source is naturally occurring organic matter in surface water. Disinfection byproducts are formed when the disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (for example leaves) present in surface water.



ATLANTIC COUNTY

ROUTE 287



500 250 0 500 Feet

ATTACHMENT KK

Source Water Assessment Report

For

Buena Borough MUA



Bradley M. Campbell, Commissioner
Department of Environmental Protection

Ernest Hahn, Assistant Commissioner
Land Use Management

Michele Mateo Putnam, Administrator
Water Supply Administration

Barker Hamill, Bureau Chief
Bureau of Safe Drinking Water
401 E. State Street
PO Box 426
Trenton, New Jersey 08625-0426
(609) 292-5550

October 2004

SECTION V - INVENTORY OF TREATMENT PLANTS AND DRINKING WATER SOURCES

SECTION V - SYSTEM INVENTORY FOR: Buena Borough MUA

Table 7 provides the Buena Borough MUA's treatment plant(s); source(s); the sources' location(s); whether the source(s) are ground water, surface water, or a purchased supply; and the sources' capacity(s). The first column contains the EPTDS ID and sources contributing to the same EPTDS are identified by the same number. An EPTDS is the entry point to the distribution system, and for most community water systems this location is after the water is treated at a treatment plant.

In the case of a ground water source, the well's confinement status and well permit number are provided.

Table 7: Drinking Water Source and EPTDS Inventory

EPTDS ID	Source ID	Source Name	Water System Component *	Source Status *	Source *	Source Capacity (MGD)	Well Permit #	Confinement Status *
01	001	WELL 1 TP KENNEDY DRIVE	T	P				
01	002	WELL 1 KENNEDY DR	G	P	Piney Point aquifer	0.1811	35-03992	C
01	004	WELL 2/KENNEDY DRIVE	G	P	Piney Point aquifer	0.3678	35-04559	C
02	007	WELL NO 3 TP WHEAT ROAD	T	P				

***KEY**

Water System Component

G = Ground Water, P = Purchased Surface Water, S = Surface Water, T = Treatment Plant (EPTDS), U = Ground Water Under The Direct Influence of Surface Water, W = Purchased Ground Water. For a complete definition of each source of drinking water, please refer to the Glossary at the end of this report.

Confinement Status

C = Confined, U = Unconfined. For a definition of a confined and an unconfined aquifer please refer to the Glossary at the end of this report. K = Unknown, S = Semi-confined. For the purposes of SWAP both K and S were treated as unconfined wells.

Source Status

C = Recharge, E = Emergency, I = Interim, O = Other, P = Permanent, R = Reserve, S = Seasonal, U = Not in Use/Capped, V = Abandoned/Not Capped, W = Not in Use/Unspecified, X = Not in Use/Mechanical, Y = Not in Use/Contaminated. For a complete definition of each well status category, please refer to the Glossary at the end of this report.

Source

For ground water sources, the name of the aquifer is provided. For surface water sources, the name of the surface water body on which the intake is located is given.


The Buena Borough MUA contains 2 EPTDS as illustrated in Table 7 (identified by a "T" in the water system component column). Often public water systems treat source water at the EPTDS to ensure the drinking water provided to the public meets Federal and State Drinking Water Standards. Please refer to Appendix A- Attachment 5 for information on the public water system's treatment process.

ATTACHMENT LL

Buena Borough MUA

Source Water Assessment Summary

A State Review of Potential Contamination Sources Near Your Drinking Water



The Department of Environmental Protection (DEP) has conducted an assessment of the water sources that supply each public water system in the state, including yours. The goal of this assessment was to measure each system's susceptibility to contamination, not actual (if any) contamination measured in a water supply system.

The assessment of your water system, the *Buena Borough MUA*, involved:

- Identifying the area (known as the source water assessment area) that supplies water to your public drinking water system;
- Inventorying any significant potential sources of contamination in the area; and
- Analyzing how susceptible the drinking water source is to the potential sources of contamination.

DEP evaluated the susceptibility of all public water systems to eight categories of contaminants. These contaminant categories are explained, along with a summary of the results for your water system, on page 3. Page 4 contains a map of your water system's source water assessment area.

A public water system's susceptibility rating (L for low, M for medium or H for high) is a combination of two factors. H, M, and L ratings are based on the potential for a contaminant to be at or above 50% of the Drinking Water Standard or MCL (H), between 10 and 50% of the standard (M) and less than 10% of the standard (L).

- How "sensitive" the water supply is to contamination. For example, a shallow well or surface water source, like a reservoir, would be more exposed to contamination from the surface or above ground than a very deep well.
- How frequently a contaminant is used or exists near the source. This is known as "intensity of use." For example, the types of activities (such as industry or agriculture) surrounding the source.

The susceptibility rating does not tell you if the water source is actually contaminated. The Consumer Confidence Report annually issued by your water utility contains important information on the results of your drinking water quality tests, as required by the federal Safe Drinking Water Act.

Where does drinking water come from?

There are two basic sources of drinking water: ground water and surface water.

Ground water is water found beneath the Earth's surface. Ground water comes from rain and snow seeping into rock and soil. Ground water is stored in underground areas called aquifers. Aquifers supply wells and springs. Wells in New Jersey range from about 15 feet to 2,000 feet deep.

Surface water is the water naturally open to the atmosphere, such as rivers, lakes, streams and reservoirs. Precipitation that does not infiltrate the ground or evaporate into the sky runs off into surface water bodies.

Ground water can seep into a stream, river or other surface water body, recharging surface water bodies. Likewise, under some circumstances, surface water can seep into an adjacent aquifer.


A water system obtains its water from 1) wells drilled into the ground that pump out ground water; 2) devices called surface water intakes placed on a river, stream, reservoir; or 3) both.

What factors may affect the quality of your drinking water source?

A variety of conditions and activities may affect the quality of drinking water source. These include geology (rock and soil types); depth of a well or location of a surface water intake; how the land surrounding the source is used (for industry, agriculture or development); the use of pesticides and fertilizers; and the presence of contaminated sites, leaking underground storage tanks, and landfills.

What steps are being taken now to ensure my drinking water quality?

The DEP has numerous programs in place to maintain and protect the quality of our State's water resources. For example, the Safe Drinking Water Program is designed to ensure that water delivered for human consumption meets DEP's stringent health-based drinking water standards. Additionally, DEP has permitting, waste management, and clean up programs in place to avoid and control potential contamination. Key DEP drinking water protection initiatives will be phased-in over time in Source Water Assessment areas to advance existing program protections.



What can you and others do to help?

Federal law requires each state to establish and implement a Source Water Assessment Program. While government at the state and local levels can do their part, there are actions that you and your neighbors in homes and businesses can take now to help protect our precious and shared natural resource.

Here's just a few ways you and others can help ensure clean and plentiful water for New Jersey – now and in the future. Join us today for a clean water future.

In your home or business:

- Dispose of waste properly. Some materials such as motor oil, paint, flea collars, and household cleaners have the potential to contaminate source water. Contact your local Department of Public Works for proper household hazardous waste disposal.
- Limit your use of fertilizer, pesticides, and herbicides.

Here are some actions that municipal and county officials/local and county planners can take and you can help encourage and support.

- Manage and work with owners of existing potential contaminant sources to minimize potential contamination.
- Establish regulations prohibiting or restricting certain activities or land uses within the source water assessment area. Take appropriate enforcement action when necessary.
- Update municipal master plans to ensure greater protection.
- Purchase lands or create conservation easements within the source water assessment area.

Buena Borough MUA- PWSID # 0104003

Buena Borough MUA is a public community water system consisting of 2 well(s), 0 wells under the influence of surface water, 0 surface water intake(s), 0 purchased ground water source(s), and 0 purchased surface water source(s).

This system's source water comes from the following aquifer(s) and/or surface water body(s) (if applicable): Piney Point aquifer

This system purchases water from the following water system(s) (if applicable):

Susceptibility Ratings for Buena Borough MUA Sources


The table below illustrates the susceptibility ratings for the seven contaminant categories (and radon) for each source in the system. The table provides the number of wells and intakes that rated high (H), medium (M), or low (L) for each contaminant category. For susceptibility ratings of purchased water, refer to the specific water system's source water assessment report.

The seven contaminant categories are defined at the bottom of this page. DEP considered all surface water highly susceptible to pathogens, therefore all intakes received a high rating for the pathogen category. For the purpose of Source Water Assessment Program, radionuclides are more of a concern for ground water than surface water. As a result, surface water intakes' susceptibility to radionuclides was not determined and they all received a low rating.



If a system is rated highly susceptible for a contaminant category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the potential for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminants and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels. As a result of the assessments, DEP may customize (change existing) monitoring schedules based on the susceptibility ratings.

Sources	Pathogens			Nutrients			Pesticides			Volatile Organic Compounds			Inorganics			Radio-nuclides			Radon			Disinfection Byproduct Precursors		
	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L	H	M	L
Wells - 2			2			2			2			2			2			2			2	2		
GUDI - 0																								
Surface water intakes - 0																								

- **Pathogens:** Disease-causing organisms such as bacteria and viruses. Common sources are animal and human fecal wastes.
- **Nutrients:** Compounds, minerals and elements that aid growth, that are both naturally occurring and man-made. Examples include nitrogen and phosphorus.
- **Volatile Organic Compounds:** Man-made chemicals used as solvents, degreasers, and gasoline components. Examples include benzene, methyl tertiary butyl ether (MTBE), and vinyl chloride.
- **Pesticides:** Man-made chemicals used to control pests, weeds and fungus. Common sources include land application and manufacturing centers of pesticides. Examples include herbicides such as atrazine, and insecticides such as chlordane.
- **Inorganics:** Mineral-based compounds that are both naturally occurring and man-made. Examples include arsenic, asbestos, copper, lead, and nitrate.
- **Radionuclides:** Radioactive substances that are both naturally occurring and man-made. Examples include radium and uranium.
- **Radon:** Colorless, odorless, cancer-causing gas that occurs naturally in the environment. For more information go to <http://www.nj.gov/dep/rpp/radon/index.htm> or call (800) 648-0394.
- **Disinfection Byproduct Precursors:** A common source is naturally occurring organic matter in surface water. Disinfection byproducts are formed when the disinfectants (usually chlorine) used to kill pathogens react with dissolved organic material (for example leaves) present in surface water.



ATLANTIC COUNTY



APPENDIX B

**PUBLIC NOTIFICATION AND OUTREACH
DOCUMENTATION**

PUBLIC PARTICIPATION PLAN

BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS

NJDEP Program Interest (PI) #: 660004

INTRODUCTION

The following Public Participation Plan has been prepared by CALMAR Associates, LLC (CMA) on behalf of Buena Vista Township for submittal to the New Jersey Department of Environmental Protection (NJDEP). CMA has been retained by Buena Vista Township to address contamination identified at the Buena Vista Township Department of Public Works (DPW) yard located at 430 Union Road, Buena Vista Township (herein known as the “Site”).

PUBLIC PARTICIPATION PLAN

The goal of the Public Participation Plan is to establish a two-way line of communication between members of the community and the Township.

NOTIFICATION BY THE TOWNSHIP

The Township will provide notification to members of the community throughout the remedial process. Public notification will initially be in the form of letters submitted to Recipients of Notification.

Recipients of Notification

- Owners and tenants within 200 feet of the known extent of groundwater contamination;
- Municipal clerk of each municipality in which the site is located;
- County Health Department;
- Local Health Agency (if applicable);
- Local news media interested in receiving information about the site (if applicable);
- Names from sign-in sheets from any public meeting regarding the Site; and
- NJDEP, Office of Community Relations.

PUBLIC PARTICIPATION PLAN

BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS

NJDEP Program Interest (PI) #: 660004

Public Notification Letters

All correspondence to the public shall include:

- A history of the Site operations that caused contamination;
- A description of the Site conditions including the source, type and extent of contamination;
- A description of the remedial activities undertaken thus far, currently underway and planned, with schedule;
- Contact information for Buena Vista Township and Licensed Site Remediation Professional (LSRP) of record for the site;
- An explicit statement soliciting public comment via a 30-day public comment period;
- An explicit statement that comments will be considered and will receive a written response;
- A description of how the public should submit comments;
- An explicit statement that the Buena Vista Township will provide electronic copies of correspondence and appropriate remedial documents, upon request.

Means of Public Notification

Notification Letters will be transmitted to recipients using the Certification of Mailing Service provided by the US Postal Service, or other certification that provides proof of mailing. Additionally, a copy of the letter and proof of mailing will be submitted to the NJDEP within 45-days of mailing.

Schedule of Notification

- Initial notification letters will be sent to recipients to within 45-days of plan approval by NJDEP;
- Updated Notification Letters will be sent to recipients in advance of any major remedial milestones (e.g. completion of remedial phase);

PUBLIC PARTICIPATION PLAN

BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS

NJDEP Program Interest (PI) #: 660004

- In the event of substantive change to Site conditions, remedial approach, or identification of impact to receptors;
- Following issuance of a Response Action Outcome (RAO) – *without request for public comment*, and
- Periodic updates, biennial at a minimum, on the progress of the site if no other correspondence is being sent to the mailing list during that time.

SOLICITATION OF PUBLIC COMMENT

The Township is soliciting public comment via a 30-day public comment period.

Means of Comment Submittal

Public comments shall be submitted via hardcopy or email to the Buena Vista Township Clerk:

Lisa A. Tilton, RMC, CMR, TA

890 Harding Highway

PO Box 605

Buena, NJ 08310

ltilton@buonavistanj.com

Response to Comments

Public comments will be considered and will receive a written response. Pending receipt of comments, a response summary may be generated and made available to the public, in lieu of preparing individual responses. Responses will be made available prior to the next remedial action.

PUBLIC PARTICIPATION PLAN

BUENA VISTA TOWNSHIP DEPARTMENT OF PUBLIC WORKS

NJDEP Program Interest (PI) #: 660004

SUPPLEMENTAL PUBLIC PARTICIPATION

If the level of public concern increases, supplemental public participation will be implemented as appropriate. Supplemental public participation may be in any combination of:

- Public Information Session/Meeting
- Attending meetings of the local governing body
- Briefings for local, county or state elected officials and/or community groups
- Webpage
- News Releases
- Community Interviews
- Interviews with environmental organizations, such as Environmental Commissions
- Telephone Hotlines
- Fact Sheets
- Workshops
- Exhibits
- Other, based on the needs of the specific community

Post Road Potable Well Contamination Site

Fact Sheet

Buena Vista Township, Atlantic County

October 2014

**New Jersey Department of
Environmental Protection
Site Remediation Program**

**Office of Community
Relations**

Phone: (609) 984-3081

Toll Free: (800) 253-5647

Fax: (609) 633-2360

**For more information
about the potable well
investigation or other
DEP activities at this site,
please contact:**

**Heather Swartz,
Community Relations
Coordinator**

**at
(609) 984-7135**

or

Heather.Swartz@dep.nj.gov

**CHRIS CHRISTIE
Governor**

**KIM GUADAGNO
Lt. Governor**

**BOB MARTIN
Commissioner**

In the spring of 2014, the New Jersey Department of Environmental Protection (DEP) began investigating residential potable (drinking water) wells in southern Buena Vista Township after the Atlantic County Health Department determined several wells in the area of Post Road were contaminated with volatile organic compounds (VOCs) and mercury above New Jersey's Ground Water Quality Standards. VOCs are man-made chemicals that evaporate readily at room temperature and are key components in a wide variety of industrial and commercial products such as degreasers, dry cleaning fluid, refrigerants and fuels. Mercury is a metal that is commonly detected in the ground water in southern New Jersey. The sources of these contaminants in the ground water in Buena Vista Township are currently unknown.

Between April and October of 2014, DEP collected water samples from 75 private potable wells on Post Road, North Union Road, LeJan Terrace, Cimino Boulevard and Landis Avenue for analysis of VOCs and mercury. DEP also analyzed the water samples for several synthetic organic compounds found in fumigants and other agricultural chemicals, and perchlorate anion, an inorganic substance associated with munitions and fertilizers. Thirty two of the 75 wells sampled to date as part of DEP's investigation were confirmed to have at least one contaminant present at concentrations above New Jersey's Ground Water Quality Standards. The organic compounds detected in well water included trichloroethene (TCE), perchloroethylene (PCE), vinyl chloride, cis-1,2 dichloroethene, 1,2 dichloropropane and 1,2,3 trichloropropane.

Residents whose well water is confirmed to be contaminated above New Jersey Ground Water Quality Standards can apply for Point-of-Entry Treatment (POET) systems for their wells through the New Jersey Spill Fund. The installation, monitoring and maintenance of the POET systems are provided to eligible residents at no cost. Information about the Spill Fund and a link to the claim form are available at www.nj.gov/dep/srp/finance/eca.htm.

For information on filing a claim through the Spill Fund, please contact:

Dominick Dortch

DEP Financial Services Element – Fund Management Section

Mail Code: 401-06J

P.O. Box 420

Trenton, NJ 08625-0420

Phone: (609) 777-0284 Fax: (609) 292-4401

Dominick.Dortch@dep.nj.gov

If you need local assistance completing the Spill Fund application, please contact Buena Vista Township Clerk Lisa Tilton at the Township Municipal Complex, 890 Harding Highway, Buena, NJ 08310 or by calling (856) 697-2100 (option 1).

DEP will continue to work with ACHD and Buena Vista Township officials to evaluate ground water and drinking water quality in the area. Additional investigative work is underway by DEP to identify possible sources of the contaminants in the ground water. DEP will also evaluate long-term water supply alternatives for the affected area.

If you have questions about possible health impacts due to the contaminated well water, please contact the New Jersey Department of Health's Environmental and Occupational Health Surveillance Program at (609) 826-4984. For more information about the site contaminants, please refer to the federal Agency for Toxic Substances and Disease Registry's web site at www.atsdr.cdc.gov/toxfaqs/index.asp.



Post Road Ground Water Contamination Site Buena Vista Township, Atlantic County

NJDEP Program Interest (PI) #: 632263



In 2014, the New Jersey Department of Environmental Protection (DEP) began investigating residential potable (drinking water) wells in southern Buena Vista Township after the Atlantic County Health Department (ACHD) determined several private potable (drinking water) wells in the area of Post Road were contaminated with volatile organic compounds (VOCs) and mercury above New Jersey's Ground Water Quality Standards. VOCs are key components of a wide variety of industrial and commercial products such as degreasers, dry cleaning fluid, refrigerants and fuels. Mercury is a metal that is often detected in the ground water in southern New Jersey.

Between April 2014 and October 2015, DEP collected water samples from 105 private potable wells in Buena Vista Township and Vineland. The samples were analyzed for VOCs, mercury, several synthetic organic compounds that are used in fumigants and other agricultural chemicals, as well as perchlorate anion, an inorganic substance associated with munitions and fertilizers. Of the 105 wells sampled to date, 43 had at least one contaminant of concern present at concentrations above the applicable New Jersey Ground Water Quality Standard. The following contaminants were found in well water samples at concentrations exceeding Ground Water Quality Standards: trichloroethene (TCE), vinyl chloride, cis-1,2 dichloroethene, 1,2-dichloropropane, 1,2,3 trichloropropane, mercury and perchlorate anion.

In August 2015, based on the findings of soil and ground water investigations that it conducted in the area, DEP identified the former municipal landfill on North Union Road as a source of VOCs affecting area wells. In accordance with New Jersey's Site Remediation Reform Act of 2009, DEP directed Buena Vista Township officials to hire a Licensed Site Remediation Professional (LSRP) to investigate the extent of the VOC contamination at the landfill and implement remedial measures.

Due to the VOC contamination in private wells, DEP also initiated a supplemental investigation to evaluate the possibility of vapor intrusion affecting homes. Residential soil gas and indoor air samples were collected from properties near wells that had the highest concentrations of VOCs. The sampling results did not reveal any evidence of vapor intrusion related to the contaminants of concern for the Post Road Ground Water Contamination site. DEP plans to resample one residence where an elevated VOC unrelated to the Post Road Ground Water Contamination site was detected in order to determine whether it could be due to another source.

The next round of vapor intrusion testing is scheduled for late March and additional potable well sampling is also scheduled for April. The analytical results from these samples will be used along with existing analytical results to define the currently known extent of ground water contamination and define a project area for evaluation of alternative water supply options. DEP will continue to work with ACHD and Buena Vista Township officials to evaluate ground water and drinking water quality in the area.

Residents whose well water is determined to be contaminated above New Jersey Ground Water Quality Standards can apply for Point-of-Entry Treatment (POET) systems to remove the contamination from their wells through the New Jersey Spill Fund. The installation, monitoring and maintenance of the POET systems are provided to eligible residents at no cost. Information about the Spill Fund and a link to the claim form are available on DEP's web page at: www.nj.gov/dep/srp/finance/eca.htm.

For information on filing a claim through the Spill Fund, please contact:

Dominick Dortch
DEP Financial Services Element – Fund Management Section
Mail Code: 401-06J
P.O. Box 420
Trenton, NJ 08625-0420
Phone: (609) 777-0284 Fax: (609) 292-4401
Dominick.Dortch@dep.nj.gov

If you need assistance completing the Spill Fund application, please contact Buena Vista Township Clerk Lisa Tilton at the Township Municipal Complex, 890 Harding Highway, Buena, NJ, or by calling (856) 697-2100.

If you have questions about possible health impacts due to the contaminated well water, please contact the New Jersey Department of Health’s Environmental and Occupational Health Surveillance Program at (609) 826-4984. For more information about the site contaminants, please refer to the federal Agency for Toxic Substances and Disease Registry’s web site at www.atsdr.cdc.gov/toxfaqs/index.asp .

Glossary

Ground Water: Subsurface water that fills pores between materials such as sand, soil or gravel.

Licensed Site Remediation Professional (LSRP): A highly qualified environmental professional licensed by the New Jersey Site Remediation Professional Board and authorized to perform remedial activities at contaminated and potentially contaminated properties with limited oversight by DEP.

Point-of-Entry Treatment System (POET): A water filtration system that removes contaminants from private potable wells. These are frequently used in ground water contamination areas where residents rely on private wells.

Potable Water: Water that is safe for drinking and cooking.

Soil Gas: Gaseous compounds and elements present in the small spaces between particles of soil.

Vapor Intrusion: Occurs when gases emitting from VOC-contaminated soil or ground water seep through cracks and holes in the foundations or slabs of buildings and accumulate in basements, crawl spaces and/or living areas.

Volatile Organic Compounds (VOC): Carbon-containing chemicals that evaporate readily at room temperature. Examples of products that contain VOCs include gasoline, dry cleaning fluid and paint thinners.

Chris Christie, Governor

Kim Guadagno, Lt. Governor




Bob Martin, Commissioner

***Site Remediation & Waste Management Program
Office of Community Relations
(609) 984-3081
www.nj.gov/dep/srp/community***

APPENDIX C

GEOPHYSICAL INVESTIGATION REPORT



GEOPHYSICAL INVESTIGATION REPORT

PERFORMED AT:

**430 Union Road
Buena, NJ 08360**

PREPARED FOR:

**Ryan Seibert
Calmar Associates
1415 13th Avenue
Dorothy, NJ 08317**

PREPARED BY:

**Matt McMillen
Senior Geophysicist
Enviroprobe Service, Inc.
81 Marter Avenue
Mount Laurel, NJ 08054
(856) 858-8584
(800) 596-7472**

June 25, 2018

1.0 INTRODUCTION

Enviroprobe Service, Inc. (Enviroprobe) is an environmental investigation services firm which provides monitoring well installation (HSA), Geoprobe (DPT) drilling services and Environmental & Engineering Geophysics (EEG) services to the environmental consulting and engineering community.

Enviroprobe conducted a subsurface geophysical investigation at the subject property within client-specified areas of concern. Due to conditions and objectives, the investigation utilized a Geonics EM31-MK2 system with a Differential Global Positioning System (DGPS) and a Geometrics 858 Cesium magnetometer with a Differential Global Positioning System (DGPS).

The Geonics EM31-MK2 maps geological, environmental, geotechnical and other subsurface features associated with changes in ground conductivity. The EM31 contains a transmitter coil that generates an electromagnetic field that induces electrical currents in the subsurface. These eddy currents produce a secondary electromagnetic field that is measured by a receiver coil in the EM31. The EM31 measures apparent conductivity in millisiemens per meter (MS/m) and the in-phase ratio of the secondary to the primary electromagnetic field in parts per thousand (PPT). The strength of the in-phase reading provides information on the likely presence of underground metallic objects while the apparent conductivity is useful in mapping more subtle changes in subsurface conductivity. The depth of exploration can be as deep as approximately 15 - 17 feet; however, the effective detecting range may be much shallower depending on the target sizes and host materials.

A total field magnetometer is a rapid, effective and non-destructive instrument used to locate buried ferrous material (drums, pipes, mineral deposits, archaeological objects, etc.). The instrument is operated and carried by one person and contains a digital memory for data storage.

The Geometric 858 is a self-oscillating split beam Cesium Vapor magnetometer.

Interpretation of magnetometer data includes recognizing and characterizing local changes in the intensity of the earth's magnetic field. Analysis usually involves contouring and profiling the data. The size, shape, and magnitude of an anomaly depends on the mass, orientation and depth of the buried target (drums, mineral deposits, etc.). Modeling of the data can provide a rough estimate of the mass and depth of the target but is usually reserved for large-scale geological surveys.

Several factors can limit the effectiveness of the magnetometry method including the proximity of cultural interferences (such as buildings, fences, and reinforced concrete), and the size, depth and magnetic susceptibility of the target.

2.0 SCOPE OF WORK

On June 18 and 19, 2018, two geophysicists from Enviroprobe Service Inc. were mobilized to the subject property to perform the geophysical investigation. The purpose of this investigation was to delineate the extent of landfill material and any potential buried drums. The survey area consisted mostly of grass, pavement, and gravel for the majority of the property.

3.0 SURVEY RESULTS

The survey was conducted using the Geonics EM31-MK2 along survey lines spaced approximately 10 feet apart in the approximately north south direction. Data was downloaded to a field computer for processing and generation of color contour maps. The Geometrics 858 Cesium magnetometer survey was conducted on survey lines spaced approximately 5 feet apart in the same direction as the EM-31 data.

The EM-31 and MAG were used in a grid pattern over all client specified areas of the site. Based on the results of the two surveys several different types of anomalies were detected. These types of anomalies are possible buried metal, magnetic highs, and magnetic lows. Additionally, the possible edge of fill is shown as well as a possible former building location.

Possible buried metal are areas which may contain ferrous buried metal. Magnetic highs are areas with higher magnetic values and could be ferrous buried metal. Magnetic lows are areas of lower magnetic values and could be buried debris, buried concrete, or a bad data point.

An area of high conductivity between the shed and the building may be caused by salt from the road salt pile.

Figure 1 is a map of anomalies. Figure 2 is the EM-31 conductivity contour plot. Figure 3 is the EM-31 inphase contour plot. Figure 4 is the magnetometer contour plot.

4.0 LIMITATIONS

The client-selected areas contained obstructions including high vegetation, trucks, machinery, and other objects. These objects prevented a thorough investigation of the spaces beneath and immediately adjacent to them.

The EM-31 and Mag surveys were kept up to 5 feet away from above ground objects containing metals depending on the sizes, shapes and positions of the metal objects.

All field services were conducted in compliance with the industry standard of care guidelines found in ASCE 38-02 (Level B).

5.0 WARRANTIES

The field observations and measurements reported herein are considered sufficient in detail and scope for this project. Enviroprobe Service, Inc. warrants that the findings and conclusions contained herein have been promulgated in accordance with generally accepted environmental engineering methods. There is a possibility that conditions may exist which could not be identified within the scope of this project and were not apparent during the site activities performed for this project.

Enviroprobe represents that the services were performed in a manner consistent with that level of care and skill ordinarily exercised by environmental consultants under similar circumstances. No other representations to Client, express or implied, and no warranty or guarantee is included or intended in this agreement, or in any report, document, or otherwise.

Enviroprobe Service, Inc. believes that the information provided in this report is reliable. However, Enviroprobe cannot warrant or guarantee that the information provided by others is complete or accurate. No other warranties or guarantees are implied or expressed.

GPR data is subject to signal anomalies and operator interpretation. The GPR data is intended to provide the locations of areas of concern requiring additional investigation or the approximate location of underground structures and utilities. Great care must be utilized when excavating and/or drilling around underground structures and utilities since GPR data can only be used for estimation purposes and GPR data is subject to misinterpretation. Enviroprobe cannot guarantee that utilities, post-tension cables, and/or rebar will not be incurred during drilling, cutting, coring, or excavating activities.

This report was prepared pursuant to the contract Enviroprobe has with the Client. That contractual relationship included an exchange of information about the property that was unique and between Enviroprobe and its client and serves as the basis upon which this report was prepared. Because of the importance of the communication between Enviroprobe and its client, reliance or any use of this report by anyone other than the Client, for whom it was prepared, is prohibited and therefore not foreseeable to Enviroprobe.

Reliance or use by any such third party without explicit authorization in the report does not make said third party a third party beneficiary to Enviroprobe contract with the Client. Any such unauthorized reliance on or use of this report, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this report, are made to any such third party.



KEY

Buried metal	
Magnetic high	
Magnetic low	
Building location	
Edge of fill	

This site plan was produced from data positioned by differential GPS measurements collected in the field. Due to the errors normally present in DGPS data, this document is not intended or represented to be of survey precision. Caution should be used in all field measurements based on this site plan.

As with any geophysical method, it must be stressed that caution be used during any excavation or intrusive testing in proximity of any anomalies indicated in this document. The absence of detected signatures does not preclude the possibility that targets exist. The geophysical data and results presented in this site plan are based upon the application of scientific principles and professional judgements to certain facts with resultant subjective interpretations. Professional judgements expressed herein are based on the facts currently available within the limits of the existing data, scope of work, budget, and schedule.

This document was prepared pursuant to the contract Enviroprobe has with the client. That contractual relationship included an exchange of information about the subject site that was unique and between Enviroprobe and the client, and serves as the basis upon which this document was prepared. Because of the importance of the communication between Enviroprobe and its client, reliance or any use of this document by anyone other than the client, for whom it was prepared, is prohibited and therefore not foreseeable to Enviroprobe.


Reliance or use by any such third party without explicit authorization in the document does not make said third party a third party beneficiary to Enviroprobe's contract with the client. Any such unauthorized reliance on or use of this document, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this document, are made to any such third party.

DESIGNED BY: MM
 DRAWN BY: DL
 CHECKED BY: DL
 DATE: JUNE 22, 2018
 SCALE:
 SHEET NO. 1 of 4
 DRAWING NO. MM062218

ANOMALOUS AREAS and ESTIMATED LANDFILL BOUNDARY
 FOR
CALMAR ASSOCIATES
 at 430 UNION ROAD, BUENA VISTA, NJ

ENVIROPROBE SERVICE INC.
 81 Marter Avenue, Mount Laurel, NJ 08054
 Phone: (800) 596-7472 Fax: (856) 291-6509

DATE	DESCRIPTION REVISIONS	REV.



KEY

Buried metal	
Magnetic high	
Magnetic low	
Building location	
Edge of fill	

This site plan was produced from data positioned by differential GPS measurements collected in the field. Due to the errors normally present in DGPS data, this document is not intended or represented to be of survey precision. Caution should be used in all field measurements based on this site plan.

As with any geophysical method, it must be stressed that caution be used during any excavation or intrusive testing in proximity of any anomalies indicated in this document. The absence of detected signatures does not preclude the possibility that targets exist. The geophysical data and results presented in this site plan are based upon the application of scientific principles and professional judgements to certain facts with resultant subjective interpretations. Professional judgements expressed herein are based on the facts currently available within the limits of the existing data, scope of work, budget, and schedule.

This document was prepared pursuant to the contract Enviroprobe has with the client. That contractual relationship included an exchange of information about the subject site that was unique and between Enviroprobe and the client, and serves as the basis upon which this document was prepared. Because of the importance of the communication between Enviroprobe and its client, reliance or any use of this document by anyone other than the client, for whom it was prepared, is prohibited and therefore not foreseeable to Enviroprobe.


Reliance or use by any such third party without explicit authorization in the document does not make said third party a third party beneficiary to Enviroprobe's contract with the client. Any such unauthorized reliance on or use of this document, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this document, are made to any such third party.

DESIGNED BY: MM
 DRAWN BY: DL
 CHECKED BY: DL
 DATE: JUNE 22, 2018
 SCALE:
 SHEET NO. 2 of 4
 DRAWING NO. MM062218

ANOMALOUS AREAS and
 EM31 CONDUCTIVITY CONTOUR PLOT
 FOR
 CALMAR ASSOCIATES
 at 430 UNION ROAD, BUENA VISTA, NJ

ENVIROPROBE SERVICE INC.
 81 Marter Avenue, Mount Laurel, NJ 08054
 Phone: (800) 596-7472 Fax: (856) 291-6509

DATE	DESCRIPTION	REV.



KEY

Buried metal	
Magnetic high	
Magnetic low	
Building location	
Edge of fill	

This site plan was produced from data positioned by differential GPS measurements collected in the field. Due to the errors normally present in DGPS data, this document is not intended or represented to be of survey precision. Caution should be used in all field measurements based on this site plan.

As with any geophysical method, it must be stressed that caution be used during any excavation or intrusive testing in proximity of any anomalies indicated in this document. The absence of detected signatures does not preclude the possibility that targets exist. The geophysical data and results presented in this site plan are based upon the application of scientific principles and professional judgements to certain facts with resultant subjective interpretations. Professional judgements expressed herein are based on the facts currently available within the limits of the existing data, scope of work, budget, and schedule.

This document was prepared pursuant to the contract Enviroprobe has with the client. That contractual relationship included an exchange of information about the subject site that was unique and between Enviroprobe and the client, and serves as the basis upon which this document was prepared. Because of the importance of the communication between Enviroprobe and its client, reliance or any use of this document by anyone other than the client, for whom it was prepared, is prohibited and therefore not foreseeable to Enviroprobe.


Reliance or use by any such third party without explicit authorization in the document does not make said third party a third party beneficiary to Enviroprobe's contract with the client. Any such unauthorized reliance on or use of this document, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this document, are made to any such third party.

DESIGNED BY: MM
 DRAWN BY: DL
 CHECKED BY: DL
 DATE: JUNE 22, 2018
 SCALE:
 SHEET NO. 3 of 4
 DRAWING NO. MM062218

ANOMALOUS AREAS and
 EM31 INPHASE CONTOUR PLOT
 FOR
 CALMAR ASSOCIATES
 at 430 UNION ROAD, BUENA VISTA, NJ

ENVIROPROBE SERVICE INC.
 81 Marter Avenue, Mount Laurel, NJ 08054
 Phone: (800) 596-7472 Fax: (856) 291-6509

DATE	DESCRIPTION	REV.



KEY

Buried metal	
Magnetic high	
Magnetic low	
Building location	
Edge of fill	

This site plan was produced from data positioned by differential GPS measurements collected in the field. Due to the errors normally present in DGPS data, this document is not intended or represented to be of survey precision. Caution should be used in all field measurements based on this site plan.

As with any geophysical method, it must be stressed that caution be used during any excavation or intrusive testing in proximity of any anomalies indicated in this document. The absence of detected signatures does not preclude the possibility that targets exist. The geophysical data and results presented in this site plan are based upon the application of scientific principles and professional judgements to certain facts with resultant subjective interpretations. Professional judgements expressed herein are based on the facts currently available within the limits of the existing data, scope of work, budget, and schedule.

This document was prepared pursuant to the contract Enviroprobe has with the client. That contractual relationship included an exchange of information about the subject site that was unique and between Enviroprobe and the client, and serves as the basis upon which this document was prepared. Because of the importance of the communication between Enviroprobe and its client, reliance or any use of this document by anyone other than the client, for whom it was prepared, is prohibited and therefore not foreseeable to Enviroprobe.

Reliance or use by any such third party without explicit authorization in the document does not make said third party a third party beneficiary to Enviroprobe's contract with the client. Any such unauthorized reliance on or use of this document, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this document, are made to any such third party.



DESIGNED BY: MM
 DRAWN BY: DL
 CHECKED BY: DL
 DATE: JUNE 22, 2018
 SCALE:
 SHEET NO.: MM062218
 4 of 4

**ANOMALOUS AREAS and
 MAGNETIC CONTOUR PLOT**
 FOR
CALMAR ASSOCIATES
 at 430 UNION ROAD, BUENA VISTA, NJ

ENVIROPROBE SERVICE INC.
 81 Marter Avenue, Mount Laurel, NJ 08054
 Phone: (800) 596-7472 Fax: (856) 291-6509

DATE	DESCRIPTION REVISIONS	REV.

APPENDIX D

SOIL BORING LOGS

TEST BORING LOG



Boring ID: SB-1		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-25-18 / 09-25-18		Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface 19' bgs.	
				Completion Depth: 25.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.5		(0.0 - 2.0') 10YR3/1 (very dark grayish brown) Road Base - Sand / Gravel (2.0 - 2.2') Wood Fragments (2.2 - 2.5') 10YR7/3 (very pale brown) - SAND (f)	0.0	N	N	
5 - 10		2.3		(0.2 - 2.3') 10YR4/2 (dark grayish brown) SAND (f), some Silt.	0.0	N	N	Trash / Plastic
10 - 15		1.8		(0.0 - 1.8') 10YR3/2 (very dark grayish brown) SAND (f).	0.0	N	N	Coal Fragments
15 - 20		2.3		(0.0 - 2.3') 10YR5/8 (yellowish brown) grading to 10YR7/2 (light gray) SAND (f), trace Gravel (f), dry, loose.	0.0	N	N	
20 - 25		2.5		(0.0 - 2.5') 10YR8/2 (very pale brown) SAND (vf-f), saturated, loose.	0.0	N	N	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-2		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 09-25-18 / 09-25-18		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Casing Mat. / Dia. PVC / 1"		Screen: Type: PVC Length: 10'		Slot Size: 10-slot		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
						Ground Water Surface 19' bgs.		
						Completion Depth: 25.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.5		(0.0 - 1.5') 10YR2/1 (black) Fill Material (1.5 - 2.0') Trash - Plastic/Paper (2.0 - 2.5') 10YR6/3 (pale brown) SAND (f), dry, loose.	0.0	N	N	Trash / Plastic
5 - 10		0.5		(0.0 - 0.5') SAA with Trash	3.5	N	Y	Indistinguishable Odor / Trash
10 - 15	GW	0.5		(0.0 - 0.5') 10YR3/2 (very dark grayish brown) SAND (f-m), little Silt, moist, loose.	3.0	N	Y	Indistinguishable Odor / GWS-2/15-25
15 - 20		0.4		(0.0 - 0.4') SAA	3.5	N	Y	Indistinguishable Odor
20 - 25		0.0		No Recovery	--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-3		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-25-18 / 09-25-18		Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface 19' bgs.	
				Completion Depth: 50.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.5		(0.0 - 2.5') 10YR8/1 (black) grading to 10YR5/3 (brown) - SAND (f), some Silt	0.0	N	N	Trash / Plastic
5 - 10		0.8		(0.0 - 0.4') 10YR6/2 (light brownish gray) SAND (f) (0.4 - 0.8') TRASH	0.0	N	N	Trash / Plastic
10 - 15		0.0		No Recovery	--	--	--	Wood in tip of sampler
15 - 20	SOIL	2.2		(0.0 - 0.2') WOOD (0.2 - 1.2') 10YR5/3 (brown) SAND (f-m), trace Gravel (f) (1.2 - 2.2') 10YR3/2 (grayish brown) SAND (f-m), Silt	0.0	N	N	Discolored soil 16 - 17' bgs. / SB-3/16.0-16.5
20 - 25		2.5		(0.0 - 1.0') 2.5Y4/4 (olive brown) SAND (f-m), trace Gravel (f) (1.0 - 2.5') 10YR5/1 (gray) SAND (f), little Silt	0.0	N	N	
47 - 50	GW			Direct Push SP-16 Sampler	--	--	--	GWS-3/47-50

SAA = Same as Above

BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-4		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-25-18 / 09-25-18		Well Installed? Yes ___ No X		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface 16' bgs.	
				Completion Depth: 25.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.0		(0.0 - 2.0') 10YR4/4 (dark yellowish brown) SAND (f), some Silt, dry, cohesive	0.0	N	N	
5 - 10		2.7		(0.0 - 1.0') TRASH (1.0 - 2.7') 10YR6/8 (brownish yellow) SAND (vf), little Silt	0.0	N	N	Trash 5 - 6'
10 - 15		1.8		(0.0 - 1.8') 10YR7/4 (very pale brown) SAND (vf), little Silt, dry, loose	0.0	N	N	
15 - 20	SOIL	3.2		(0.0 - 1.5') SAA (1.5 - 3.2') 10YR7/6 (yellow) SAND (f-c), saturated, loose	0.0	N	Y	Faint Indistiguishable Odor / SB-4/19.5-20.0
20 - 25		4.0		(0.0 - 4.0') 10YR6/2 (light brownish gray) SAND (vf), saturated, loose.	0.0	N	N	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-5		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-25-18 / 09-25-18		Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface 19' bgs.	
				Completion Depth: 50.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.0		(0.0 - 0.8') TOPSOIL (0.8 - 2.0') 10YR6/2 (light brownish gray) SAND (f), little Silt, trace Gravel (f)	0.0	N	N	
5 - 10		2.8		(0.0 - 2.8') 10YR7/1 (light gray) SAND (vf), little Silt, trace Gravel (f), moist, loose	0.0	N	N	
10 - 15		3.2		(0.0 - 3.2') SAA	0.0	N	N	
15 - 20		2.8		(0.0 - 2.8') SAA	0.0	N	N	
20 - 25	SOIL	2.6		(0.0 - 0.9') 10YR6/6 (brownish yellow) SAND (f-m), saturated, loose (0.9 - 2.6') 10YR5/1 (gray) SAND (f) and GRAVEL (f), saturated, loose	0.0	N	N	SB-5/24.5-25.0
47 - 50	GW			Direct Push SP-16 Sampler	--	--	--	GWS-5/47-50

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-6		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-25-18 / 09-25-18		Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Slot Size: 10-slot	
Casing Mat. / Dia. PVC / 1"		Screen: Type: PVC		Length: 10'	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface:	
				Completion Depth: 30.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.0		(0.0 - 0.8') TOPSOIL (0.8 - 2.0') 10YR7/1 (light gray) SAND (vf), little Silt, moist, loose	0.0	N	N	Trash
5 - 10		1.9		(0.0 - 1.9') 10YR7/3 (very pale brown) SAND (vf), little Silt, trace Gravel (f), moist, loose	0.0	N	N	Wood fragments 5.0 - 5.5'
10 - 15		2.5		(0.0 - 2.5') 10YR8/1 (white) SAND (vf), moist, loose	0.0	N	N	
15 - 20		2.3		(0.0 - 2.0') 10YR5/4 (yellowish brown) SAND (f-m), little Silt, trace Gravel (f), moist, loose (2.0 - 2.3') 10YR7/2 (light gray) SAND (f-m), little Silt, trace Gravel (f), moist, loose	0.0	N	N	
20 - 25	GW	2.6		(0.0 - 2.6') 10YR7/2 (light gray) SAND (f-m), trace Gravel (f), saturated, loose	0.0	N	N	GWS-6/20-30
25 - 30	SOIL	2.6		SAA	0.0	N	N	SB-6/25.5-26.0

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-7		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-26-18 / 09-26-18		Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface:	
				Completion Depth: 25.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.7		(0.0 - 1.0') TOPSOIL (1.0 - 2.7') 10YR7/1 (dark yellowish brown) SAND (vf), trace Silt, dry, loose	0.0	N	N	
5 - 10		1.8		(0.0 - 0.2') SAA (0.2 - 1.8') 10YR3/1 (vert dark gray) SAND (f), Trash and Wood Fragments, moist, loose	0.0	N	N	Trash 5.2 - 6.8'
10 - 15		1.3		(0.0 - 1.3') TRASH, Wood and Brick Fragments	0.0	N	N	Trash
15 - 20		0.5		(0.0 - 0.5') SAA	0.0	N	Y	Trash / Methane Odor
20 - 25		3.0		(0.0 - 0.5') TRASH (0.5 - 3.0') 10YR5/2 (grayish brown) SAND (f), dry, loose.	0.0	N	N	Trash 20.0 - 20.5'

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-8		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-26-18 / 09-26-18		Well Installed? Yes ___ No <u>X</u>		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface:	
				Completion Depth: 25.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		1.7		(0.0 - 0.2') TOPSOIL (0.2 - 1.7') 10YR6/6 (brownish yellow) SAND (f), little Silt, trace Gravel (f), moist	0.0	N	Y	Trash / Methane Odor
5 - 10		1.1		(0.0 - 1.1') 10YR7/1 (light gray) SAND (f) and TRASH, moist	0.0	N	N	Trash / Plastic / Wood
10 - 15		0.9		(0.0 - 0.9') 10YR4/2 (dark grayish brown) SAND (f) and TRASH, moist	0.0	N	N	Trash / Plastic / Wood
15 - 20		0.0		Refusal at 16.5' bgs. No Recovery. Move 5' and re-drill	--	--	--	
20 - 25	SOIL	2.8		(0.0 - 2.6') 10YR5/1 (gray) SAND (f-m), saturated, loose	0.0	N	N	SB-8/23.0-23.5
25 - 30								

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-9		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 09-26-18 / 09-26-18		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface:	Completion Depth: 25.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		1.2		(0.0 - 1.2') 10YR3/1 (very dark gray) SAND (f) and TRASH	0.0	N	N	Trash
5 - 10		1.3		(0.0 - 1.3') SAA	0.0	N	N	Trash
10 - 15		0.3		(0.0 - 0.3') SAA	0.0	N	Y	Trash / Methane Odor
15 - 20	GW	0.0		No Recovery	--	--	--	GWS-9/15-25
20 - 25		0.0		No Recovery - Wood in tip of sampler	--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-10		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-26-18 / 09-26-18		Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Slot Size: 10-slot	
Casing Mat. / Dia. PVC / 1"		Screen: Type: PVC		Length: 10'	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface 21' bgs.	
				Completion Depth: 25.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.8		(0.0 - 1.3') 10YR3/1 (dark yellowish br.) - SAND (vf) (0.3 - 1.7') 10YR2/2 (very dark brown) - SAND (f-m) (1.7 - 2.8') 10YR7/6 (yellow) - SAND (f-m)	0.0	N	N	
5 - 10		2.0		(0.0 - 1.3') 10YR5/8 (yellowish brown) SAND (f-m), trace Gravel (f)	0.0	N	N	Trash
10 - 15		1.2		(0.0 - 1.2') SAA - Refusal at 13' bgs. Move 5' and re-drill	0.0	N	N	
15 - 20		2.9		(0.0 - 2.9') 10YR5/3 (brown) SAND (f), little Silt	0.0	N	N	GWS-10/15-25
20 - 25		2.9		(0.0 - 2.9') 10YR6/4 (light yellowish brown) SAND (f-m), little Silt, saturated, loose	0.0	N	N	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-11		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 09-26-18 / 09-26-18		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface 14' bgs.	Completion Depth: 25.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.0		(0.0 - 2.5') 10YR6/4 (light yellowish brown) SAND (f-m), some Silt, moist	0.0	N	N	Trash
5 - 10		2.0		(0.0 - 2.0') 10YR2/1 (black) SAND (vf), little Silt, Brick and Glass Fragments	0.0	N	N	Trash
10 - 15		1.0		(0.0 - 1.0') SAA	0.0	N	N	Trash
15 - 20		0.0		No Recovery - Stones (black) in tip of sampler	--	--	--	Install temporary well (15 - 25' bgs.) to gauge static water elevation.
20 - 25	SOIL	2.0		(0.0 - 2.0') 10YR4/1 (dark gray) SAND (f), trace Gravel (f), saturated, loose	0.0	N	N	SB-11/24.5-25.0

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-12		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 09-26-18 / 09-26-18		Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Slot Size:	
Casing Mat. / Dia.		Screen: Type:		Length:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface:	
				Completion Depth: 25.0 ft.	


Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		1.2		(0.0 - 2.5') 10YR3/1 (very dark gray) SAND (f-c), dry loose	0.0	N	N	
5 - 10		0.0		No Recovery	--	--	--	Perched water, within subsurface debris, entering boring annulus.
10 - 15		0.0		No Recovery	--	--	--	
15 - 20		0.0		No Recovery	--	--	--	
20 - 25		0.0		No Recovery	--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-13		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard						
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 09-26-18 / 09-26-18		
Well Installed? Yes ___ No <u>X</u>	Casing Mat. / Dia.	Screen: Type:	Length:	Dia:	Slot Size:			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface:	Completion Depth: 25.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		0.0		Direct Push	--	--	--	
5 - 10		0.0		Direct Push	--	--	--	
10 - 15	SOIL	1.0		(0.0 - 0.5') TRASH (0.5 - 1.0') 10YR5/4 (yellowish brown) SAND (f-m), dry, loose	0.0	N	N	Trash 0.0 - 0.5' / SB-13/10.5-11.0
15 - 20		2.6		(0.0 - 2.6') 10YR5/1 (gray) SAND (f-m), trace Gravel (f), saturated, loose	0.0	N	N	
20 - 25		1.5		(0.0 - 1.5') SAA	0.0	N	N	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-14		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 03-18-19 / 03-18-19		Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Slot Size: 10-slot	
Casing Mat. / Dia. PVC / 1"		Screen: Type: PVC		Length: 19'	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
		Top & Bottom of Screen		Ground Water Surface 11.5' bgs.	
		Completion Depth: 20.0 ft.			

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5	GW	2.7		(0.0 - 0.5') TOPSOIL (0.5 - 2.7') 7.5YR5/8 (strong brown) SAND (f) and SILT, trace Gravel (f), cohesive, stiff	0.0	N	N	GWS-14/0-19
5 - 10		2.4		(0.0 - 2.4') SAA	0.0	N	N	
10 - 15		1.9		(0.0 - 1.9') SAA	0.0	N	N	
15 - 20	SOIL	3.5		(0.0 - 1.5') 7.5YR5/8 (strong brown) SAND (f-m), little Silt, saturated, loose (1.5 - 3.5') 10YR6/8 (brownish yellow) SAND (f-m), saturated, loose	0.0	N	N	SB-14/15.0-15.5
20 - 25								

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-15		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-18-19 / 03-18-19		
Well Installed? Yes ___ No <input checked="" type="checkbox"/>	Casing Mat. / Dia.	Screen: Type:	Length:	Dia:	Slot Size:			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface 11.5' bgs.	Completion Depth: 20.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		1.5		(0.0 - 0.5') TOPSOIL (0.5 - 1.5') 7.5YR5/8 (strong brown) SAND (f) and SILT, cohesive, stiff	0.0	N	N	
5 - 10		4.0		(0.0 - 2.4') SAA	0.0	N	N	
10 - 15		3.2		(0.0 - 3.2') 10YR6/8 (yellowish brown) SAND (f-m), little Silt, trace Gravel (f), saturated	0.0	N	N	
15 - 20	SOIL	3.0		(0.0 - 2.2') 10YR6/8 (yellowish brown) SAND (f-m), little Silt, trace Gravel (f), saturated (2.2 - 3.0') 10YR5/2 (grayish brown) SAND (m), little Gravel (f-c), saturated, loose	0.0	N	N	SB-15/15.0-15.5
20 - 25	--	--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG



Boring ID: SB-16		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.	
		Location Buena Vista Township, New Jersey			
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ			
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push	
Start / Finish Date 03-18-19 / 03-19-19		Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Casing Mat. / Dia.	
Screen: Type:		Length:		Slot Size:	
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing	
Top & Bottom of Screen		Ground Water Surface 11' bgs		Completion Depth: 50.0 ft.	

Remarks:

LOG OF TEST BORING

Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.3		(0.0 - 0.9') TOPSOIL (0.9 - 2.3') 7.5YR5/8 (strong brown) SILTY SAND (vf), tight, moist, cohesive	0.0	N	N	
5 - 10		3.8		(0.0 - 2.0') SAA (0.0 - 2.0') 10YR6/8 (brownish yellow) SAND (vf), little Silt, trace Gravel (f), moist, firm	0.0	N	N	
10 - 15	SOIL	2.5		(0.0 - 2.5') 10YR7/6 (yellow) SAND (f), some Gravel (f), little Silt, loose, saturated at 11' bgs.	0.0	N	N	SB-16/11.5-12.0
15 - 20		3.5		(0.0 - 3.5') 10YR7/6 (yellow) SAND (f), some Gravel (f), little Silt, saturated, loose	0.0	N	N	
--		--			--	--	--	
47 - 50	GW			Direct Push SP-16 Sampler	--	--	--	GWS-16/47-50

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-17		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-18-19 / 03-18-19		
Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Casing Mat. / Dia.		Screen: Type:		Slot Size:		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
						Ground Water Surface 11.5' bgs.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 5		2.8		(0.0 - 1.0') TOPSOIL (1.0 - 2.8') 7.5YR5/8 (strong brown) SAND (vf) and SILT, cohesive, stiff	0.0	N	N	
5 - 10		3.3		(0.0 - 3.3') 10YR6/8 (yellowish brown) SAND (vf), some Silt, moist, sl. cohesive	0.0	N	N	
10 - 15		4.0		(0.0 - 4.0') SAA	0.0	N	N	
15 - 20	SOIL	3.8		(0.0 - 3.8') 10YR6/4 (light yellowish brown) SAND (f-c), little Silt, some Gravel (f), saturated, loose	0.0	N	N	SB-17/19.5-20.0
20 - 25	--	--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-18		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-19-19 / 03-19-19		
Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Casing Mat. / Dia.		Screen: Type:		Slot Size:		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
						Ground Water Surface:		
						Completion Depth: 50.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
47 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-18/47-50
		--			--	--	--	
		--			--	--	--	
		--			--	--	--	
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-19		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-19-19 / 03-19-19		
Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Casing Mat. / Dia.		Screen: Type:		Slot Size:		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
						Ground Water Surface:		
						Completion Depth: 40.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
36 - 40	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-19/36-40
		--			--	--	--	
		--			--	--	--	
		--			--	--	--	
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-20		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-20-19 / 03-20-19		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 19'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface 11.8' bgs	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 19	GW	--		Temporary PVC well	--	--	--	GWS-20/0-19
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-20/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-20/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-20/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-21		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-25-19 / 03-26-19		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 15'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface:	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-21/0-15
36-40	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-21/36-40
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-21/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-21/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-21/96-100

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-22		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 03-26-19 / 03-27-19		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 15'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface:	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-22/0-15
26 - 30	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-22/26-30
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-22/46-50
71 - 76	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-22/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-22/96-100

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-23		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 04-01-19 / 04-01-19		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 18'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface:	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 18	GW	--		Temporary PVC well	--	--	--	GWS-23/0-18
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-23/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-23/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-23/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-24		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 04-01-19 / 04-02-19		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 15'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface 4.9' bgs.	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-24/0-15
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-24/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-24/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-24/96-100
		--			--	--	--	


SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-25		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 04-04-19 / 04-04-19		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 15'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface:	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-25/0-15
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-25/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-25/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-25/96-100
		--			--	--	--	


SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-26		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard						
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 7822DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 11-08-2019 / 11-08-2019		
Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Casing Mat. / Dia.		Screen: Type:		Slot Size:		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
						Ground Water Surface:		
						Completion Depth: 136.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
132-136	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-26/132-136
--	--	--			--	--	--	--
--	--				--	--	--	--
--	--				--	--	--	--
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-27		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard						
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Sonic Track Rig		Size / Type of Bit		Sampling Method Sonic		Start / Finish Date 06-08-2020 / 06-09-2020		
Well Installed? Yes ___ No <input checked="" type="checkbox"/>		Casing Mat / Dia.		Screen: Type:		Slot Size:		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
				Ground Water Surface:		Completion Depth: 180.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 12.5				TRASH	0.0	--	--	
12.5 - 40.0				10YR6/6 (brownish yellow) SAND, little Silt, tr. Gravel (f), saturated, loose	0.0	--	--	
40.0 - 41.0				10YR7/2 (light gray) CLAY, tight	0.0	--	--	
41.0 - 62.0				10YR7/2 (light gray) to 2.5YR4/6 (red) SAND (vf), saturated, loose	0.0	--	--	
62.0 - 76.0				10YR6/8 (brownish yellow) SAND (vf), little Silt, saturated, loose	0.0	--	--	
76.0 - 81.0				10YR4/1 (dark gray) SILT and SAND (vf) , saturated, slightly cohesive, sticky, tight	0.0	--	--	
81.0 - 124.0	GW			10YR6/8 (brownish yellow) SAND (vf), saturated, loose	0.0	--	--	GWS-27/95-100 GWS-27/120-125
124.0 - 130.0				10YR5/1 (gray) CLAY, tight	0.0	--	--	
130.0 - 156.5	GW			10YR6/4 (light yellowish brown) SAND (vf)	0.0	--	--	GWS-27/145-150
156.5 - 180.0				10YR4/2 (dark grayish brown) SAND (vf) and SILT, tight, firm, cohesive, not sticky	0.0	--	--	
		--			--	--	--	


SAA = Same as Above
 BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-28		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard						
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Sonic Track Rig		Size / Type of Bit		Sampling Method Sonic		Start / Finish Date 06-09-2020 / 06-11-2020		
Well Installed? Yes ___ No <u>X</u>		Casing Mat / Dia.		Screen: Type:		Slot Size:		
Elevation Of: (Ft. Above M.S.L.)		Ground Surface		Top of Well Casing		Top & Bottom of Screen		
						Ground Water Surface:		
						Completion Depth: 180.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 40.0				7.5YR5/8 (strong brown) to 10YR7/6 (yellow) SAND (f-m), little Silt, loose	0.0	--	--	
40.0 - 45.5				5YR5/8 (yellow red) to 2YR4/4 (reddish brown) SAND (f-c) and GRAVEL (f-c), IRONPAN.	0.0	--	--	
45.5 - 48.0				10YR6/6 (brownish yellow) SAND (vf), little Silt, saturated, loose	0.0	--	--	
48.0 - 50.0				10YR7/6 (yellow) CLAY, sticky, tight	0.0	--	--	
50.0 - 68.0				10YR7/8 (yellow) SAND (vf), little Silt, saturated, sl. cohesive	0.0	--	--	
68.0 - 70.0				10YR4/1 (dark gray) SILT, dense, cohesive, sticky	0.0	--	--	
70.0 - 74.0				10YR4/1 (dark gray) SAND (vf), little Silt, saturated, loose	0.0	--	--	
74.0 - 92.0				10YR6/6 (brownish yellow) SAND (vf), saturated, loose	0.0	--	--	
92.0 - 97.0				10YR6/8 (brownish yellow) to 10YR4/1 (dark gray) CLAY, tight, cohesive	0.0	--	--	
97.0 - 116.0				10YR4/1 (dark gray) SAND (vf), some Silt, cohesive, firm	0.0	--	--	
116.0 - 121.5				10YR4/2 (dark grayish brown) CLAY w/ 3" Sand (m) stringers	0.0	--	--	
121.5 - 145.0	GW			10YR6/6 (brownish yellow) SAND (vf-f), tr. Silt and Gravel (f)	0.0	--	--	GWS-28/125-130
145.0 - 180.0	GW			10YR4/2 (dark grayish brown) SAND (vf) and SILT, tight, firm, cohesive, not sticky	0.0	--	--	GWS-28/145-150

SAA = Same as Above
 BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-29		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard						
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 10-01-20 / 10-01-20		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface: 12'	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 17	GW	--		Temporary PVC well	--	--	--	GWS-29/7-17
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-29/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-29/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-29/96-100
		--			--	--	--	


SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-30		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 10-05-20 / 10-05-20		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface: 2'	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-30/5-15
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-30/46-50
76 - 80	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-30/76-80
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-30/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-31		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard						
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 10-06-20 / 10-06-20		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface: 7'	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-31/5-15
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-31/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-31/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-31/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-32		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 10-07-20 / 10-07-20		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface: 7'	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 10	GW	--		Temporary PVC well	--	--	--	GWS-30/0-10
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-32/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-32/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-32/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-33		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 04-14-21 / 04-14-21		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 10'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface: 10'	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 15	GW	--		Temporary PVC well	--	--	--	GWS-33/0-15
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-33/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-33/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-33/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

TEST BORING LOG

Boring ID: SB-34		Project No. / Name #18-1823 / Buena Vista Twp. Public Works Yard		CALMAR ASSOCIATES, LLC.				
		Location Buena Vista Township, New Jersey						
Drilling Contractor / Driller B&F Drilling		Supervisor / Office RK Seibert / Dorothy, NJ						
Drilling Equipment / Method Geoprobe 6620DT		Size / Type of Bit		Sampling Method Direct Push		Start / Finish Date 04-14-21 / 04-14-21		
Well Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Casing Mat. / Dia. PVC / 1"	Screen: Type: PVC	Length: 25'	Dia: 1"	Slot Size: 10-slot			
Elevation Of: (Ft. Above M.S.L.)	Ground Surface	Top of Well Casing	Top & Bottom of Screen		Ground Water Surface: 17.5'	Completion Depth: 100.0 ft.		
Remarks:								
LOG OF TEST BORING								
Depth (FT)	Sample Type	Recovery (FT)	Penetration Resistance Blows/6"	Description	PID (ppm)	Visible Impact (Y/N)	Odor (Y/N)	Remarks
0 - 25	GW	--		Temporary PVC well	--	--	--	GWS-34/0-25
46 - 50	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-34/46-50
71 - 75	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-33/71-75
96 - 100	GW	--		Direct Push SP-16 sampler	--	--	--	GWS-33/96-100
		--			--	--	--	

SAA = Same as Above
BGS = Below Ground Surface

APPENDIX E

MONITORING WELL RECORDS & FORM B'S

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

5

Mail to
Water Allocation
CN 029
Trenton, N.J. 08625

Permit No. 3506406-4

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P.

35.03.6²⁴

Owner Buena Vista Twp.
Address Harding Hi-Way
Buena, N.J. 08310

Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360

Name of Facility Buena Vista Twp Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360

Diameter of Well	4	Inches	Proposed Depth of Well	40	Feet
Proposed Capacity of Pump	2	GPM	Method of Drilling	(cable-tool, rotary, etc.) Rotary	
Use of Well (See Reverse)	Monitoring				


LOCATION OF WELL

Lot #	Block #	Municipality	County
2A	182	Buena Vista Twp	Atlantic

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35

WELL #1



SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
-

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 07 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White

Health Dept. - Yellow

Owner - Blue

WELPMT 011 0007

WELL RECORD

Well Permit No. 35-06406-4
Atlas Sheet Coordinates 35:03:0694

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION
BOREHOLE DIMENSIONS Date well completed 4/5/88
Depths: Total 41 ft. Finished 41 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface 18 ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL Screens: Note Slot Size(s)
Casing 1		<u>21</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>21</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>21</u>	<u>20</u>		
Grout	<u>0</u>	<u>21</u>		<u>H/ bentonite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/5/88
Static water-level before pumping 21.5 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using eline Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 107 gals. per min.
Well was pumped using air Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfrs. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airline _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88
COPIES: White - DEP Canary - Driller Pink - Owner Goldenrod - Health Dept.

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

5

Permit No. 3506405-6

Mail to
Water Allocation
CN 029
Trenton, N.J. 08625

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P. 35.03.6 24

Owner Buena Vista Twp.
Address Harding Hi-Way
Buena, N.J. 08310
Name of Facility Buena Vista Twp. Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360


Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360

Diameter of Well	<u>4</u>	Inches	Proposed Depth of Well	<u>40</u>	Feet
Proposed Capacity of Pump	<u>2</u>	GPM	Method of Drilling	<u>Rotary</u> (cable-tool, rotary, etc.)	
Use of Well (See Reverse)	<u>Monitoring</u>				

LOCATION OF WELL

Lot #	Block #	Municipality	County
<u>2A</u>	<u>182</u>	<u>Buena Vista Twp</u>	<u>Atlantic</u>

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.



SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
-

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 07 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White Health Dept. - Yellow Owner - Blue

WELPMT 011 0006

WELL RECORD

Well Permit No. 35-06405-6
Atlas Sheet Coordinates 35; 03; 604

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION Date well completed 4/5/88
BOREHOLE DIMENSIONS Depth: Total 42.5 ft. Finished 42.5 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface 18" ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL <small>Screens: Note Slot Size(s)</small>
Casing 1		<u>22.5</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>22.5</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>22.5</u>	<u>20</u>		<u>4/1</u>
Grout	<u>0</u>	<u>22.5</u>		<u>Annular</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/5/88
Static water-level before pumping 22.5 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using cell Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 10 gals. per min.
Well was pumped using air Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfr. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airdie _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88

COPIES: White - DEP Canary - Driller Pink - Owner Goldenrod - Health Dept.

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

Permit No. 3506404-8

Mail to
Water Allocation
CN 029
Trenton, N.J. 08625

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P. 35 03.424

Owner Buena Vista Twp.
Address Harding- Hi-Way
Buena, N.J. 08310
Name of Facility Buena Vista Twp. Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360

Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360


Diameter of Well	4	Inches	Proposed Depth of Well	40	Feet
Proposed Capacity of Pump	2	GPM	Method of Drilling	Cable-tool, rotary, etc./Rotary	
Use of Well (See Reverse)	Monitoring				

LOCATION OF WELL


Lot #	Block #	Municipality	County
2A	182	Buena Vista Twp	Atlantic

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35



WELL #3



SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4" in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
-

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 24 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87
COPIES: Water Allocation - White

Authorized Agent: Jack Quinlan
Signature of Owner
Health Dept. - Yellow Owner - Blue

WELL RECORD

Well Permit No. 35-06404-8
Atlas Sheet Coordinates 35:03:024

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION Date well completed 4/5/88
BOREHOLE DIMENSIONS Depths: Total 42.5 ft. Finished 42.5 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface _____ ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL <small>Screens: Note Slot Size(s)</small>
Casing 1		<u>22.5</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>22.5</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>22.5</u>	<u>20</u>		<u>NI</u>
Grout	<u>0</u>	<u>22.5</u>		<u>Bennite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4/5/88
Static water level before pumping 25 ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using line Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 10+ gals. per min.
Well was pumped using _____ Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfrs. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpieces _____ ft. Airline _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11/1/88

COPIES: White - DEP Canary - Driller Pink - Owner Goldenrod - Health Dept.

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER RESOURCES
TRENTON, N.J.

Permit No. 3506403-0

Mail to
Water Allocation
CN 029
Trenton, N.J. 08625

PERMIT TO DRILL WELL

VALID ONLY AFTER APPROVAL BY THE D.E.P. 35-03-624

Owner Buena Vista Twp.
Address Harding Hi-Way
Buena, N.J. 08310
Name of Facility Buena Vista Twp Landfill
Address N. Union Rd.
E. Vineland, N.J. 08360

Driller Jack Quinlan
Address E. Landis Ave.
E. Vineland, N.J. 08360


Diameter of Well	4	Inches	Proposed Depth of Well	40	Feet
Proposed Capacity of Pump	2	GPM	Method of Drilling	(cable-tool, rotary, etc.) Rotary	
Use of Well (See Reverse)	Monitoring				

LOCATION OF WELL


Lot #	Block #	Municipality	County
2A	182	Buena Vista Twp	Atlantic

Draw sketch showing distance and relations of well site to nearest public roads, streets, septic systems, etc.

State Atlas Map No. 35



WELL #4



FOR MONITORING PURPOSES ONLY

SEE REVERSE SIDE for IMPORTANT PROVISIONS AND REGULATIONS pertaining to this permit. APPROVAL of this permit is made SUBJECT TO acceptance of and compliance with the following ADDITIONAL CONDITIONS.

- Pinelands - Well must be drilled over 100' deep or a clay layer at least 4' in thickness must be encountered.
- It is necessary that Geophysical Logs of this well be made. Permanent pumping equipment SHALL NOT be installed until such logs are made.
- Authorization by rule under N.J.A.C. 7:14A-1 et seq.
- Samples of cuttings required every _____ feet or change in material.
- The results of a volatile organic scan must be obtained prior to using the water and submitted to _____.
- Domestic Potable Water Supply - The service line for water from the public community water supply system shall be turned off at the curb cock, and the meter shall be removed by the water purveyor.
- Domestic Irrigation Supply - No piping from the well for which the permit applies shall enter any building.
- Industrial/Commercial Supply - A physical connection permit shall be obtained pursuant to the provisions of N.J.A.C. 7:10-10-1 et seq., and a vigorous cross connections control program shall be instituted and maintained within the premises.
- Heat Pump Wells - Wells must be 50 feet apart and the water must be returned to the same aquifer as the production well.
-

This Space for Approval Stamp

WELL PERMIT APPROVED
Dept. of Environmental Protection
Water Resources/Water Allocation

APR 07 1987

In compliance with R.S. 58:4A-14, application is made for a permit to drill a well as described above.

Date 3/24/87

Authorized Agent: Jack Quinlan
Signature of Owner

COPIES: Water Allocation - White

Health Dept. - Yellow

Owner - Blue

WELPMT 011 0004

WELL RECORD

Well Permit No. 35-06403-0
Atlas Sheet Coordinates 35-03-624

OWNER IDENTIFICATION - Owner Buena Vista Township
Address Harding Hi-Way
City Buena State N.J. Zip Code 08310

WELL LOCATION - If not the same owner please give address. Owner's Well No. _____
Address N. Union Rd.
County Atlantic Municipality Buena Vista Twp Lot No. 2A Block No. 182

WELL USE Monitoring Status Completed

WATER USE _____ Average _____ gals. daily Maximum _____ gals. daily

WELL CONSTRUCTION
BOREHOLE DIMENSIONS Date well completed 4-15-88
Depth: Total 42.5 ft. Finished 42.5 ft.
Diameter: Top 8 in. Bottom 8 in.
Land Surface Elevation at well 110 ft. Elevation was determined using map
Casing Height (stick-up) above land surface 24" ft.

	DEPTH TO TOP (FT.)	LENGTH (FT.)	DIAMETER (IN.)	TYPE AND MATERIAL <small>Screens: Note Blot Blot(s)</small>
Casing 1		<u>22.5</u>	<u>4</u>	<u>PVC</u>
Casing 2				
Casing 3				
Screen 1	<u>22.5</u>	<u>20</u>	<u>4</u>	<u>PVC .020</u>
Screen 2				
Tail Piece				
Gravel Pack	<u>22.5</u>	<u>20</u>		<u>41</u>
Grout	<u>0</u>	<u>22.5</u>		<u>Benite</u>
Grouting Method				

WELL FLOWS NATURALLY No gals. per min. at _____ ft. above the land surface.
Water rises to _____ ft. above the land surface.

RECORD OF TEST Test Date 4-15-88
Static water level before pumping 25" ft. below land surface. Water level _____ ft. below land surface after _____ hrs. of pumping.
Water level was measured using caliper Drawdown _____ ft.
Discharge rate measured using _____ Discharge Rate 10 gals. per min.
Well was pumped using air Specific Capacity _____ gals. per min. per ft. of drawdown
Observed effects on nearby wells _____
Water Quality (taste, odor, color, etc.) _____

PERMANENT PUMPING EQUIPMENT Installed by None Pump Type _____
Mfr. Name _____ Model _____
CAPACITY: Pump delivers _____ GPM at _____ PSI pressure.
POWER: _____ HP at _____ RPM Power Source _____
DEPTHS: Pump _____ ft. Footpiece _____ ft. Airlift _____ ft.
FLOW METER: Model _____ installed on _____ in. diameter pipe.

CONTRACTOR - Name of Drilling Contractor Quinlan Well Drilling
Address E. Landis Ave.
City E. Vineland State N.J. Zip Code 08360
Name of Driller Jack Quinlan License No. 962

Signature of Contractor Jack Quinlan Date 11-1-88

COPIES: White - DEP Canary - Driller Pink - Owner Goldenrod - Health Dept.

MONITORING WELL RECORD

PROPERTY OWNER: BARUFFI REALTY ASSOC., INC.

Company/Organization: Baruffi Realty Assoc., Inc.

Address: 907 N. Main Road Bldg. D Vineland, New Jersey 08360

WELL LOCATION: Buena Vista Twp., 4678 Landis Avenue

Address: 4678 Landis Avenue Buena Vista Twp., N.J.

County: Atlantic Municipality: Buena Vista Twp Lot: 32 Block: 7601

Easting (X): 368092 Northing (Y): 237741
Coordinate System: NJ State Plane (NAD83) - USFEET

DATE WELL STARTED: July 13, 2022

DATE WELL COMPLETED: July 13, 2022

WELL USE: MONITORING

Other Use(s): _____

Local ID: CMA-1

WELL CONSTRUCTION

Total Depth Drilled (ft.): 50 Finished Well Depth (ft.): 50 Well Surface: Flush Mount

	Depth to Top (ft.)	Depth to Bottom (ft.)	Diameter (inches)	Material	Wgt/Rating/Screen # Used (lbs/ch no.)
Borehole	0	50	6		
Casing	0	45	2	PVC	sch 40
Screen	45	50	2	PVC	.010

	Depth to Top (ft.)	Depth to Bottom (ft.)	Outer Diameter (in.)	Inner Diameter (in.)	Material		
					Bentonite (lbs.)	Neat Cement (lbs.)	Water (gal.)
Grout	0	43	6	2	107		56
Gravel Pack	43	50	6	2		#1 sand	

Grouting Method: Pressure method (Tremie Pipe)

Drilling Method: Hollow Stem Augers

ADDITIONAL INFORMATION

Protective Casing: No

Static Water Level: 14.5 ft. below land surface

Water Level Measure Tool: mscope

Well Development Period: 1 hrs.

Method of Development: submersible

Pump Type: _____

Pump Capacity: _ gpm

Total Design Head: _ ft.

Drilling Fluid: _____

Drill Rig: Geoprobe 6620DT

Health and Safety Plan Submitted? No

ATTACHMENTS:

GEOLOGIC LOG

0 - 15: Red brown OT - Other F to M sand

15 - 27: Light brown OT - Other F to M sand

27 - 40: Brown OT - Other F to M sand

40 - 50: Red brown, Yellow brown OT - Other Jersey stone, Med. gravel w. F to M sand

ADDITIONAL INFORMATION:

Driller of Record: Frank Michaelis,
MASTER LICENSE # 552878

Company: B & F ENVIRONMENTAL DRILLING

MONITORING WELL CERTIFICATION FORM B - LOCATION CERTIFICATION

Name of Owner: Township of Buena Vista

Name of Facility: Buena Vista Township DPW

Location: Union Road, Buena Vista Township, NJ

Case Number(s): (UST #, ISRA #, Incident #, or EPA #)

LAND SURVEYOR'S CERTIFICATION

Well Permit Number:

(This number must be permanently affixed to the well casing.)

Owners Well Number (As shown on application or plans): MW- 1

Geographic Coordinate NAD 83 (to nearest 1/10 of second):

Longitude: West 074°55'11.73994" Latitude: North 39°29'34.54624"

New Jersey State Plane Coordinates NAD 83 to nearest 10 feet:

North 240499.19605 East 373622.83514

Elevation of Top of Inner Casing (cap off) at reference mark (nearest 0.01'): 109.57

Source of elevation datum (benchmark, number/description and elevation/datum. If an on-site datum is used, identify here, assume datum of 100', and give approximated actual elevation.)

RTK GPS Observations utilizing KeyNetGPS Network

Significant observations and notes: _____

AUTHENTICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

SEAL


PROFESSIONAL LAND SURVEYOR'S SIGNATURE

May 10, 2018
DATE

Howard A. Transue NJ License No. 33541
PROFESSIONAL LAND SURVEYOR'S NAME AND LICENSE NUMBER
(Please print or type)

1425 Cantillon Blvd, Mays Landing, NJ 08330 Phone 609-625-7400
PROFESSIONAL LAND SURVEYOR'S ADDRESS AND PHONE NUMBER

MONITORING WELL CERTIFICATION FORM B - LOCATION CERTIFICATION

Name of Owner: Township of Buena Vista

Name of Facility: Buena Vista Township DPW

Location: Union Road, Buena Vista Township, NJ

Case Number(s): _____ (UST #, ISRA #, Incident #, or EPA #)

LAND SURVEYOR'S CERTIFICATION

Well Permit Number:

(This number must be permanently affixed to the well casing.)

Owners Well Number (As shown on application or plans): MW- 2

Geographic Coordinate NAD 83 (to nearest 1/10 of second):

Longitude: West 074°55'19.61571" Latitude: North 39°29'31.84013"

New Jersey State Plane Coordinates NAD 83 to nearest 10 feet:

North 240228.29848 East 373004.18546

Elevation of Top of Inner Casing (cap off) at reference mark (nearest 0.01'): 103.85

Source of elevation datum (benchmark, number/description and elevation/datum. If an on-site datum is used, identify here, assume datum of 100', and give approximated actual elevation.)

RTK GPS Observations utilizing KeyNetGPS Network

Significant observations and notes: _____

AUTHENTICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

SEAL

PROFESSIONAL LAND SURVEYOR'S SIGNATURE

May 10, 2018

DATE

Howard A. Transue

NJ License No. 33541

PROFESSIONAL LAND SURVEYOR'S NAME AND LICENSE NUMBER

(Please print or type)

1425 Cantillon Blvd, Mays Landing, NJ 08330

Phone 609-625-7400

PROFESSIONAL LAND SURVEYOR'S ADDRESS AND PHONE NUMBER

MONITORING WELL CERTIFICATION FORM B - LOCATION CERTIFICATION

Name of Owner: Township of Buena Vista

Name of Facility: Buena Vista Township DPW

Location: Union Road, Buena Vista Township, NJ

Case Number(s): _____ (UST #, ISRA #, Incident #, or EPA #)

LAND SURVEYOR'S CERTIFICATION

Well Permit Number:

(This number must be permanently affixed to the well casing.)

Owners Well Number (As shown on application or plans): MW- 3

Geographic Coordinate NAD 83 (to nearest 1/10 of second):

Longitude: West 074°55'19.36355" Latitude: North 39°29'34.92568"

New Jersey State Plane Coordinates NAD 83 to nearest 10 feet:

North 240540.37738 East 373025.41404

Elevation of Top of Inner Casing (cap off) at reference mark (nearest 0.01'): 111.74

Source of elevation datum (benchmark, number/description and elevation/datum. If an on-site datum is used, identify here, assume datum of 100', and give approximated actual elevation.)

RTK GPS Observations utilizing KeyNetGPS Network

Significant observations and notes: _____

AUTHENTICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

SEAL

PROFESSIONAL LAND SURVEYOR'S SIGNATURE

May 13, 2010

DATE

Howard A. Transue

NJ License No. 33541

PROFESSIONAL LAND SURVEYOR'S NAME AND LICENSE NUMBER

(Please print or type)

1425 Cantillon Blvd, Mays Landing, NJ 08330

Phone 609-625-7400

PROFESSIONAL LAND SURVEYOR'S ADDRESS AND PHONE NUMBER

MONITORING WELL CERTIFICATION FORM B - LOCATION CERTIFICATION

Name of Owner: Township of Buena Vista

Name of Facility: Buena Vista Township DPW

Location: Union Road, Buena Vista Township, NJ

Case Number(s): _____ (UST #, ISRA #, Incident #, or EPA #)

LAND SURVEYOR'S CERTIFICATION

Well Permit Number:

(This number must be permanently affixed to the well casing.)

Owners Well Number (As shown on application or plans): MW- 4

Geographic Coordinate NAD 83 (to nearest 1/10 of second):

Longitude: West 074°55'19.11833" Latitude: North 39°29'38.11296"

New Jersey State Plane Coordinates NAD 83 to nearest 10 feet:

North 240862.75054 East 373046.14725

Elevation of Top of Inner Casing (cap off) at reference mark (nearest 0.01'): 113.02

Source of elevation datum (benchmark, number/description and elevation/datum. If an on-site datum is used, identify here, assume datum of 100', and give approximated actual elevation.)

RTK GPS Observations utilizing KeyNetGPS Network

Significant observations and notes: _____

AUTHENTICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

SEAL


PROFESSIONAL LAND SURVEYOR'S SIGNATURE

May 13, 2010
DATE

Howard A. Transue NJ License No. 33541
PROFESSIONAL LAND SURVEYOR'S NAME AND LICENSE NUMBER
(Please print or type)

1425 Cantillon Blvd, Mays Landing, NJ 08330 Phone 609-625-7400
PROFESSIONAL LAND SURVEYOR'S ADDRESS AND PHONE NUMBER



New Jersey Department of Environmental Protection
Site Remediation Program

Monitoring Well Certification Form B - Location Certification

Date Stamp
(For Department use only)

SECTION A. SITE NAME AND LOCATION

Site Name: Buena Vista Township Public Works Yard

List all AKAs:

Street Address: 430 Union Road

Municipality: Buena Vista Township (Township, Borough or City)

County: Atlantic Zip Code: 08360

Program Interest (PI) Number(s): 032698 Case Tracking Number(s): 15-09-24-0947-44

SECTION B. WELL OWNER AND LOCATION

1. Name of Well Owner Baruffi Realty Assoc.,

2. Well Location (Street Address) 4678 Landis Avenue, Buena Vista Township, New Jersey

3. Well Location (Municipal Block and Lot) Block# 7601 Lot # 32

SECTION C. WELL LOCATION SPECIFICS

1. Well Permit Number (This number must be permanently affixed to the well casing): E202206242

2. Site Well Number (As shown on application or plans): CMA-1

3. Geographic Coordinate NAD 83 to nearest 1/100 of a second:

Latitude: North 39°29'07.22" Longitude: West 74°56'22.07"

4. New Jersey State Plane Coordinates NAD 83 datum, US survey feet units, to nearest foot:

North 237761.69173 East 368096.35448

5. Elevation of Top of Inner Casing (cap off) at reference mark (nearest 0.01'): 88.51

Elevation Top of Outer casing: 89.29 Elevation of ground: 89.04

Check one: NAVD 88 NGVD29 On Site Datum Other

6. Source of elevation datum (benchmark, number/description and elevation/datum). If an on-site datum is used, identify here, assume datum of 100', and give approximated actual elevation (referencing NAVD 88).

GPS OBSERVED

7. Significant observations and notes:

SECTION D. LAND SURVEYOR'S CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

SEAL

Professional Land Surveyor's Signature: *[Signature]*

Date: 9/6/22

Surveyor's Name: HOWARD A. TRANSPUE

License Number: NJ 33541

Firm Name: SNS CONSULTING ENGINEERS

Certificate of Authorization #: 24GA28103800

Mailing Address 1425 CANTILLON BLVD.

City/Town: MAYS LANDING State: N.J.

Zip Code: 08330

Phone Number 609-625-7400

Ext.: Fax: 609-909-0253

APPENDIX F

NJDEP VAPOR INTRUSION INVESTIGATION DOCUMENTATION



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

CHRIS CHRISTIE
Governor
KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

MEMORANDUM

December 14, 2015

TO: Robert Gallagher, Site Manager
Immediate Concern Unit

FROM: David Dibblee, ES3
Bureau of Environmental Measurements and Site Assessment

SUBJECT: Engagement for Post Road Ground Water Contamination
Post Rd
Buena Vista Twp, Atlantic County
Program Interest Number: 632263
Activity Number: PFR140001
Job Number: A8091390
E-CATs Activity Number: V39D
Sampling Date: December 9-10, 2015
Indoor Air Report

In accordance with Interdivisional Work request Number 4535 dated September 16, 2015, the Environmental Measurements Section conducted indoor air sampling at the above-noted site.

For this event 4 homes were sampled for indoor air and sub slab soil gas. At each location a 6 liter summa canister was deployed in the basement of the home and was retrieved 24 hours later. After retrieval of each 24 hour canister, a sub slab sample was collected using a 1 liter summa canister. Each sub slab sample was collected by installing a 3/8 inch Teflon lined tubing in a hole drilled through the concrete floor. The tubing was purged at each location using a Brailsford pump before opening the summa canister to collect the sample. After sampling the hole was sealed using Rockite concrete mix. An ambient air sample was collected at 4324 Post Road on the back patio (Turchi Residence).

The sample locations are summarized in the attached table. A map is also provided in the NJEMS record for this site.

Should you have any questions regarding this event please contact me at 530-3985.

Post Road Indoor Air Sampling Event
December 9th & 10th, 2015
Buena Vist Twp, Atlantic County

Sample #	Address	Location
4325AB1	Burke Residence 4325 Post Road	6-liter, 24 hour canister placed on the short wall opposite the bar
4325SS1		1-liter sub slab collected in the unfinished bathroom in the basement
4324AB1	Turchi Residence 4324 Post Road	6-liter 24 hour canister placed on the TV stand on the office side of the basement
4324SS1		1-liter sub slab collected in the center of the basement near brick column
AA1		6-liter, 24 hour ambient canister placed on the rear patio
4321AB1	Doe Residence 4321 Post Road	6-liter, 24 hour canister placed on a table at the foot of the stairs near the chest freezer
4321SS1		1-liter sub slab collected behind the stairs, in front of the washer and dryer, center of room
4328AB1	PAFACOM House (vacant) 4328 Post Road	6-liter, 24 hour canister set on a folding ladder in the center of the room
4328SS1		1-liter sub slab collected in the center of the room



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

CHRIS CHRISTIE
Governor
Kim Guadagno
Lt Governor

BOB MARTIN
Commissioner

MEMORANDUM

TO: Robert Gallagher, Case Manager
Immediate Environmental Concern Unit
Bureau of Environmental Measurement & Site Assessment

THROUGH: Greg Toffoli, Section Chief
Joseph Sanguiliano
Office of Data Quality
Hazardous Site Science Element

FROM: Dorothy Lin
Office of Data Quality
Hazardous Site Science Element

SUBJECT: Data Validation Review of the 9 air samples for the Post Rd. GW Contamination, Buena Vista, Atlantic County (PI# 632263) Site.

Table with 5 columns: Field ID, Lab ID, Summa ID, Collection Dates, Matrix. It lists 9 air samples with their respective IDs and collection dates.

The Office of Data Quality, Hazardous Site Science Element has reviewed the above mentioned air samples for Volatile Organics. Analyses were performed by TestAmerica-Burlington Laboratories according to USEPA Method TO-15 Method for volatile organics according to full regulatory deliverable requirements as specified in the Technical Requirements for Site Remediation, N.J.A.C. 7:26E. Please refer to the detailed data validation report for additional information. A Target Summary List is not provided. Please refer to the laboratory forms in the data package. Specific comments are provided below.

General Comments:

The Volatile Organics analyses were performed according to The Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition, Compendium Method TO-15.

Volatile Organics:

The data are acceptable with the comments noted below.

Sample 200-31141-4 was analyzed undiluted and diluted because the results for acetone and isopropyl alcohol (IPA) were above the highest calibration standard. The results for acetone and IPA are reported from the diluted analysis. All other results are reported from the undiluted analysis.

Positive results for methyl ethyl ketone (MEK) in all samples are quantitatively qualified because the %RSD in the initial calibration was above the QC limit of 30%.

The non-detected results for bromoform are quantitatively qualified because the laboratory control limit was below the QC limits of 70-130%.

If there are any questions concerning this review, please contact this office at 633-0752.

- c. Dave Springer, BEMSA
Heather Swartz, OCR

TARGET/NON TARGET ANALYTES-
AIR RESULTS

Chemical	CAS Number	Molecular Weight	Lab Results	Q	Corrected Results	Retention Time NT Only	QAS Decision	Foot-notes
Field ID Num: 4321AB1, Lab ID Num: 200-31141-3, Sampling Date: 12/10/2015, Analysis Date: 12/14/2015								
TO15								
Acetone	67-64-1	58.078	7.7		18			
Bromoform	75-25-2	252.75	0.20	U*	2			
Chloromethane	74-87-3	50.49	0.74		2			
Carbon disulfide	75-15-0	76.14	0.83		3			
Isopropanol	67-63-0	60.1	36		87			
Methyl ethyl ketone	78-93-3	72.11	1.0		3			
Toluene	108-88-3	92.14	0.54		2			
Trichlorofluoromethane	75-69-4	137.37	0.22		1			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Unknown			8.1	J		5.47		
Silanol, trimethyl-	1066-40-6		1.8	JN		9.47		
2-Heptanone	110-43-0		1.3	JN		19.71		
Field ID Num: 4321SS1, Lab ID Num: 200-31141-9, Sampling Date: 12/10/2015, Analysis Date: 12/14/2015								
TO15								
Bromoform	75-25-2	252.75	2.0	U*	21			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Unknown alkane			12	J		15.87		
Total Alkanes	STL00989		12	J				
Field ID Num: 4324AB1, Lab ID Num: 200-31141-1, Sampling Date: 12/10/2015, Analysis Date: 12/14/2015								
TO15								
Acetone	67-64-1	58.078	11		27			
Benzene	71-43-2	78.108	0.30		1			
Bromoform	75-25-2	252.75	0.20	U*	2			
Chloromethane	74-87-3	50.49	0.65		1			
n-Hexane	110-54-3	86.172	0.68		2			
Isopropanol	67-63-0	60.1	15		36			
Toluene	108-88-3	92.14	0.75		3			
Trichlorofluoromethane	75-69-4	137.37	0.20		1			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Unknown alkane			3.0	J		3.08		
Unknown alkane			6.8	J		3.38		
Unknown alkane			2.5	J		4.48		
Unknown alkane			1.7	J		5.04		
Unknown			8.8	J		5.47		
D-Limonene	5989-27-5		30	JN		22.2		
Unknown alkane			1.0	J		27.1		
Total Alkanes	STL00989		15	J				
Field ID Num: 4324SS1, Lab ID Num: 200-31141-3, Sampling Date: 12/10/2015, Analysis Date: 12/14/2015								
TO15								
Bromoform	75-25-2	252.75	2.0	U*	21			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Field ID Num: 4325AB1, Lab ID Num: 200-31141-4, Sampling Date: 12/10/2015, Analysis Date: 12/14/2015								
TO15								
Acetone	67-64-1	58.078	150	E	370			
Benzene	71-43-2	78.108	3.7		12			
Bromoform	75-25-2	252.75	0.20	U*	2			
Chloromethane	74-87-3	50.49	0.72		1			
Cyclohexane	110-82-7	84.16	0.66		2			
Dichlorodifluoromethane	75-71-8	120.91	0.50		2			
1,2-Dichloroethane	107-06-2	98.96	0.33		1			
Ethylbenzene	100-41-4	106.17	3.9		17			
4-Ethyltoluene	622-96-8	120.2	0.89		4			
n-Heptane	142-82-5	100.21	6.4		26			
n-Hexane	110-54-3	86.172	6.7		24			
Isopropanol	67-63-0	60.1	64	E	160			
Methyl ethyl ketone	78-93-3	72.11	7.1		21			
Methyl isobutyl ketone	108-10-1	100.16	0.50		2			
Styrene	100-42-5	104.15	0.55		2			

TARGET/NON TARGET ANALYTES-
AIR RESULTS

Chemical	CAS Number	Molecular Weight	Lab Results	Q	Corrected Results	Retention Time NT Only	QAS Decision	Foot-notes
Tetrahydrofuran	109-99-9	72.11	5.4		16			
Toluene	108-88-3	92.14	25		95			
Trichlorofluoromethane	75-69-4	137.37	0.65		4			
1,2,4-Trimethylbenzene	95-63-6	120.2	3.1		15			
1,3,5-Trimethylbenzene	108-67-8	120.2	0.78		4			
2,2,4-Trimethylpentane	540-84-1	114.23	14		64			
Xylenes (m&p)	179601-23-	106.17	16		70			
Xylenes (o)	95-47-6	106.17	5.8		25			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Unknown			4.2	J		2.75		
Unknown alkane			3.1	J		2.85		
Unknown alkane			12	J		3.08		
Unknown alkane			11	J		3.38		
Unknown alkane			12	J		4.48		
Unknown alkane			4.3	J		5.04		
Unknown			28	J		5.5		
Unknown alkane			2.7	J		6.96		
Unknown alkane			2.3	J		10.32		
Unknown alkane			2.1	J		12.68		
Unknown alkane			3.0	J		13.54		
Unknown alkane			2.4	J		13.79		
Unknown			2.2	J		16.79		
(1R)-2,6,6-Trimethylbicyclo[3.1.1]hept-2	7785-70-8		11	JN		20.08		
.beta.-Pinene	127-91-3		1.4	JN		21.29		
D-Limonene	5989-27-5		4.2	JN		22.2		
Unknown			1.2	J		23.39		
Unknown alkane			1.1	J		23.78		
Total Alkanes	STL00989		56	J				
Field ID Num: 4325AB1DL, Lab ID Num: 200-31141-4, Sampling Date: 12/10/2015, Analysis Date: 12/16/2015								
TO15								
Acetone	67-64-1	58.078	130	D	320			
Benzene	71-43-2	78.108	3.2	D	10			
Ethylbenzene	100-41-4	106.17	3.8	D	17			
n-Heptane	142-82-5	100.21	5.8	D	24			
n-Hexane	110-54-3	86.172	5.3	D	19			
Isopropanol	67-63-0	60.1	47	D	120			
Methyl ethyl ketone	78-93-3	72.11	6.9	D	20			
Toluene	108-88-3	92.14	24	D	92			
1,2,4-Trimethylbenzene	95-63-6	120.2	3.2	D	15			
2,2,4-Trimethylpentane	540-84-1	114.23	12	D	55			
Xylenes (m&p)	179601-23-	106.17	15	D	66			
Xylenes (o)	95-47-6	106.17	5.5	D	24			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Unknown alkane			38	JD		3.5		
Unknown alkane			15	JD		3.75		
Unknown alkane			21	JD		4.86		
Unknown			62	JD		5.77		
(1S)-2,6,6-Trimethylbicyclo[3.1.1]hept-2	7785-26-4		13	JND		16.44		
Total Alkanes	STL00989		74	JD				
Field ID Num: 4325SS1, Lab ID Num: 200-31141-7, Sampling Date: 12/10/2015, Analysis Date: 12/14/2015								
TO15								
Acetone	67-64-1	58.078	270		630			
Benzene	71-43-2	78.108	11		35			
Bromoform	75-25-2	252.75	2.0	U*	21			
n-Hexane	110-54-3	86.172	2.0		7			
Isopropanol	67-63-0	60.1	200		490			
Methyl ethyl ketone	78-93-3	72.11	8.5		25			
Toluene	108-88-3	92.14	3.1		12			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Unknown			73	J		5.45		

TARGET/NON TARGET ANALYTES-
AIR RESULTS

Chemical	CAS Number	Molecular Weight	Lab Results	Q	Corrected Results	Retention Time NT Only	QAS Decision	Foot-notes
Field ID Num: 4328AB1 Lab ID Num: 200-31141-2 Sampling Date: 12/10/2015 Analysis Date: 12/14/2015								
TO15								
Bromoform	75-25-2	252.75	0.20	U*	2			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Field ID Num: 4328SS1 Lab ID Num: 200-31141-5 Sampling Date: 12/10/2015 Analysis Date: 12/14/2015								
TO15								
Acetone	67-64-1	58.078	72		170			
Bromoform	75-25-2	252.75	2.0	U*	21			
n-Hexane	110-54-3	86.172	3.6		13			
Volatile Tentatively Identified Compounds (up to 30 compounds)								
Field ID Num: AA1 Lab ID Num: 200-31141-5 Sampling Date: 12/10/2015 Analysis Date: 12/14/2015								
TO15								
Bromoform	75-25-2	252.75	0.20	U*	2			
Chloromethane	74-87-3	50.49	0.59		1			
Toluene	108-88-3	92.14	0.23		0.9			
Volatile Tentatively Identified Compounds (up to 30 compounds)								



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Publicly Funded Response Element
Bureau of Environmental Measurements and
Site Assessment
P.O. Box 420
Mail Code 380-01
Trenton, New Jersey 08625

CHRIS CHRISTIE
Governor

KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

May 17, 2016

Paul & Lola Speziali
4320 Post Road
Vineland, NJ 08360

Re: Sub-Slab Soil Gas and Indoor Air Sampling at:
4320 Post Road
Buena Vista Township (Vineland), Atlantic County
Block 7101, Lot 33
Sampling Date: March 29-30, 2016

For: Post Road Ground Water Contamination Site
Buena Vista Township, Atlantic County
NJDEP Preferred Identification (PI) #: 632263

Dear Mr. & Mrs. Speziali:

The New Jersey Department of Environmental Protection (NJDEP) is writing to provide you with the analytical results from sub-slab soil gas and indoor air samples collected at your property on March 29-30, 2016. The samples were collected as part of a vapor intrusion investigation due to the Post Road Ground Water Contamination site.

The samples were analyzed for volatile organic compounds according to USEPA Method TO-15. Although the laboratory routinely analyzes for an extensive list of potential volatile organic compounds, the primary contaminants of concern associated with the Post Road Ground Water Contamination site that could affect indoor air quality within your building are vinyl chloride, trichloroethene (TCE), and cis 1,2 dichloroethene (DCE). Summarized below and in the attached tables are the analytical results for the sub-slab soil gas and indoor air samples collected from your building. The NJDEP Residential Indoor Air Screening Levels referenced in the attached indoor air sampling results table are based upon typical exposure factors and assume the occupants of the building are exposed to the indoor air over a 25 to 30 year period.


RESULTS:

The contaminants of concern were not detected in the sub-slab soil gas sample collected from your property, nor were they detected in the indoor air sample collected from your basement. These findings indicate vapor intrusion is not occurring at your home and therefore no additional vapor intrusion testing is required at this time. Please note, however, that remedial investigations at the Post Road Ground Water Contamination site are ongoing. If future findings indicate contamination from this site could impact your property, additional sampling may be necessary and you will be contacted at that time.

Please note that pursuant to New Jersey's Open Public Records Act (OPRA), all building surveys and vapor intrusion sampling results obtained by NJDEP during this investigation become part of the public record for the Post Road Ground Water Contamination site. We are obligated to make this information available to any interested party that requests access to it through our Office of Record Access.

If you have any questions about your sampling results or NJDEP's activities at this site, please contact Heather Swartz, Community Relations Coordinator in NJDEP's Office of Community Relations at (609) 984-7135 or Heather.Swartz@dep.nj.gov. For more information about vapor intrusion, please refer to our web page at www.nj.gov/dep/srp/guidance/vaporintrusion/indoor_air.htm.

Sincerely,



William Lowry, Chief
Bureau of Environmental Measurement & Site
Assessment

Enclosures: Indoor Air and Soil Gas Sampling Results Summary Tables

- c: Lisa A. Tilton, Township Clerk/Assistant Municipal Administrator, Buena Vista Township
Municipal Building, 890 Harding Highway, PO Box 605, Buena, NJ 08310
Patricia Diamond, M.P.H., Atlantic Co. Dept. of Human Services, 235 Dolphin Avenue,
Northfield, NJ 08225
Keith Phillips, Atlantic County Division of Public Health, 201 South Shore Road, Suite 339 -
Still Water Building, Northfield, NJ 08225
Robert Gallagher, NJDEP Case Manager
Heather Swartz, NJDEP Community Relations Coordinator

Residential Indoor Air Sampling Results Summary Table

Post Road Ground Water Contamination Site

NJDEP Program Interest (PI) # 632263

Speziali Residence 4320 Post Road Buena Vista Township Atlantic County Block 7101; Lot 33	NJDEP Residential Indoor Air Screening Levels	Indoor Air Sampling Results (Basement) Sample ID # 4320AB1
Chemical	$\mu\text{g}/\text{m}^3$	March 29-30, 2016
Acetone	32,000	19
Chloromethane	94	1
Methyl ethyl ketone	5,200	2
Trichlorofluoromethane	730	3
Xylenes	100	3
Notes: Only compounds with screening levels that are detected above the analytical reporting limits are listed in this table. All results are in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).		

Residential Soil Gas Sampling Results Summary Table

Post Road Ground Water Contamination Site

NJDEP Program Interest (PI) # 632263

Speziali Residence 4320 Post Road Buena Vista Township Atlantic County Block 7101; Lot 33	NJDEP Residential Soil Gas Screening Levels	Soil Gas Sampling Results (Basement) Sample ID # 4320SS1
Chemical	$\mu\text{g}/\text{m}^3$	March 30, 2016
Benzene	16	14
Notes: Only compounds with screening levels that are detected above the analytical reporting limits are listed in this table. All results are in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).		



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Publicly Funded Response Element
Bureau of Environmental Measurements and
Site Assessment
P.O. Box 420
Mail Code 380-01
Trenton, New Jersey 08625

CHRIS CHRISTIE
Governor

KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

May 17, 2016

Richard Burke Sr.
4325 Post Road
Vineland, NJ 08360

Re: Sub-Slab Soil Gas and Indoor Air Sampling at:
4325 Post Road
Buena Vista Township (Vineland), Atlantic County
Block 7001, Lot 5.01
Sampling Date: March 29-30, 2016

For: Post Road Ground Water Contamination Site
Buena Vista Township, Atlantic County
NJDEP Preferred Identification (PI) #: 632263

Dear Mr. Burke:

The New Jersey Department of Environmental Protection (NJDEP) is writing to provide you with the analytical results from sub-slab soil gas and indoor air samples collected at your property on March 29-30, 2016. The samples were collected as part of a vapor intrusion investigation due to the Post Road Ground Water Contamination site.

The sampling was conducted to follow up on vapor intrusion testing NJDEP performed at your home in December of 2015, when elevated concentrations of benzene was detected in the sub-slab soil gas and indoor air samples. This round of vapor intrusion testing was conducted to help determine whether the benzene vapors were due to a background source inside your home and not related to the ground water contamination plume.

The indoor air and sub-slab soil gas samples collected from your property on March 29-30, 2016 were analyzed for volatile organic compounds according to USEPA Method TO-15. Although the laboratory routinely analyzes for an extensive list of potential volatile organic compounds, the primary contaminants of concern associated with the Post Road Ground Water Contamination site that could affect indoor air quality within your building are vinyl chloride, trichloroethene (TCE), and cis 1,2 dichloroethene (DCE).

Summarized below and in the attached table are the analytical results for the indoor air sample collected from your building. The NJDEP Residential Indoor Air Screening Levels referenced in the attached indoor air sampling results table are based upon typical exposure factors and assume the occupants of the building are exposed to the indoor air over a 25 to 30 year period. Any sampling result that exceeded an applicable NJDEP screening level is presented in bold type and shaded. (Please note that a soil gas sampling results table is not included with this letter because no volatile organic compounds were detected in the sub-slab soil gas sample collected at your property on March 30, 2016.)

RESULTS:

None of the contaminants of concern for the Post Road Ground Water Contamination site were detected in the sub-slab soil gas sample collected from your property, nor were any of the contaminants of concern detected in the indoor air sample collected from your basement. However, benzene, ethylbenzene and tetrachloroethene (also known as perchloroethylene, or PCE) were detected in the indoor air sample at concentrations above NJDEP's Residential Indoor Air Screening Levels. These contaminants are not associated with the Post Road Ground Water Contamination site and were not detected in the sub-slab soil gas sample collected from your property on March 30, 2016.

Indoor air contamination that is not due to the site is referred to as "background contamination." Background indoor air contamination can be due to vapors associated with cigarette smoke, dry cleaned clothing, gasoline-powered machinery and certain construction materials and cleaning products, among other things. For more information, please refer to the attached list of common household sources of background indoor air contamination. An Indoor Air Building Survey/Sampling Form was completed for your property on the day of the sampling to identify possible sources of background contamination. If you would like a copy, please contact the individual identified below.


These findings indicate that the elevated concentrations of benzene vapors detected in the sub-slab soil gas and indoor air during the December 2016 vapor intrusion sampling event were likely due to one or more background sources inside your home. Consequently, NJDEP has concluded that vapor intrusion is not occurring at your home and therefore no additional vapor intrusion testing is required at this time. Please note, however, that remedial investigations at the Post Road Ground Water Contamination site are ongoing. If future findings indicate contamination from this site could impact your property, additional sampling may be necessary and you will be contacted at that time.

The New Jersey Department of Health (NJDOH) is responsible for evaluating indoor air quality issues. Therefore, if you have questions regarding the quality of the indoor air and/or require information about potential health effects, please contact NJDOH's Indoor Environments Program at (609) 826-4920.

Please note that pursuant to New Jersey's Open Public Records Act (OPRA), all building surveys and vapor intrusion sampling results obtained by NJDEP during this investigation become part of the public record for the Post Road Ground Water Contamination site. We are obligated to make this information available to any interested party that requests access to it through our Office of Record Access.

If you have any questions about your sampling results or NJDEP's activities at this site, please contact Heather Swartz, Community Relations Coordinator in NJDEP's Office of Community Relations at (609) 984-7135 or Heather.Swartz@dep.nj.gov. For more information about vapor intrusion, please refer to our web page at www.nj.gov/dep/srp/guidance/vaporintrusion/indoor_air.htm.

Sincerely,



William Lowry, Chief
Bureau of Environmental Measurement & Site
Assessment

Enclosures: Indoor Air Sampling Results Summary Table
Common Background Indoor Air Sources

c: Lisa A. Tilton, Township Clerk/Assistant Municipal Administrator, Buena Vista Township
Municipal Building, 890 Harding Highway, PO Box 605, Buena, NJ 08310
Patricia Diamond, M.P.H., Atlantic Co. Dept. of Human Services, 235 Dolphin Avenue,
Northfield, NJ 08225
Keith Phillips, Atlantic County Division of Public Health, 201 South Shore Road, Suite 339 -
Still Water Building, Northfield, NJ 08225
Robert Gallagher, NJDEP Case Manager
Heather Swartz, NJDEP Community Relations Coordinator

Residential Indoor Air Sampling Results Summary Table

Post Road Ground Water Contamination Site

NJDEP Program Interest (PI) # 632263

Burke Residence 4325 Post Road Buena Vista Township Atlantic County Block 7001; Lot 5.01	NJDEP Residential Indoor Air Screening Levels	Indoor Air Sampling Results (Basement) Sample ID # 4325ABI
Chemical	$\mu\text{g}/\text{m}^3$	March 29-30, 2016
Acetone	32,000	170 D
Benzene	2	14
Chloromethane	94	2
Cyclohexane	6,300	3
Dichlorodifluoromethane	100	3
1,2 Dichloroethane	2	1
Ethylbenzene	2	15
4-Ethyltoluene	n/a	5
n-Heptane	n/a	10
n-Hexane	730	25
Isopropanol	n/a	61
Methyl ethyl ketone	5,200	22
Methyl isobutyl ketone	3,100	3
Styrene	1,000	2
Tetrachloroethene (PCE)	9	15
Tetrahydrofuran	n/a	21
Toluene	5,200	97
Trichlorofluoromethane	730	3
1,2,4 Trimethylbenzene	n/a	16
1,3,5 Trimethylbenzene	n/a	4
2,2,4 Trimethylpentane	n/a	31
Xylenes (total)	100	83

Notes:

Only compounds with screening levels that are detected above the analytical reporting limits are listed in this table.

All results are in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$).

n/a - A screening level is currently not available for this chemical.

D- Diluted sample

ND - Not Detected

Bolded and shaded result indicates exceedance of applicable Indoor Air Screening Level

APPENDIX G

LABORATORY QA/QC ANALYTICAL REPORTS: SOIL

The laboratory analytical data was not included with this report. A copy of the laboratory analytical data can be made available upon request.

APPENDIX H

LABORATORY QA/QC ANALYTICAL REPORTS: MONITORING WELLS

The laboratory analytical data was not included with this report. A copy of the laboratory analytical data can be made available upon request.

APPENDIX I

LABORATORY QA/QC ANALYTICAL REPORTS: GROUNDWATER DELINEATION

The laboratory analytical data was not included with this report. A copy of the laboratory analytical data can be made available upon request.

APPENDIX J

**CEA/WELL RESTRICTION AREA (WRA)
FACT SHEET FORM**

3. CEA Boundaries and VI Pathway Status: Year of tax map used: _____

Are there volatile contaminants in the CEA? Yes No
 Is there LNAPL currently found in the CEA? Yes No

For CEA revisions only:

- Check if CEA Boundary has changed (*See instructions*)
- Check if Block and Lot numbers have changed (*See instructions*)

List the block(s) and lot(s) included in the areal extent of the CEA and check the appropriate boxes:

Block	Lot(s)	Check if off-site	Check if VI pathway was evaluated *	Check if VI pathway status is indeterminate *
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Check if attaching an Addendum to list additional Blocks/Lots and associated information. (*see instructions*)

* Follow instructions for parcels where the vapor intrusion (VI) pathway was evaluated and the status is indeterminate.

Direction of ground water flow: _____ (*If multiple water bearing zones exist within the CEA and/or there is no predominant flow direction, see instructions.*)

Vertical depth of CEA: _____ (ft bgs) **and** _____ (msl).

Horizontal extent of CEA: _____ Indicate units: acres or square feet

Name(s) of the affected Geologic Formation(s)/Unit(s) (*see instructions if multiple formations/units affected*):

Narrative description of proposed CEA boundaries:

4. Projected Term of CEA: (*Based on modeling/calculations in the fate and transport description*)

Proposed Duration in Years: _____ Anticipated Expiration Date: _____

or Indeterminate (*Review instructions before selecting "Indeterminate" for the CEA duration.*)

5. ATTACH AND/OR SUBMIT THE FOLLOWING: (*see instructions for additional information/requirements*)

Exhibit A: Site Location Maps – Based on USGS Quadrangle Map;

Exhibit B: CEA Map and Cross Section Figure – See N.J.A.C 7:26C- 7.3(c)1 and 2 and instructions regarding what is required to be included on the map and the cross-section figure.

Exhibit C: GIS Deliverables – CEA Boundary Extent Map. The CEA Boundary Extent Map shall be submitted via email to srpgis_cea@dep.nj.gov. (*See the instructions for detailed GIS deliverable requirements.*)

Identify format of CEA Boundary Extent Map being submitted: Shape File CAD File N/A

If there is a CEA map already on NJ-GeoWeb, does it need to be revised? Yes No N/A

SECTION C. CURRENT GROUND WATER USE DOCUMENTATION

- 1. Indicate the year of the most recent well search completed per N.J.A.C. 7:26E-1.14: _____
- 2. If this Fact Sheet form is for a revised CEA or an existing CEA with no changes, have new wells been installed since the CEA was established? Yes No N/A
- 3. Are there any pumping wells (e.g., potable, industrial, irrigation or recovery wells) within the foot print of the CEA? Yes No
If "Yes" list/attach list of the type and status of any pumping well(s) within CEA:

SECTION D. WELL RESTRICTION INFORMATION

Certain well restrictions relevant to potable ground water use, such as "Double Case Wells", "Sample Potable Wells", and "Evaluate Production Wells", are consistently set within the boundaries of all CEAs established by the NJDEP in Class I and II-A areas (see instructions).

- 1. Are there any other site-specific well restrictions relevant to potable ground water use that should be set within or near the boundaries of the proposed CEA? Yes No
If "Yes", describe below any such site-specific well restrictions proposed for this CEA:

SECTION E. PUBLIC NOTIFICATION REQUIREMENTS

- 1. Indicate which of the following entities have been notified pursuant to N.J.A.C. 7:26C-7.3(d) and the dates each notification was sent. (check all that apply)
 - Municipal and county clerk(s) Dated mailed: _____
 - Local, county or regional health department(s) Dated mailed: _____
 - Designated County Environmental Health Act agency (if applicable) Dated mailed: _____
 - County Planning Board Dated mailed: _____
 - Pinelands Commission (if applicable) Dated mailed: _____
 - Owners of real property overlying CEA foot print Dated mailed: _____

Classification Exception Area / Well Restriction Area (CEA/WRA) Fact Sheet Form
Section B.2 - Block(s) and Lot(s) included in the areal extent of the proposed CEA

Block	Lot	Check if off-site	Check if VI pathway was Evaluated	Check if VI pathway status is indeterminate
7101	22	X	X	
7101	23	X	X	
7101	24	X	X	
7101	25		X	
7101	26	X	X	
7101	28	X	X	
7101	28	X	X	
7101	29	X	X	
7101	29	X	X	
7101	29.01	X	X	
7101	29.01	X	X	
7101	29.02	X	X	
7101	30	X	X	
7101	31	X	X	
7101	32	X	X	
7101	33	X	X	
7101	34	X	X	
7101	34.01	X	X	
7101	35	X	X	
7101	36	X	X	
7101	37	X	X	
7101	38	X	X	
7101	39	X	X	
7101	39	X	X	
7101	40	X	X	
7101	40	X	X	
7101	40.01	X	X	
7001	1	X	X	
7001	1.01	X	X	
7001	1.02	X	X	
7001	2	X	X	
7001	3	X	X	
7001	4	X	X	
7001	5	X	X	
7001	5.01	X	X	
7001	5.02	X	X	
7001	5.02	X	X	
7001	6	X	X	
7001	7	X	X	
7601	9	X	X	
7601	10	X	X	
7601	11	X	X	
7601	12	X	X	
7601	12	X	X	
7601	13	X	X	
7601	13	X	X	
7601	14	X	X	
7601	27	X	X	
7601	32	X	X	
7601	33	X	X	
7601	33	X	X	
7601	36	X	X	
7601	37	X	X	
7601	38	X	X	
7601	39	X	X	

Classification Exception Area / Well Restriction Area (CEA/WRA) Fact Sheet Form
Section C.3 - Current Ground Water Use Documentation

Permit_Number	Well_Use	Physical_Address	County	Municipality	Block	Lot
	Public Non-Community	430 POST ROAD	Atlantic	Buena Vista Twp	7101	25
	Domestic	4310 POST ROAD	Atlantic	Buena	7101	34.01
3500021124	Domestic Replacement	4324 POST RD.	Atlantic	Buena Vista Twp	7101	32
3500019006	Domestic Replacement	4320 POST RD.	Atlantic	Buena Vista Twp	7101	33
E201313461	Domestic	4316 POST ROAD	Atlantic	Buena Vista Twp	7101	34
E201810447	Domestic Replacement	4302 POST ROAD	Atlantic	Buena Vista Twp	7101	35
E201311517	Domestic Replacement	4268 Post Road	Atlantic	Buena Vista Twp	7101	37
E201809617	Domestic Replacement	4268 POST RD (4266 POST)	Atlantic	Buena Vista Twp	7101	38
3500025932	Irrigation	4268 POST RD	Atlantic	Buena Vista Twp	7101	38
E201712521	Domestic	4246 POST ROAD	Atlantic	Buena Vista Twp	7101	40
3500025084	Domestic Replacement	4328 POST ROAD	Atlantic	Buena Vista Twp	7101	3 (31)
3500021160	Domestic Replacement	4254 POST RD.	Atlantic	Buena Vista Twp	7101	39
3500006603	Domestic	4332 POST ROAD	Atlantic	Buena Vista Twp	352 (7101)	23A (30)
3500026321	Domestic Replacement	444 UNION ROAD	Atlantic	Buena Vista Twp	7101	28
3500023325	Domestic Replacement	440 N UNION RD	Atlantic	Buena Vista Twp	7101	26
	Domestic	454 N UNION RD	Atlantic	Buena Vista Twp	7101	29
E201111540	Domestic	N. Union Road	Atlantic	Buena Vista Twp	7101	29
3500019935	Irrigation	N UNION RD	Atlantic	Buena Vista Twp	7101	29
3500015597	Domestic Replacement	BOX 35, POST ROAD RD 5	Atlantic	Buena Vista Twp	7101	29
3500003769	Irrigation	470 UNION ROAD	Atlantic	Buena Vista Twp	352 (7101)	24 (29)
E201105007	Agric/Hort/Aqua Irrigation	East Oak Road	Atlantic	Buena Vista Twp	7101	23
3500019436	Domestic Replacement	4313 POST ROAD	Atlantic	Buena Vista Twp	7001	2
3500018391	Domestic	4305 POST ROAD	Atlantic	Buena Boro	7001	1.02
3500019780	Domestic	4301 POST ROAD	Atlantic	Buena Vista Twp	7001	1.01
	Domestic	4321 POST ROAD	Atlantic	Buena Vista Twp	7001	4
3500018333	Irrigation	4321 POST ROAD	Atlantic	Buena Vista Twp	427 (7001)	2B (4)
3500023940	Domestic	4325 POST ROAD	Atlantic	Buena Vista Twp	7001	5.01
3500009765	Domestic	4343 POST ROAD	Atlantic	Buena Vista Twp	427	4-B
3500022754	Domestic	148 CIMINO BLVD	Atlantic	Buena Vista Twp	7001	1
	Domestic	4317 POST ROAD	Atlantic	Buena Vista Twp	7001 (427)	3 (2.A)
E202005140	Domestic Replacement	4337 POST ROAD	Atlantic	Buena Vista Twp	7001	6
	Domestic	4333 POST ROAD	Atlantic	Buena Vista Twp	7001	5.02
	Domestic	4273 POST ROAD	Atlantic	Buena Vista Twp	7601	13
	Domestic	4249 POST ROAD	Atlantic	Buena Vista Twp	7601	10
3500006633	Domestic	4245 POST RD	Atlantic	Buena Vista Twp	426 (7601)	15-B (39)
E201014840	Domestic Replacement	4259 Post Rd	Atlantic	Buena Vista Twp	7601	11
3500020398	Domestic Replacement	4265 POST ROAD	Atlantic	Buena Vista Twp	7601	12
3500019716	Domestic Replacement	139 CIMINO BLVD.	Atlantic	Buena Vista Twp	7601	14
	Domestic	4239 POST RD	Atlantic	Buena Vista Twp	7601 (426)	38 (15.A)
	Domestic	4253 POST ROAD	Atlantic	Buena Vista Twp	7601 (426)	36 (6.B)
3500027676	Industrial Replacement	4678 - 4654 E. LANDIS AVENUE	Atlantic	Buena Vista Twp	7601	32
3500020226	Domestic	4698 - 4566 E. LANDIS AVE.	Atlantic	Buena Vista Twp	7601	33
3500018665	Agric/Hort/Aqua Irrigation	EAST LANDIS AVE	Atlantic	Buena Vista Twp	7601	33
3500016198	Agric/Hort/Aqua Irrigation	EAST LANDIS AVE	Atlantic	Buena Vista Twp	7601	33


Classification Exception Area / Well Restriction Area (CEA/WRA) Fact Sheet Form
Section E.2 - List of Names and Addresses

Entity or Owner Name	Mailing Address	Block	Lot(s)
CLERK, BUENA VISTA TOWNSHIP	890 HARDING HIGHWAY PO BOX 605 BUENA, NJ 08310	--	--
CLERK, ATLANTIC COUNTY	5901 MAIN STREET MAYS LANDING, NJ 08330	--	--
ATLANTIC COUNTY HEALTH DEPARTMENT	201 SOUTH SHORE ROAD NORTHFIELD, NJ 08225	--	--
ATLANTIC COUNTY PLANNING BOARD	PO BOX 719 RTE. 9 & DOLPHIN AVE. NORTHFIELD, NJ 08225	--	--
VISCONTI, ZACHARY & MELISSA BAILEY-	5421 CHESTNUT AVENUE VINELAND, NJ 08360 *	7101	22
MUZZARELLI, CHARLES JR	3455 OAK ROAD VINELAND, NJ 08360	7101	23
SEELMAN, THERESA & KEVIN	PO BOX 83 RICHLAND, NJ 08350 *	7101	24
BUENA VISTA TOWNSHIP	P O BOX 605 BUENA, NJ 08310 *	7101	25
BERTONAZZI, CARLO N	440 UNION ROAD VINELAND, NJ 08360	7101	26
PANCO, CAROL	470 UNION ROAD VINELAND, NJ 08360 *	7101	28, 29, 29.01
ALIMENTI, RAYMOND IRREVOCABLE TRUST	435 UNION ROAD VINELAND, NJ 08360 *	7101	29.02
CAPRIOTTI, RONALD & JOSEPHINE	4332 POST ROAD VINELAND, NJ 08360	7101	30
PAFACOM INC	1301 W FOREST GROVE RD 3C VINELAND, NJ 08360 *	7101	31
TURCHI, RONALD	4324 POST ROAD VINELAND, NJ 08360	7101	32
SPEZIALI, PAUL & LOLA M	4320 POST ROAD VINELAND, NJ 08360	7101	33
MATOS, VICTORIA & SHAWN	4316 POST ROAD VINELAND, NJ 08360	7101	34
FURY, PETER	4310 POST ROAD VINELAND, NJ 08360	7101	34.01
MADEIRA, LISA	4302 POST ROAD VINELAND, NJ 08360	7101	35
JOST, JAMES L & KATHRYN	139 CIMINO BLVD VINELAND, NJ 08360 *	7101	36
PETRONGOLO, JESSE	4268 POST ROAD VINELAND, NJ 08360	7101	37
CAPRI CONSTRUCTION COMPANY	4266 POST ROAD VINELAND, NJ 08360	7101	38
BYLONE, GLORIA	4254 POST ROAD VINELAND, NJ 08360	7101	39
KRENZER, AARON & KATHERINE	4246 POST ROAD VINELAND, NJ 08360	7101	40
PUSTIZZI, KENNETH F JR & KELLIE	212 NORTH WILLOW STREET LANDISVILLE, NJ 08326 *	7101	40.01

Classification Exception Area / Well Restriction Area (CEA/WRA) Fact Sheet Form
Section E.2 - List of Names and Addresses

Entity or Owner Name	Mailing Address	Block	Lot(s)
MOSLEY, CHRISTOPHER J & SHELLI L	148 CIMINO BLVD VINELAND, NJ 08360	7001	1
NICOLO, VINCENT M JR & ANITA D	4301 POST ROAD VINELAND, NJ 08360	7001	1.01
JOST, JAMES JR & OHNEMULLER, KRISTIN	4305 POST ROAD VINELAND, NJ 08360	7001	1.02
GILBERT, LARRY & LYNDA P	4313 POST ROAD VINELAND, NJ 08360	7001	2
BERTONAZZI, PAUL JR & MACKENZIE, VAL	4317 POST ROAD VINELAND, NJ 08360	7001	3
DIGIOVACCHINO, DANIEL IV & MATTHEW S	4321 POST ROAD VINELAND, NJ 08360	7001	4
CARROLL, SCOTT H & ALINE	4323 POST ROAD VINELAND, NJ 08360	7001	5
BURKE, RICHARD J SR & JAYNE L	4325 POST ROAD VINELAND, NJ 08360	7001	5.01
VOLPE, EUGENE J JR & KAREN L	4333 POST ROAD VINELAND, NJ 08360	7001	5.02
PANGIA, THOMAS D JR & EWAN, SAMANTHA	4337 POST ROAD VINELAND, NJ 08360	7001	6
CARBONARA, VITO & VALERIE	4343 POST ROAD VINELAND, NJ 08360	7001	7
NEW JERSEY NATURAL LANDS TRUST	22 S CLINTON AVE CN 404 TRENTON, NJ 08625 *	7601	9
REGALBUTO, JOSEPH & RACHEL E	4249 POST ROAD VINELAND, NJ 08360	7601	10
RICHERT, ADAM G	4259 POST ROAD VINELAND, NJ 08360	7601	11
FRANCESCONI, JENNIFER & BATTISTINI, A	4265 POST ROAD VINELAND, NJ 08360	7601	12
GALLINO, JOHN JOSEPH & NANCY	4273 POST ROAD VINELAND, NJ 08360	7601	13
JOST, JAMES & KATHRYN	139 CIMINO BOULEVARD VINELAND, NJ 08360	7601	14
CRESCI, GERARD R & JOANN	3815 HANCE BRIDGE ROAD VINELAND, NJ 08361 *	7601	27
BARUFFI REALTY ASSOCIATES LLC	907 NORTH MAIN RD BLDG D VINELAND, NJ 08360 *	7601	32
BELINS, ROBERT	4698 LANDIS AVENUE VINELAND, NJ 08360	7601	33
HURBAN, DORIS A	4253 POST ROAD VINELAND, NJ 08360	7601	36
MINERVINI, FRANK & MARGARET	4235 POST ROAD VINELAND, NJ 08360	7601	37
LINN, ROBERT D & ROBIN J	4239 POST ROAD VINELAND, NJ 08360	7601	38
KULL, RICHARD & REBECCA	4545 POST ROAD VINELAND, NJ 08360	7601	39

* = Owner's mailing address differs from property address.



USGS 7.5 MINUTE TOPOGRAPHIC MAP
FIVE POINTS QUADRANGLE - 1977

NORTH



**BUENA VISTA TWP. PUBLIC
WORKS YARD**

430 UNION ROAD
BLOCK 7101, LOT 25
BUENA VISTA TOWNSHIP
ATLANTIC COUNTY, NJ

SITE LOCATION MAP

CALMAR ASSOCIATES LLC.

1415 13th Avenue
Dorothy, NJ 08317

DRWN: MT



RYAN K. SEIBERT, LSRP

CHK'D: RKS

SRP PI# 032698

APPD:



Exhibit A



KEY MAP:
SCALE 1" = 250'

- LEGEND:**
- GROUNDWATER SAMPLING INTERVAL - RESULTS BELOW NJDEP GWQC CLASS II-A
 - GROUNDWATER SAMPLING INTERVAL - RESULTS EXCEED NJDEP GWQC CLASS II-A
 - WATER TABLE
 - PROPOSED CEA
 - CMA GROUNDWATER SCREENING LOCATION
 - NJDEP GROUNDWATER SCREENING LOCATION
 - VOC'S NOT DETECTED IN POTABLE WELL
 - VOC'S DETECTED AT OR BELOW GWQC IN POTABLE WELL
 - VOC'S DETECTED ABOVE GWQC IN POTABLE WELL
 - PFAS NOT DETECTED IN POTABLE WELL
 - PFAS DETECTED AT OR BELOW GWQC IN POTABLE WELL
 - PFAS DETECTED ABOVE GWQC IN POTABLE WELL

- SOIL LITHOLOGY:**
- TRASH/FILL MATERIAL
 - 10YR8/6 (BROWNISH YELLOW) TO 10YR7/2 (LIGHT GRAY) - SAND (VF), LITTLE SILT, TRACE GRAVEL (F), LOOSE
 - 10YR4/1 (DARK GRAY) - SILT AND SAND (VF), DENSE, COHESIVE, STICKY
 - 10YR8/6 (BROWNISH YELLOW) - SAND (VF-F), TRACE SILT AND GRAVEL (F), LOOSE
 - 10YR5/1 (GRAY) TO 10YR4/1 (DARK GRAYISH BROWN) - CLAY WITH OCCASIONAL SAND (M) STRINGERS, TIGHT
 - 10YR4/2 (DARK GRAYISH BROWN) - SAND (VF) AND SILT, TIGHT, FIRM, COHESIVE, NOT STICKY



CROSS SECTION	
BUENA VISTA TOWNSHIP PUBLIC WORKS YARD 430 UNION ROAD BUENA VISTA TOWNSHIP ATLANTIC COUNTY, NEW JERSEY	
CALMAR Associates LLC.	DATE: SEPTEMBER 2022
NJDEP SRP PI # 032698 Ryan K. Seibert, LSRP	SCALE: 1" = 250'
Exhibit B	